



BOOST

Height-Adjustable Workstations





B) () () () () height-adjustable workstations

BOOST Height-Adjustable Workstations allow you to take control of your health and productivity through improved ergonomics while keeping aesthetics and flexibility in mind. With divider options and integrated power and cable management, the streamlined design provides a clean look and convenient features. BOOST Pro's telescoping power beam allows for many configurations—from straight benching to L-shapes to bullpens, and more—with the added benefit of easily transforming as the office grows or changes.




YOU'RE THE PRO. WE GIVE THE BOOST.

BOOST Pro is resizable, reconfigurable, and reliable.

FEATURES


- 3-stage, height-adjustable frame with 25.4"-51" range (without surface)
- Digital handset with 4 programmable presets and USB charging port
- Integrated power, data, and wire management system
- Telescoping beams for resizability and reconfigurability

IDEA STARTERS



Facing Workstations
Pod of 4

5-Day Lead Time



Side-by-Side Workstations
Pod of 2



Sahara Ridge Laminate | Black Steel | Ventus Chair | Dry-Erase Frosted Glass Divider | Modesty Panel | End Panel | Nexus Dual-Monitor Arm | Magnetic Cable Chain | Desktop Power Unit




Sahara Ridge Laminate | Black Steel | Ventus Chair | Dry-Erase Frosted Glass Divider | Modesty Panel | End Panel | Nexus Dual-Monitor Arm | Desktop Power Unit





MORE SPACE FOR EVEN BIGGER IDEAS.

IDEA STARTERS




Facing L-Shape Workstations
Pod of 4





Facing L-Shape Workstations
Pod of 6



5-Day Lead Time

Side-by-Side L-Shape WorkstationsPod of 3



Sahara Ridge and Electric White Laminate | White Steel | Razor Chair | FX Gunmetal and Dusk Tackable Fabric Divider | Divider-Height End Panel | Surface-Mount Box/File Slim Pedestal | Magnetic Cable Chain | Desktop Power Unit



HOTELING. HOT DESKING. FLEX SPACES.

BOOST Go's smooth, locking casters make this mobile workstation easy to set up anywhere in the office.

FEATURES

- 3-stage and 2-stage quick-assemble frame options
- Dual-motor design for smooth, fast operation
- Digital handset with 4 programmable presets
- Locking casters suitable for hardwood floors and low-pile carpet

IDEA STARTER


Mobile Workstation with Locking Casters

5-Day Lead Time




A NEXT-LEVEL BOOST FOR YOUR OFFICE.

IDEA STARTERS




U-Shape Workstationwith Fixed-Height Surfaces



L-Shape Workstationwith Fixed-Height Return

5-Day Lead Time



L-Shape Workstation with Modesty Panel

LAMINATE









Sahara Ridge



Shadow Elm

Sonic Maple

White Oak

Electric White

STEEL

Black






Silver




White


IDEA STARTERS




Facing Workstations Pod of 4




Facing Workstations Pod of 6




Facing Workstations Pod of 6




Facing Workstations Pod of 10




Facing L-Shape Workstations Pod of 2




Facing L-Shape Workstations Pod of 6



Side-by-Side Workstations Pod of 4



Side-by-Side Workstations Pod of 5



Side-by-Side L-Shape Workstations Pod of 2

SPECIFICATIONS

Surface Core	FAST: 1" Particle Board FX: 1.25" Particle Board
Surface Top Layer	FAST: Thermo-Fused Melamine FX: High-Pressure Laminate
Surface Underside Layer	FAST: Thermo-Fused Melamine FX: Phenolic Backer
Surface Edgeband	FAST: 3 mm PVC FX: 3 mm ABS
Surface Certification	FAST: FSC Mix, FSC Recycled, FSC Controlled Wood, TSCA Title VI & GREENGUARD FX: FSC Mix, FSC Controlled Wood, SCS Recycled Content & GREENGUARD Gold
Frame Material	95+% Recycled Steel
Frame Paint	Powder Coating
Frame Recyclability	100%
Steel Thickness	Frame: 16-Gauge Feet: 11-Gauge and 3-Gauge
Lead Time	FAST: 5 Business Days FX: 20 Business Days



BOOST / BOOST GO SPECIFICATIONS

Frame Type	3-Stage & 2-Stage
Frame Height Range	3-Stage: 25.4"-51" (without Surface) 2-Stage: 27"-44.5" (without Surface)
Frame Width Range	46.75"-70.25" (without Surface)
Frame Weight Capacity	3-Leg: 280 lbs 2-Leg: 220 lbs 2-Leg with Casters: 152 lbs
Input	100-240VAC 450W (4.5A)
Output	33DCV 16.5W (0.5A)
Duty Cycle	10% (1 Mins On, 9 Mins Off)
Digital Handset	4 Programmable Presets
Power Cord	77"
Caster Applications	Hardwood Floors & Low-Pile Carpet



BOOST PRO SPECIFICATIONS

Frame Type	3-Stage
Frame Height Range	25.4"-51" (without Surface)
Frame Width Range	46.75"-66" (without Surface)
Frame Weight Capacity	3-Leg: 280 lbs 2-Leg: 220 lbs
Power	66"-72" Workstations: 3 Receptacles (6 Outlets) Each 48" Workstations: 2 Receptacles (4 Outlets) Each All Workstations: 20-Amp 4-Pole Quad Circuit
Input	100-240VAC 450W (4.5A)
Output	33DCV 16.5W (0.5A)
Duty Cycle	10% (2 Mins On, 18 Mins Off)
Data Tray	Holds up to 25 Cables
Digital Handset	4 Programmable Presets & USB-A Charging Port
Power Cord	77"



BOOST PRO INTEGRATED POWER SYSTEM

BOOST Pro's integrated power, data, and cable management system provides a clean look in a streamlined package—even for power users. Fewer parts make installation and power deployment more efficient and simpler than ever.



Grommet

Helps organize desktop wires. Cap opening adjusts to 3 sizes. Snaps into surface's cutout.

Magnetic Cable Chain Manages wires from surface to beam's power receptacles.

Duplex Receptacle Contains 2 outlets each. Dedicated duplexes available for sensor-activated applications.

Data Faceplate

Provides 4 ports for snap-in voice and data connectors and adapters. Snaps into beam.

Power Block

Holds duplex receptacles.

Desktop Power Unit Brings 2 power outlets to the workstation's surface. Mounts to

surface's edge or grommet.

Power Beam + Data Tray Houses electrical components and prevents unsightly wires from hanging. Holds 25 cables.

Digital Handset Provides 4 programmable presets and convenient USB-A charging port.

Connects 2 harnesses.

