



Please note there is a temporary **10% Raw Material Price Index Adjustment** on all orders.

**JUN 2022**

**CLEAR**  
DESIGN

# PRICE LIST + SPECS

TABLE OF CONTENTS

1 | General Information

Introduction..... 4

Surfaces .....6

Steel .....10

Dividers ..... 12

Panels.....14

Power and Data .....18

3 | BOOST Pro Height-Adjustable Benching

Introduction.....58

Overview..... 60

Surfaces .....62

Frames Components.....64

Supports .....65

Bridge-Mounted Dividers.....66

Panels.....68

Wire Management..... 72

Power ..... 74

5 | THREE60 Conference + Collab. Tables

Introduction.....98

Overview.....100

Surfaces .....102

Legs and Bases.....104

Supports .....105

Tables .....106

Wire Management..... 107

Power ..... 107

2 | BLADE™ Flexible Benching System

Introduction.....34

Overview.....36

Surfaces .....38

Legs..... 40

Supports .....42

Panels..... 44

Wire Management.....50

Power .....54

4 | BOOST Height-Adjustable Workstations

Introduction..... 76

Overview..... 78

Surfaces .....80

Frames and Bridges.....82

Supports .....85

Bridge-Mounted Dividers.....86

Panels.....88

Wire Management.....92

Power .....94

6 | OPTIMA Training Tables

Introduction.....108

Overview..... 110

Surfaces .....112

Frames and Panels.....113

Wire Management and Power ..... 114

Accessories.....115

7 | COVE Office Pods

Introduction..... 116

Overview..... 118

Pods ..... 120

9 | Surfaces + Tables

Introduction..... 138

FAST Program Surfaces.....140

FX Program Surfaces.....144

Legs and Bases..... 156

Lounge Tables ..... 158

11 | Storage

Introduction.....196

Steel.....198

Laminate ..... 202

13 | Additional Information

Introduction.....212

Vinyl Solutions..... 214

Maintenance Guide .....222

Warranty ..... 234

 Click on a page title/number to jump to that section.

8 | Seating

Introduction.....130

Task .....132

Conference .....133

Multipurpose ..... 134

10 | Dividers

Introduction.....160

Glass ..... 162

Acrylic.....166

Fabric.....172

PET .....176

12 | Accessories

Introduction.....206

Power and Data Units .....208

Monitor Arm .....210

Storage Hook.....210





# GENERAL

A At Clear Design, we believe in unique and innovative work environments. We provide you with products that enhance your space, productivity, and brand, by combining aesthetics with functionality. Our straightforward solutions are high quality and cost effective. Your experience is important, and we make it easy, personal, and memorable. We accomplish this with our legendary customer service, quick response times, and fast lead times. Our expert team is ready to support you—from space planning to installation and beyond.

FAST PROGRAM

3-BUSINESS-DAY LEAD TIME

PART	MATERIAL	THICKNESS	CERTIFICATIONS
Core	Particle Board	1"	N/A
Surface Layer	Thermo-Fused Melamine (TFM)	N/A	FSC Mix
Underside Layer	Thermo-Fused Melamine (TFM)	N/A	FSC Mix
Edgeband	PVC	3mm	N/A

LAMINATE FINISHES

Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm




MPL Sonic Maple



OAK White Oak



SAH Sahara Ridge



WHT Electric White



Black Grommets

Surfaces include pre-installed, circular grommets in black, where applicable.




Silver & White Grommets


Black grommets may be replaced with silver or white grommets at an additional cost.

AVAILABLE SIZES


COMPATIBLE WITH BLADE, BOOST, BOOST GO, BOOST PRO & OPTIMA




24"x36" Surface




24"x42" Surface




24"x48" Surface




24"x60" Surface




24"x66" Surface




24"x72" Surface




30"x48" Surface




30"x60" Surface




30"x66" Surface




30"x72" Surface




120-Degree Surface




36" Round Surface




42" Round Surface



48" Round Surface



36"x36" Surface



49"x48" Surface



FX PROGRAM

15-BUSINESS-DAY LEAD TIME

PART	MATERIAL	THICKNESS	CERTIFICATIONS
Core	Particle Board	1.25"	FSC Mix
Surface Layer	High-Pressure Laminate (HPL) — Type 350 (Horizontal Grade Postforming)	N/A	FSC 100%, GREENGUARD
Underside Layer	Phenolic Backer	N/A	FSC 100%, GREENGUARD
Edgeband	Acrylonitrile Butadiene Styrene (ABS) Plastic	3mm	N/A

**Additional Laminate Options**  
More laminates available from Formica and Wilsonart. Pionite options available upon request.

**Edgebands**  
If matching edgebands are not available, our customer service team will contact you.

AVAILABLE SIZES

PIECES	WIDTH	DEPTH	THICKNESS
1-Piece	36"—84"	24"—61"	1.25"
2-Piece	96"—144"	24"—61"	1.25"
3-Piece	156"—240"	24"—61"	1.25"
4-Piece	264"—288"	24"—61"	1.25"

CUSTOM MATERIALS

Custom Materials include COM (customer's own materials), all specialty laminates and finishes from Formica (180fx, Infiniti, ColorCore, and Writable Surface) and Wilsonart (Y-code, Mirage, Glaze, and Aligned Oak), as well as some specialty fabrics and wood stains.

Pricing and lead times will vary case by case. Please contact us for assistance, or visit [mycleardesign.com/finishes/custom-materials](https://mycleardesign.com/finishes/custom-materials) for more information.

LAMINATE FINISHES

Specify at end of product code (i.e. T48120-08845).



7952 Asian Sand



4940 Astro Strandz



7924 Biltmore Cherry




8916 Blackened Fiberwood



8845 Bleached Legno



7933 Cafelle



D354 Designer White




7122 Empire Mahogany



86992 Hard Rock Maple  
Similar to Sonic Maple



7981 Landmark Wood  
Similar to White Oak




D427 Linen  
Similar to Electric White



7991 NeoWalnut  
Similar to Sahara Ridge




7973 Old Mill Oak



7964 Skyline Walnut  
Similar to Shadow Elm



7960 Studio Teak



4939 Vapor Strandz

SPECS


PROPERTY	CHARACTERISTICS
Material	95+% Recycled Steel
Thickness	12-Gauge (BLADE & BOOST Legs) 9-10-Gauge (Non-Structural Ancillary Items)
Paint	Powder Coating
Recyclability	100%

COLORS


NAME	RAL	CMYK	RGB	HEX
Black	9017	72-66-65-75	30-30-30	1E1E1E
Silver	9006	38-30-31-0	165-165-165	1A5A5A5
White	9016	2-2-2-0	246-246-246	F6F6F6
Raw	N/A	N/A	N/A	N/A

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White




RAW Raw

i


**Raw Steel Finish**  
Variations like welds, heat marks & scuffs are fully visible through the smooth clear coat.

COMPONENTS


LEGS



BLADE End, Intermediate & 120 Degree Legs




BOOST End, Intermediate & 120 Degree Legs




THREE60 Angled Sleigh Legs


BEAMS



BLADE Low-Profile and Regular-Profile Beams




BOOST 46.5", 49", 61", 67" & 73" Beams




Support Bar


WIRE MANAGEMENT



BLADE Wide & Narrow Cable Trays




BOOST 30" & 50" Cable Trays




Power Pole


ACCESSORIES




BLADE Divider Brackets



BOOST Divider Brackets




BOOST Leg Bases



Storage

BLADE™, BOOST & BOOST Pro  
SURFACE-MOUNTED POSITIONS



**Dry-Erase Frosted Glass Divider (19" High)**  
W 23", 29", 47", 58" & 71" D 0.315" H 19"



**Dry-Erase Frosted Glass Divider (12" High)**  
W 23", 29", 47", 58" & 71" D 0.315" H 12"




**Tackable Fabric Divider**  
W 23", 29", 47", 59", 65" & 71" D 0.875" H 19"




**Acoustic Divider**  
W 23", 29", 47", 59", 65" & 71" D 0.875" H 19"

BOOST & BOOST Pro  
BRIDGE-MOUNTED POSITIONS




**Tackable Fabric Divider**  
W 23", 29", 47", 59", 65" & 71" D 0.875" H 55"






BLADE™  
DIVIDER-HEIGHT END PANEL

PROPERTY	CHARACTERISTICS
Material	Laminate
Widths	50", 62"
Finishes	Shadow Elm, Electric White




BLADE™  
SURFACE-HEIGHT END PANEL

PROPERTY	CHARACTERISTICS
Material	Laminate
Widths	50", 62"
Finishes	Shadow Elm, Electric White




BLADE™  
INSET END PANEL (LAMINATE)

PROPERTY	CHARACTERISTICS
Material	Laminate
Widths	50", 62"
Finishes	Shadow Elm, Electric White




BLADE™  
INSET END PANEL (STEEL)

PROPERTY	CHARACTERISTICS
Material	Steel
Widths	20", 26", 45", 56.75"
Finishes	White, Silver, Black




BLADE™  
MODESTY PANEL (LAMINATE)

PROPERTY	CHARACTERISTICS
Material	Laminate
Widths	31", 37", 55", 66"
Finishes	Shadow Elm, Electric White



BLADE™  
MODESTY PANEL (STEEL)


PROPERTY	CHARACTERISTICS
Material	Steel
Widths	36", 55", 67"
Finishes	White, Silver, Black



BOOST & BOOST Pro

DIVIDER-HEIGHT END PANEL


PROPERTY	CHARACTERISTICS
Material	Laminate
Widths	50", 62"
Finishes	Shadow Elm, Electric White



BOOST & BOOST Pro

SURFACE-HEIGHT END PANEL


PROPERTY	CHARACTERISTICS
Material	Laminate
Widths	50", 62"
Finishes	Shadow Elm, Electric White



BOOST & BOOST Pro

MODESTY PANEL (LAMINATE)

PROPERTY	CHARACTERISTICS
Material	Laminate
Widths	31", 37", 55", 66"
Finishes	Shadow Elm, Electric White




BOOST & BOOST Pro

MODESTY PANEL (STEEL)

PROPERTY	CHARACTERISTICS
Material	Steel
Widths	36", 55", 67"
Finishes	White, Silver, Black

SPECS

- 4-2-2 Wiring Schematic
- 8-Wire Shared Neutral
- 3 + 1 (3 Utility Circuits, 1 Dedicated)
- 120/208V WYE, 15-Amp Circuits
- Below-, Above-, and In-Surface Accessibility, Title 24 Compliant
- Delta Connections and Other Receptacle Configurations Available Upon Request



- Building Wiring

Wiring must be Updated by a qualified electrician according to national, state & local codes.
- Components

Never connect components while system is under load. Failure may cause injury.
- Supply Source

Do not electrically connect a distribution harness to more than one supply source.

DETAILS

- Duplex Recepticals


Duplex recepticals are designated as circuit 1, 2, 3, or 4—the number is printed on each duplex. Circuit 4 is the sensor-activated control circuit.
- Amperage Notes

The electrical engineer is responsible for the final determination of the number of stations/duplexes per circuit, in compliance with the corresponding city/building codes. We do not recommend the usage of space heaters and other high-amperage equipment on the integrated power system.
- Title 24 Compliance

When installing this power system within the state of California, you must comply with Title 24 regulations. This requires half of the duplexes on each harness to be C4 control circuits.
- North Direction

Every duplex, harness, jumper, and Infeed displays a North arrow. The North arrows must point the same direction on all parts.
- Duplex Sequences


The duplexes must be attached to the harness in a specific order. Arrange the duplexes in the correct order by following the sequence.  
Standard: C1 " C2 " C3 " C4 " Repeat  
Title 24: C1 " C4 " C2 " C4 " C3 " C4 " Repeat





INFEED

LOCATION	DESCRIPTION
Ceiling	A power pole is used to guide the hardwired infeed from the ceiling into the cable tray, underneath the worksurfaces. The power pole mounts to the end leg and can also be used to manage data cables. An estimated total of 20 data cables can fit inside a single power pole with an infeed.
Wall	The hardwired infeed will pass directly from the wall into the cable tray, underneath the worksurfaces.
Floor	A cable vertebrae can be used to guide the hardwired infeed from the floor into the cable tray, underneath the worksurfaces. An estimated total of 20 data cables can fit inside a single cable vertebrae with an infeed.



GENERAL

The primary electrical code used in the United States is the National Electrical Code (NEC) (NFPA70). While most states and cities use the NEC as is, some have created their own electrical code using the NEC as the basis for the requirements. There are 3 cities that have unique requirements that directly affect office furnishings installations: New York, Chicago, and San Francisco. These unique requirements are detailed below.

NEW YORK CITY

- Allows the use of Office Furnishings Systems (as permitted by Article 605 of the NEC) but requires that licensed electricians install the electrical components into the furniture.
- Does not allow the use of any non-metallic liquid tight conduit.
- Metallic liquid tight conduit can only be 18” long.
- Flexible metal conduit used on Infeeds can only be 6’ long.
- Does not allow Manufactured Wiring Systems in furniture.

As of 2009, New York City allows the use of Relocatable Power Taps in office environments.

The New York Electric Code exception of Article 604 for Manufactured Wiring Systems includes Article 604(3) Such wiring may only be used for general lighting circuits above the hung ceiling line.

Until now, this statement was interpreted as lighting circuits must be above the ceiling, while other Manufactured Wiring Systems can be used below the ceiling line.

The new official interpretation requested by BIFMA indicates Manufactured Wiring Systems can only be used for lighting and must be above the ceiling. This applies to Byrne 8-Trac, Byrne 4-Trac and Byrne Phase 3 product lines. This interpretation has not been published on the official NYC Codes site even though more recent interpretations have been. BIFMA continues to work on a resolution to this issue.

SAN FRANCISCO

San Francisco uses the California Electrical Code which in turn uses the NEC. San Francisco has additional/revised requirements that are called out as an addendum to the code. San Francisco does not allow the use of non-metallic liquid tight conduit and only metallic liquid tight conduit is permitted.

CHICAGO

Chicago has their own electrical code based on the NEC.

Chicago does not allow the use of any modular systems. All electrical must be hardwired by a licensed electrician. The specific wording of the 2009 Chicago Electrical Code is as follows:

18-27-605.2. General. Wiring in and on office partitions shall conform to all applicable chapter provisions. Relocatable wired partitions are not considered portable and, as such, plug and jack connections are not acceptable. All wiring is to be contained in listed and labeled electrical raceways and outlet boxes.

(a) Use. Wired relocatable office partitions shall be installed and used only as provided for by this Article. The biggest ambiguity is what product types will require TR receptacle for code compliance applications. For example, the NEC TR code dwelling requirements specify "appliances" as exempt from the scope of TR receptacles. Relocatable Power Taps are often grouped into this category.

Hardwire accessories can be used in Chicago if they have a metallic enclosure. This includes Mho, Assemble, Axil, Glenbeigh, and Wonderbar product lines. These hardwire units can be provided as a Chicago version which includes 15” of conduit and a 4x4 junction box.


DATA

The blank, under-the-surface data faceplates used on BLADE and BOOST are Leviton QuickPort Faceplates. These accept Leviton QuickPort Snap-In Connectors, including component-rated Cat 5e, Cat 6, and Cat 6A connectors. They do not accept Keystone or Panduit connectors.










**B** BOOST Pro's integrated power, data, and cable management system provides a clean look in a streamlined package—even for power users. The digital handset allows users to customize their workstation with 4 programmable height presets, and the handset features a convenient USB charging port. Fewer parts make installation and power deployment more efficient and simpler than ever.




**CABLE VERTEBRAE:** Manages wires from floor to beam.



**POWER BEAM & DATA TRAY:** Houses electrical components and prevents unsightly wires from hanging. Holds 25 cables.



**MAGNETIC CABLE CHAIN:** Manages wires from surface to beam's power receptacles.



B

BOOST Power + Data Bridges are designed to complement height-adjustable workstations as an all-in-one power, data, and wire management solution. With outlets and electrical components hidden inside the beam and a variety of wire management solutions, the BOOST Power + Data Bridge keeps the height-adjustable workstations looking clean and organized while increasing efficiency.



**CABLE VERTEBRAE:** Manages wires from floor to beam.




**CABLE TRAY:** Prevents unsightly wires from hanging.




**CABLE CHAIN:** Manages wires from surface to beam.





**T**HREE60 knife-edge surfaces include cutouts that allow cables to pass through, into a Covered Sleigh Leg or Cabinet Base—keeping wires organized and out of sight. These surfaces come with non-powered grommets installed; however, an In-Surface Power Module can be added to integrate power, data, and HDMI or USB functionality into the table.



**IN-SURFACE POWER MODULE:** Adds 2 power outlets, 1 Cat 6 data port, and 1 HDMI or Dual USB port.



**CABINET BASE:** Manages wires from the surface to the floor. The door allows quick and easy access to contents.



**COVERED ANGLED SLEIGH LEG:** Manages wires from the surface to the floor. The walls are attached magnetically.





OPTIMA's plug-and-play electrical system consists of a daisy-chain configuration. Cable clips are used to manage wires.

The standard electrical component sequence is:  
**A " B " C " B " C " B " C " B " C " B " C " B " C " B**

- A** = Infeed
- B** = Desktop Power Unit
- C** = Jumper



**INFEED:** Powers up to 8 connected desktop power units. Plugs into a regular wall power outlet.




**DESKTOP POWER UNIT:** Brings power to the surface. Must be connected to an Infeed, jumper, or both.



**JUMPER:** Links 2 desktop power units together. Length required will depend on the size of the surface.





# BLADE™

*flexible benching system*


**B**LADE Open Plan Workstations are redefining corporate culture one desk at a time. Our design team created the BLADE concept with your growth in mind. Because of BLADE's sleek, minimalistic design, it takes up less space than traditional systems. Instead of purchasing more real estate, BLADE is designed to adapt to your space. With endless configurations available, we represent the greatest return on investment possible. BLADE exhibits the perfect blend of style and functionality.

FRAMES


PROPERTY	CHARACTERISTICS
Material	95+% Recycled Steel
Thickness	12-Gauge (Legs) 9-10-Gauge (Non-Structural Ancillary Items)
Paint	Powder Coating
Recyclability	100%
Features	Reconfigurable, Expandable Components for Flexiblity and Cost Savings

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver




WHT White



RAW Raw


STATEMENT OF LINE

SURFACES




48"-84" & 120-Degree Surfaces


FRAMES



End, Intermediate & 120 Degree Legs




Low-Profile and Regular-Profile Beams




Support Bar


WIRE MANAGEMENT




Wide & Narrow Cable Trays



24", 36", 42" & 47" Cable J-Channels




Cable Vertebrae




Power Pole


ACCESSORIES




Dividers



Panels




Storage



Desktop Units



IMAGE	CODE	DESCRIPTION	LIST
<b>24" Deep</b>  	GB2436 ELM, MPL, OAK, SAH, WHT	24"x36" Cross-Grain Surface [Includes 1 Pre-Installed Grommet] W 36" D 24" H 1"	\$230
	GB2442 ELM, MPL, OAK, SAH, WHT	24"x42" Cross-Grain Surface [Includes 1 Pre-Installed Grommet] W 42" D 24" H 1"	\$243
	GB2448 ELM, MPL, OAK, SAH, WHT	24"x48" Surface [Includes 2 Pre- Installed Grommets] W 48" D 24" H 1"	\$278
	GB2460 ELM, MPL, OAK, SAH, WHT	24"x60" Surface [Includes 2 Pre- Installed Grommets] W 60" D 24" H 1"	\$344
	GB2466 ELM, MPL, OAK, SAH, WHT	24"x66" Surface [Includes 2 Pre- Installed Grommets] W 66" D 24" H 1"	\$378
<b>30" Deep</b> 	GB2472 ELM, MPL, OAK, SAH, WHT	24"x72" Surface [Includes 2 Pre- Installed Grommets] W 72" D 24" H 1"	\$407
	GB3048 ELM, MPL, OAK, SAH, WHT	30"x48" Surface [Includes 2 Pre- Installed Grommets] W 48" D 30" H 1"	\$344
	GB3060 ELM, MPL, OAK, SAH, WHT	30"x60" Surface [Includes 2 Pre- Installed Grommets] W 60" D 30" H 1"	\$440

**Black Grommets**  
Surfaces include pre-installed, circular grommets in black, where applicable.


**Silver & White Grommets**  
Black grommets may be replaced with silver or white grommets at an additional cost.

IMAGE	CODE	DESCRIPTION	LIST
<b>30" Deep</b> 	GB3066 ELM, MPL, OAK, SAH, WHT	30"x66" Surface [Includes 2 Pre- Installed Grommets] W 66" D 30" H 1"	\$484
	GB3072 ELM, MPL, OAK, SAH, WHT	30"x72" Surface [Includes 2 Pre- Installed Grommets] W 72" D 30" H 1"	\$505
<b>120 Degree</b> 	GB120V2 ELM, MPL, OAK, SAH, WHT	120-Degree Surface (Version 2) [Includes 1 Pre-Installed Grommet] W 83" D 44.75" H 1"	\$772
<b>Collaboration</b> 	GB4849 ELM, MPL, OAK, SAH, WHT	49"x48" Surface W 48" D 49" H 1"	\$505
<b>Grommets</b> 	BLG60 BLK, SLV, WHT	Replacement Grommet [60mm, For FAST Surfaces Only] W 60mm D 60mm H 0.75"	\$14

LAMINATE FINISHES

Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm



MPL Sonic Maple



OAK White Oak




SAH Sahara Ridge




WHT Electric White

PLASTIC FINISHES


Specify at end of product code (i.e. BLG60-WHT).



BLK Black



SLV Silver








WHT White

i

Raw Steel Finish


Variations like welds, heat marks & scuffs are fully visible through the smooth clear coat.

IMAGE	CODE	DESCRIPTION	LIST
<div>Legs</div> <div></div>	BL24 BLK, SLV, WHT, RAW	BLADE 24" End Leg [27.38" High] W 24" D 3.94" H 27.38"	\$212
	BL30 BLK, SLV, WHT, RAW	BLADE 30" End Leg [27.38" High] W 30" D 3.94" H 27.38"	\$223
	BL48 BLK, SLV, WHT, RAW	BLADE 48" End Leg [27.38" High] W 48" D 3.94" H 27.38"	\$318
	BL60 BLK, SLV, WHT, RAW	BLADE 60" End Leg [27.38" High] W 60" D 3.94" H 27.38"	\$359
	BL48INT BLK, SLV, WHT, RAW	BLADE 48" Intermediate Leg [27.38" High, Expands to 60" Wide] W 45.51-52.20" D 5.91" H 27.38"	\$463
	BCLEG BLK, SLV, WHT	BLADE 21.5" C-Leg [27.38" High] W 21.63" D 3.94" H 27.38"	\$212
	KIT-120 BLK, SLV, WHT, RAW	BLADE 120 Degree Leg [27.38" High, Includes Triangular Box] W 10.04" D 8.69" H 27.38"	\$131

IMAGE	CODE	DESCRIPTION	LIST
<div>Standing-Height Legs</div> <div></div>	BTL24 BLK, SLV, WHT, RAW	BLADE 24" Standing-Height End Leg [38.38" High] W 24" D 3.94" H 38.38"	\$274
	BTL30 BLK, SLV, WHT	BLADE 30" Standing-Height End Leg [38.38" High] W 30" D 3.94" H 38.38"	\$286
	BTL48 BLK, SLV, WHT	BLADE 48" Standing-Height End Leg [38.38" High] W 48" D 3.94" H 38.38"	\$395
	BTL60 BLK, SLV, WHT	BLADE 60" Standing-Height End Leg [38.38" High] W 60" D 3.94" 38.38"	\$419
	BTL48INT BLK, SLV, WHT	BLADE 48" Standing-Height Intermediate Leg [38.38" High, Expands to 60" Wide] W 45.51-52.20" D 5.91" H 38.38"	\$560
<div>Leg Components</div> <div></div>	BLC1 BLK, SLV, WHT, RAW	BLADE Leg Connecting Bracket (Version 2) W 19.96" D 5.12" H 3.15"	\$74
	KIT-SHSLB BLK, SLV, WHT	BLADE Standing-Height Stability L-Bracket, Set of 4 [Includes Laminate-to-Metal Hardware] W 0.79" D 6.3" H 13.78"	\$60

STEEL FINISHES

Specify at end of product code (i.e. BL24-SLV).



BLK Black








SLV Silver



WHT White



RAW Raw


IMAGE	CODE	DESCRIPTION	LIST
<div>Beams</div>  	BLPB1 BLK, SLV, WHT	BLADE Short Low Profile Beam (For 30"-46" Surfaces) W 24.45"-41.14" D 4.65" H 2.76"	\$101
	BLPB2 BLK, SLV, WHT	BLADE Long Low Profile Beam (For 45.25"-75" Surfaces) W 40"-69.74" D 4.65" H 2.76"	\$147
	BB3 BLK, SLV, WHT	BLADE Extra Long Beam (For 58.75"-93" Surfaces) W 53.5"-87.88" D 4.65" H 2.76"	\$222
<div>Support Components</div>   	BBC1 SLV	BLADE Beam-to-Beam Connecting Bracket [For L-Shape Workstation] W 5.51" D 1.85" H 2.64"	\$23
	BASB72	42" Support Bar W 41.69" D 1.88" H 0.88"	\$132
	BFB1	Flat Bracket W 4.69" D 1.94" H 0.06"	\$5

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver




WHT White



IMAGE	CODE	DESCRIPTION	LIST
<b>Steel Modesty Panels</b> 	BMP36 BLK, SLV, WHT, RAW	BLADE 36" Steel Modesty Panel [15" High, Includes Brackets, For 48" Surfaces] W 36" D 0.62" H 15"	\$217
	BMP50 BLK, SLV, WHT, RAW	BLADE 55" Steel Modesty Panel [15" High, Includes Brackets, For 60" & 66" Surfaces] W 55" D 0.62" H 15"	\$229
	BMP63 BLK, SLV, WHT, RAW	BLADE 67" Steel Modesty Panel [15" High, Includes Brackets, For 72" Surfaces] W 67" D 0.62" H 15"	\$259
<b>Laminate Modesty Panels</b> 	KIT-GLMP31 ELM, MPL, OAK, SAH, WHT BLK, SLV, WHT	31" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 36" Surfaces] W 31" D 0.75 H 15"	\$170
	KIT-GLMP37 ELM, MPL, OAK, SAH, WHT BLK, SLV, WHT	37" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 42" & 48" Surfaces] W 37" D 0.75" H 15"	\$175
	KIT-GLMP55 ELM, MPL, OAK, SAH, WHT BLK, SLV, WHT	55" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 60" Surfaces] W 55" D 0.75" H 15"	\$223
	KIT-GLMP66 ELM, MPL, OAK, SAH, WHT BLK, SLV, WHT	66" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 72" Surfaces] W 66" D 0.75" H 15"	\$257

STEEL FINISHES

Specify at end of product code (i.e. BL24-SLV).



BLK Black





SLV Silver



WHT White



RAW Raw

IMAGE	CODE	DESCRIPTION	LIST
<b>FX Laminate Modesty Panels</b> 	KIT-BMP36 FX BLK, SLV, WHT	36" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 48" Surfaces] W 36" D 0.75" H 15"	\$1,481
	KIT-BMP55 FX BLK, SLV, WHT	55" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 60" Surfaces] W 55" D 0.75" H 15"	\$1,481
	KIT-BMP61 FX BLK, SLV, WHT	61" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 66" Surfaces] W 61" D 0.75" H 15"	\$1,481
<b>FX Acrylic Modesty Panels</b> 	KIT-BMP67 FX BLK, SLV, WHT	67" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 72" Surfaces] W 67" D 0.75" H 15"	\$1,481
	KIT-AMP55 P95 (CLEAR FROSTED) BLK, SLV, WHT	55" Acrylic Modesty Panel [15" High, Beveled Edges, Includes 2 Brackets, For 60" Surfaces] W 55" D 0.22" H 15"	\$1,358
	KIT-AMP67 P95 (CLEAR FROSTED) BLK, SLV, WHT	67" Acrylic Modesty Panel [15" High, Beveled Edges, Includes 2 Brackets, For 72" Surfaces] W 67" D 0.22" H 15"	\$1,414

LAMINATE FINISHES

Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm




MPL Sonic Maple



OAK White Oak



SAH Sahara Ridge



WHT Electric White



FX Laminate Finishes

See [page 8](#) for finish options.  
Specify at end of product code  
(i.e. T48120-08845).



Raw Steel Finish

Variations like welds, heat marks  
& scuffs are fully visible through  
the smooth clear coat.

i



FX Laminate Finishes

See [page 8](#) for finish options.

Specify at end of product code

(i.e. T48120-08845).

IMAGE	CODE	DESCRIPTION	LIST
<div>Steel Inset End Panels</div> 	BEP24 BLK, SLV, WHT	BLADE 20" Steel Inset End Panel [Includes Hardware, For 24" Leg] W 20" D 1" H 23.5"	\$182
	BEP30 BLK, SLV, WHT	BLADE 26" Steel Inset End Panel [Includes Hardware, For 30" Leg] W 26" D 1" H 23.5"	\$200
	BEP48 BLK, SLV, WHT	BLADE 45" Steel Inset End Panel [Includes Hardware, For 48" Leg] W 45" D 1" H 23.5"	\$209
	BEP60 BLK, SLV, WHT	BLADE 56.75" Steel Inset End Panel [Includes Hardware, For 60" Leg] W 56.75" D 1" H 23.5"	\$252
<div>Steel Inset End Panels [With Infeed Cutouts]</div> 	BCEP24 BLK, SLV, WHT	BLADE 20" Steel Inset End Panel [Includes Hardware & Cutout, For 24" Leg] W 20" D 1" H 23.5"	\$182
	BCEP30 BLK, SLV, WHT	BLADE 26" Steel Inset End Panel [Includes Hardware & Cutout, For 30" Leg] W 26" D 1" H 23.5"	\$200
	BCEP48 BLK, SLV, WHT	BLADE 45" Steel Inset End Panel [Includes Hardware & Cutout, For 48" Leg] W 45" D 1" H 23.5"	\$209
	BCEP60 BLK, SLV, WHT	BLADE 56.75" Steel Inset End Panel [Includes Hardware & Cutout, For 60" Leg] W 56.75" D 1" H 23.5"	\$252

IMAGE	CODE	DESCRIPTION	LIST
<div>Laminate Inset End Panels</div> 	KIT-GBEP20 ELM, MPL, OAK, SAH, WHT BLK, SLV, WHT	BLADE 20" Laminate Inset End Panel [23.5" High, 0.75" Thick, Includes 4 Brackets, For 24" Leg] W 20" D 0.75" H 23.5"	\$292
	KIT-GBEP26 ELM, MPL, OAK, SAH, WHT BLK, SLV, WHT	BLADE 26" Laminate Inset End Panel [23.5" High, 0.75" Thick, Includes 4 Brackets, For 30" Leg] W 26" D 0.75" H 23.5"	\$308
<div>FX Laminate Inset End Panels</div> 	KIT-BEPIS.A FX BLK, SLV, WHT	BLADE 20" Laminate Inset End Panel [23.5" High, 0.75" Thick, Includes 4 Brackets, For 24" Leg] W 20" D 0.75" H 23.5"	\$1,347
	KIT-BEPIS.B FX BLK, SLV, WHT	BLADE 26" Laminate Inset End Panel [23.5" High, 0.75" Thick, Includes 4 Brackets, For 30" Leg] W 26" D 0.75" H 23.5"	\$1,347
	KIT-BEPIS.C FX BLK, SLV, WHT	BLADE 45" Laminate Inset End Panel [23.5" High, 0.75" Thick, Includes 4 Brackets, For 48" Leg] W 45" D 0.75" H 23.5"	\$1,347
	KIT-BEPIS.D FX BLK, SLV, WHT	BLADE 56.75" Laminate Inset End Panel [23.5" High, 0.75" Thick, Includes 4 Brackets, For 60" Leg] W 56.75" D 0.75" H 23.5"	\$1,347

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White

LAMINATE FINISHES

Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm




MPL Sonic Maple



OAK White Oak



SAH Sahara Ridge



WHT Electric White

i

FX Laminate Finishes

See [page 8](#) for finish options.

Specify at end of product code

(i.e. T48120-08845).





IMAGE	CODE	DESCRIPTION	LIST
	KIT-GBEPLH50 ELM, OAK, WHT	50" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Includes 4 Brackets] W 50" D 0.75" H 28"	\$625
	KIT-GBEPLH62 ELM, OAK, WHT	62" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Includes 4 Brackets] W 62" D 0.75" H 28"	\$640
	KIT-BEPSH.A FX BLK, SLV, WHT	26" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Includes 4 Brackets] W 26" D 0.75" H 28"	\$1,347
	KIT-BEPSH.B FX BLK, SLV, WHT	32" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Includes 4 Brackets] W 32" D 0.75" H 28"	\$1,347
	KIT-BEPSH.C FX BLK, SLV, WHT	50" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Includes 4 Brackets] W 50" D 0.75" H 28"	\$1,347
	KIT-BEPSH.D FX BLK, SLV, WHT	62" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Includes 4 Brackets] W 62" D 0.75" H 28"	\$1,347

IMAGE	CODE	DESCRIPTION	LIST
	KIT-GBEPSS50 ELM, OAK, WHT	50" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Includes 4 Brackets] W 50" D 0.75" H 48"	\$689
	KIT-GBEPSS62 ELM, OAK, WHT	62" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Includes 4 Brackets] W 62" D 0.75" H 48"	\$720
	KIT-BEPDH.A FX BLK, SLV, WHT	26" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Includes 4 Brackets] W 26" D 0.75" H 48"	\$1,571
	KIT-BEPDH.B FX BLK, SLV, WHT	32" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Includes 4 Brackets] W 32" D 0.75" H 48"	\$1,571
	KIT-BEPDH.C FX BLK, SLV, WHT	50" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Includes 4 Brackets] W 50" D 0.75" H 48"	\$1,571
	KIT-BEPDH.D FX BLK, SLV, WHT	62" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Includes 4 Brackets] W 62" D 0.75" H 48"	\$1,571

LAMINATE FINISHES


Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm



OAK White Oak



WHT Electric White




IMAGE	CODE	DESCRIPTION	LIST
<b>Cable Trays [With Risers &amp; Plates]</b> 	KIT-CTXNL BLK, SLV, WHT	BLADE Narrow Leg-Mount Cable Tray [Includes Risers & Faceplates] W 43.64"-80.3" D 7.38" H 6.38"	\$231
	KIT-CTXN BLK, SLV, WHT	BLADE Narrow Surface-Mount Cable Tray [Includes Risers & Faceplates] W 41.57"-79.51" D 7.38" H 6.38"	\$231
	KIT-CTXN120 BLK, SLV, WHT	BLADE Narrow 120 Degree Leg-Mount Cable Tray [Includes Risers & Faceplates] W 58.04"-70.04" D 9.81" H 7.88"	\$270
<b>Cable Trays [No Risers &amp; Plates]</b> 	KIT-CTXNLND BLK, SLV, WHT	BLADE Narrow Leg-Mount Cable Tray W 43.64"-80.3" D 7.38" H 6.38"	\$193
	KIT-CTXNND BLK, SLV, WHT	BLADE Narrow Surface-Mount Cable Tray W 41.57"-79.51" D 7.38" H 6.38"	\$193
	KIT-CTXN120ND BLK, SLV, WHT	BLADE Narrow 120 Degree Leg-Mount Cable Tray W 58.04"-70.04" D 9.81" H 7.88"	\$213

IMAGE	CODE	DESCRIPTION	LIST
<b>Cable Tray Components</b> 	BNTEC BLK, SLV, WHT	BLADE Narrow Cable Tray End Cap W 6.5" D 7" H 3.88"	\$58
	KIT-BNCT-RK BLK, SLV	BLADE Narrow Cable Tray Riser [Includes 1 Data Faceplate] W 4.17" D 6.96" H 2.76"	\$19
	BCTLM BLK/SLV/WHT	BLADE Leg-Mount Cable Tray Hangers, Set of 2 W 3.88" D 6.25" H 6.25"	\$33
	BCTSM BLK/SLV/WHT	BLADE Surface-Mount Cable Tray Hangers, Set of 2 W 3.88" D 5.82" H 6.25"	\$33
<b>Surface-Mount Cable Tray</b> 	BHCT BLK, SLV, WHT	Surface-Mount Cable Management Tray W 25"-45" D 4.11" H 2.96"	\$169

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White

i

Raw Steel Finish

Variations like welds, heat marks & scuffs are fully visible through the smooth clear coat.








IMAGE	CODE	DESCRIPTION	LIST
<div>Under-Surface Wire Management</div> <div></div>	MGCC BLK	Magnetic Cable Chain [Includes 46 Links] W 2" D 2" H 37.75"-46.75"	\$230
	BWMJC.24 BLK	24" Cable J-Channel W 24" D 2" H 1"	\$70
	BWMJC.36 BLK	36" Cable J-Channel W 36" D 2" H 1"	\$70
	BWMJC.42 BLK	42" Cable J-Channel W 42" D 2" H 1"	\$70
	BWMJC.47 BLK	47" Cable J-Channel W 47" D 2" H 1"	\$70
	JC1 BLK	1" Cable J-Clip [Includes Hardware] W 1" D 1.5" H 0.875"	\$7
	BSF6.48 BLK	48" Braided Mesh Tube Wire Manager W 48" D 1.25" H 1.25"	\$83


IMAGE	CODE	DESCRIPTION	LIST
<div>Infeed Management</div> <div></div>	KIT-PPOLE BLK, SLV, WHT, RAW	144" Power Pole, 2-Piece [Includes Bracket & Trim Plate] W 3.18" D 1.6" H 144"	\$314
	VB24 BLK, SLV, WHT	Cable Vertebrae [For BLADE, Includes Surface-Mount Brackets] W 2.75" D 2.66" H 30.51"	\$380
	VB33 BLK, SLV, WHT	Cable Vertebrae [For BLADE Standing-Height, Includes Surface-Mount Brackets] W 2.75" D 2.66" H 39.96"	\$505

PLASTIC FINISHES


Specify at end of product code (i.e. BLG60-WHT).



BLK Black



SLV Silver



WHT White

STEEL FINISHES

Specify at end of product code (i.e. BL24-SLV).



BLK Black







SLV Silver



WHT White



RAW Raw

IMAGE	CODE	DESCRIPTION	LIST
<b>Infeeds</b>  	BPIF72	60" Infeed W 60" D 0.87" H 1.95"	\$294
	BPIF164	164" Infeed W 164" D 0.87" H 1.95"	\$479
	KIT-NYC	12" Infeed Kit [NYC Electrical Code Compliant]	\$768
<b>Harnesses</b>   	KIT-HARNESS.4	BLADE 18" Harness [Requires 4 Duplex Receptacles, 8 Outlets] W 18.63" D 2.18" H 2.4"	\$342
	KIT-HARNESS	BLADE 36" Harness [Requires 4 Duplex Receptacles, 8 Outlets] W 36.63" D 2.18" H 2.4"	\$342
	KIT-HARNESS.8	BLADE 36" Harness [Requires 8 Duplex Receptacles, 16 Outlets, For 120 Degree Workstation] W 36.63" D 2.18" H 2.4"	\$342

PLASTIC FINISHES


Specify at end of product code (i.e. BLG60-WHT).



BLK Black

IMAGE	CODE	DESCRIPTION	LIST
<b>Duplexes</b> 	BPDR_C1 BLK	Duplex Receptacle (Configuration 1) [2 Outlets] W 4.65" D 0.1" H 1.95"	\$22
	BPDR_C2 BLK	Duplex Receptacle (Configuration 2) [2 Outlets] W 4.65" D 0.1" H 1.95"	\$22
	BPDR_C3 BLK	Duplex Receptacle (Configuration 3) [2 Outlets] W 4.65" D 0.1" H 1.95"	\$22
	BPDR_T24_C4 BLK	Duplex Receptacle (Configuration 4) [2 Outlets, Title 24 Compliant] W 4.65" D 0.1" H 1.95"	\$22
<b>Jumpers</b> 	BPJ12	12" Jumper W 12" D 0.87" H 1.95"	\$187
	BPJ15	15" Jumper W 15" D 0.87" H 1.95"	\$194
	BPJ18	18" Jumper W 18" D 0.87" H 1.95"	\$194
	BPJ29	29" Jumper W 29" D 0.87" H 1.95"	\$197
	BPJ42	42" Jumper W 42" D 0.87" H 1.95"	\$197
	BPJ72	72" Jumper W 72" D 0.87" H 1.95"	\$226
	BPJ144	144" Jumper W 144" D 0.87" H 1.95"	\$495




IMAGE	CODE	DESCRIPTION	LIST
<div>Connector Blocks</div> <div></div>	BPPCB BLK	2-Way Connector Block W 1.65" D 1.47" H 0.78"	\$20
	BPJCB BLK	4-Way Connector Block W 1.65" D 1.82" H 1.73"	\$20

PLASTIC FINISHES

Specify at end of product code (i.e. BLG60-WHT).



BLK Black



# BOOST Pro

*height-adjustable benching*

B

BOOST Pro Height-Adjustable Benching provides an outstanding solution that promotes safety while keeping aesthetics and flexibility in mind. With divider options and integrated power and cable management, the streamlined design provides a clean look and convenient features. The expandable chassis allows you to change widths and add workstations easily and cost efficiently. Fewer parts make installation and power deployment simpler than ever. BOOST Pro is resizable, reconfigurable, and reliable.

3-STAGE FRAME


PROPERTY	CHARACTERISTICS
Height	25.4"–51" (Without Surface)
Width	46.75"–66" (Without Surface)
Load Capacity	2-Leg Frame: 220 lbs   3-Leg Frame: 280 lbs (Evenly Distributed)
Input/Output	Input: 100–240VAC 450W (4.5A)   Output: 33DCV 16.5W (0.5A)
Duty Cycle	10% (2 Minute On, 18 Minutes Off)
Other	Digital Handset with 4 Programmable Presets   77" Power Cord

POWER & DATA MANAGEMENT


PROPERTY	CHARACTERISTICS
Power	20-Amp 4-Pole Quad Circuit 48" Workstations: 2 Receptacles (4 Outlets) per Station 60"–72" Workstations: 3 Receptacles (6 Outlets) per Station
Data Tray	Holds up to 25 Cables (Separately from Electrical Components)

STEEL FINISHES


Specify at end of product code (i.e. BT120-WHT).



BLK Black



SLV Silver



WHT White



Frame Electrical Input

Input is what transformer converts to DC current, not usage of frame.




Expandable Power Beams

Each power beam includes 2 data faceplates.


STATEMENT OF LINE

SURFACES




48"–72" Surfaces


FRAMES




Facing Workstation Frames with Handset



Side-by-Side Workstation Frames with Handset




L-Shape Frame Adapter Kit




Support Bar


DIVIDERS



Beam-Mounted Dividers with Clippers




Surface-Mounted Dividers with Brackets




Surface-Mounted Dividers with High/Low Brackets


ACCESSORIES




Cable Vertebrae



Panels




Storage



Desktop Units

IMAGE	CODE	DESCRIPTION	LIST
<b>24" Deep</b>  	GB2442 ELM, MPL, OAK, SAH, WHT	24"x42" Cross-Grain Surface [Includes 1 Pre-Installed Grommet] W 42" D 24" H 1"	\$243
	GB2448 ELM, MPL, OAK, SAH, WHT	24"x48" Surface [Includes 2 Pre-Installed Grommets] W 48" D 24" H 1"	\$278
	GB2460 ELM, MPL, OAK, SAH, WHT	24"x60" Surface [Includes 2 Pre-Installed Grommets] W 60" D 24" H 1"	\$344
	GB2466 ELM, MPL, OAK, SAH, WHT	24"x66" Surface [Includes 2 Pre-Installed Grommets] W 66" D 24" H 1"	\$378
	GB2472 ELM, MPL, OAK, SAH, WHT	24"x72" Surface [Includes 2 Pre-Installed Grommets] W 72" D 24" H 1"	\$407
<b>30" Deep</b> 	GB3048 ELM, MPL, OAK, SAH, WHT	30"x48" Surface [Includes 2 Pre-Installed Grommets] W 48" D 30" H 1"	\$344
	GB3060 ELM, MPL, OAK, SAH, WHT	30"x60" Surface [Includes 2 Pre-Installed Grommets] W 60" D 30" H 1"	\$440

**Black Grommets**  
Surfaces include pre-installed, circular grommets in black, where applicable.



**Silver & White Grommets**  
Black grommets may be replaced with silver or white grommets at an additional cost.

IMAGE	CODE	DESCRIPTION	LIST
<b>30" Deep</b> 	GB3066 ELM, MPL, OAK, SAH, WHT	30"x66" Surface [Includes 2 Pre-Installed Grommets] W 66" D 30" H 1"	\$484
	GB3072 ELM, MPL, OAK, SAH, WHT	30"x72" Surface [Includes 2 Pre-Installed Grommets] W 72" D 30" H 1"	\$505
<b>Grommets</b> 	BLG60 BLK, SLV, WHT	Replacement Grommet [60mm, For FAST Surfaces Only] W 60mm D 60mm H 0.75"	\$14

LAMINATE FINISHES

Specify at end of product code (i.e. BT120-WHT).

  
ELM Shadow Elm

  
MPL Sonic Maple


  
OAK White Oak


  
SAH Sahara Ridge

  
WHT Electric White

PLASTIC FINISHES

Specify at end of product code (i.e. BLG60-WHT).

  
BLK Black

  
SLV Silver


  
WHT White











IMAGE	CODE	DESCRIPTION	LIST
<div>Frame Components</div>     	BPROF BLK, SLV, WHT	BOOST Pro Height-Adjustable Frame [For 48"-72" Workstations] W 46.75" D 19.68" H 25.4"-51"	\$1,294
	BPROLF BLK, SLV, WHT	BOOST Pro Height-Adjustable L-Shape Frame Adapter Kit W 13.86" D 19.68" H 25.4"-51"	\$865
	BPROCB BLK, SLV, WHT	BOOST Pro Cross Beam, Set of 2 [Includes Side Covers, For Facing Workstations] W 25.13" D 2.44" H 4"	\$224
	KIT-BPROTPBV2 BLK, SLV, WHT	BOOST Pro Expandable Power Beam and Data Tray [Includes Faceplates, Trim Plates, and Covers for Cutouts] W 42.63"-60.63" D 4" H 2.88"	\$443
	BPROSRB BLK, SLV, WHT	BOOST Pro Power Beam Mounting Brackets, Set of 2 [For Single-Sided Workstations] W 2.38" D 4.63" H 3.94"	\$78

IMAGE	CODE	DESCRIPTION	LIST
<div>Frame Components</div> 	BPROBRG1V2 BLK, SLV, WHT	BOOST Pro 7.5" Power Beam Connector (Version 2) [For 48"-66" Workstations] W 7.5" D 3.5" H 2.6"	\$26
	BPROBRG2V2 BLK, SLV, WHT	BOOST Pro 12.25" Power Beam Connector (Version 2) [For 72" Workstations] W 12.25" D 3.5" H 2.6"	\$31
	BPRO24F BLK, SLV, WHT	BOOST Pro 24" C-Leg Feet, Set of 2 [For Single-Sided Workstations] W 3.54" D 23.62" H 1.5"	\$153
<div>Supports</div> 	BASB72	42" Support Bar W 41.69" D 1.88" H 0.88"	\$132

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White

i

Additional Dividers

See [pages 162–195](#) and [218–219](#) for additional divider options.

IMAGE	CODE	DESCRIPTION	LIST
<div>30" Fabric [Without Brackets]</div> <div></div>	GBD3047 BLU, GRY	47" Tackable Fabric Divider [30" High, Requires Divider Clippers] W 47" D 1" H 30"	\$527
	GBD3059 BLU, GRY	59" Tackable Fabric Divider [30" High, Requires Divider Clippers] W 59" D 18" H 30"	\$708
	GBD3065 BLU, GRY	65" Tackable Fabric Divider [30" High, Requires Divider Clippers] W 65" D 1" H 30"	\$864
	GBD3071 BLU, GRY	71" Tackable Fabric Divider [30" High, Requires Divider Clippers] W 71" D 1" H 30"	\$908
<div>30" Fabric [Without Brackets]</div> <div></div>	GFS3047 FX, COM	47" Tackable Fabric Divider [30" High, Requires Divider Clippers] W 47" D 0.88" H 30"	\$752
	GFS3059 FX, COM	59" Tackable Fabric Divider [30" High, Requires Divider Clippers] W 59" D 0.88" H 30"	\$1,010
	GFS3065 FX, COM	65" Tackable Fabric Divider [30" High, Requires Divider Clippers] W 65" D 0.88" H 30"	\$1.234
	GFS3071 FX, COM	71" Tackable Fabric Divider [30" High, Requires Divider Clippers] W 71" D 0.88" H 30"	\$1,297

IMAGE	CODE	DESCRIPTION	LIST
<div>Divider Supports</div> <div></div>	BPROBRK BLK, SLV, WHT	BOOST Pro Beam-Mounted Divider Clippers, Set of 2 W 3" D 3.63" H 9.44"	\$123
	BPROMBRG BLK	Rubber Shim [For BOOST Pro Divider Clipper] W 0.5" D 2" H 8.25"	\$17

FABRICS

Specify at end of product code (i.e. GBD3047-GRY).

BLU Indigo Blue

GRY Storm Gray

STEEL FINISHES

Specify at end of product code (i.e. BL24-SLV).

BLK Black


SLV Silver

WHT White

IMAGE	CODE	DESCRIPTION	LIST
<b>Steel Modesty Panels</b> 	KIT-BHAMP36 BLK, SLV, WHT, RAW	BOOST 36" Steel Modesty Panel [15" High, Includes Brackets, For 48" Surfaces] W 36" D 0.62" H 15"	\$247
	KIT-BHAMP50 BLK, SLV, WHT, RAW	BOOST 55" Steel Modesty Panel [15" High, Includes Brackets, For 60" & 66" Surfaces] W 55" D 0.62" H 15"	\$259
	KIT-BHAMP63 BLK, SLV, WHT, RAW	BOOST 67" Steel Modesty Panel [15" High, Includes Brackets, For 72" Surfaces] W 67" D 0.62" H 15"	\$289
<b>Laminate Modesty Panels</b> 	KIT-GLMP31 ELM, MPL, OAK, SAH, WHT BLK, SLV, WHT	31" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 36" Surfaces] W 31" D 0.75 H 15"	\$170
	KIT-GLMP37 ELM, MPL, OAK, SAH, WHT BLK, SLV, WHT	37" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 42" & 48" Surfaces] W 37" D 0.75" H 15"	\$175
	KIT-GLMP55 ELM, MPL, OAK, SAH, WHT BLK, SLV, WHT	55" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 60" Surfaces] W 55" D 0.75" H 15"	\$223
	KIT-GLMP66 ELM, MPL, OAK, SAH, WHT BLK, SLV, WHT	66" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 72" Surfaces] W 66" D 0.75" H 15"	\$257

STEEL FINISHES

Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White



RAW Raw

LAMINATE FINISHES

Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm




MPL Sonic Maple



OAK White Oak



SAH Sahara Ridge



WHT Electric White





FX Laminate Finishes

See [page 8](#) for finish options.  
Specify at end of product code  
(i.e. T48120-08845).



Raw Steel Finish

Variations like welds, heat marks  
& scuffs are fully visible through  
the smooth clear coat.

IMAGE	CODE	DESCRIPTION	LIST
<b>FX Laminate Modesty Panels</b> 	KIT-BMP36 FX BLK, SLV, WHT	36" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 48" Surfaces] W 36" D 0.75" H 15"	\$1,481
	KIT-BMP55 FX BLK, SLV, WHT	55" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 60" Surfaces] W 55" D 0.75" H 15"	\$1,481
	KIT-BMP61 FX BLK, SLV, WHT	61" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 66" Surfaces] W 61" D 0.75" H 15"	\$1,481
<b>FX Acrylic Modesty Panels</b> 	KIT-BMP67 FX BLK, SLV, WHT	67" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 72" Surfaces] W 67" D 0.75" H 15"	\$1,481
	KIT-AMP55 P95 BLK, SLV, WHT	55" Acrylic Modesty Panel [15" High, Beveled Edges, Includes 2 Brackets, For 60" Surfaces] W 55" D 0.22" H 15"	\$1,358
	KIT-AMP67 P95 BLK, SLV, WHT	67" Acrylic Modesty Panel [15" High, Beveled Edges, Includes 2 Brackets, For 72" Surfaces] W 67" D 0.22" H 15"	\$1,414

**FX Laminate Finishes**  
See [page 8](#) for finish options.  
Specify at end of product code  
(i.e. T48120-08845).







IMAGE	CODE	DESCRIPTION	LIST
<b>Steel End Panel</b> 	BPROEP BLK, SLV, WHT	BOOST Pro Steel End Panel W 30.63" D 2.36" H 18.54"	\$94
<b>Laminate Surface-Height End Panels</b> 	GBEPLH50 ELM, OAK, WHT	50" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Requires 2 Panel Brackets] W 50" D 0.75" H 28"	\$505
	GBEPLH62 ELM, OAK, WHT	62" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Requires 2 Panel Brackets] W 62" D 0.75" H 28"	\$520
<b>FX Laminate Surface-Height End Panels</b> 	TBEP SH.A FX BLK, SLV, WHT	26" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Requires 1 Panel Bracket] W 26" D 0.75" H 28"	\$1,227
	TBEP SH.B FX BLK, SLV, WHT	32" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Requires 1 Panel Bracket] W 32" D 0.75" H 28"	\$1,227
	TBEP SH.C FX BLK, SLV, WHT	50" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Requires 2 Panel Brackets] W 50" D 0.75" H 28"	\$1,227
	TBEP SH.D FX BLK, SLV, WHT	62" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Requires 2 Panel Brackets] W 62" D 0.75" H 28"	\$1,227

IMAGE	CODE	DESCRIPTION	LIST
<b>Laminate Divider-Height End Panels</b> 	GBEPSS50 ELM, OAK, WHT	50" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Requires 2 Panel Brackets] W 50" D 0.75" H 48"	\$569
	GBEPSS62 ELM, OAK, WHT	62" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Requires 2 Panel Brackets] W 62" D 0.75" H 48"	\$600
<b>FX Laminate Divider-Height End Panels</b> 	TBEPDH.A FX BLK, SLV, WHT	26" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Requires 1 Panel Bracket] W 26" D 0.75" H 48"	\$1,451
	TBEPDH.B FX BLK, SLV, WHT	32" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Requires 1 Panel Bracket] W 32" D 0.75" H 48"	\$1,451
	TBEPDH.C FX BLK, SLV, WHT	50" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Requires 2 Panel Brackets] W 50" D 0.75" H 48"	\$1,451
	TBEPDH.D FX BLK, SLV, WHT	62" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Requires 2 Panel Brackets] W 62" D 0.75" H 48"	\$1,451
<b>Laminate End Panel Brackets</b> 	BPROSEPB BLK, SLV, WHT	BOOST Pro 6.75" Panel Bracket, Set of 2 [For End-Position Laminate End Panel] W 6.88" D 6.75" H 2.75"	\$81
	BPROLEPB BLK, SLV, WHT	BOOST Pro 11.38" Panel Bracket, Set of 2 [For Facing-Position Laminate End Panel] W 11.38" D 6.75" H 2.75"	\$87

LAMINATE FINISHES


Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm



OAK White Oak



WHT Electric White










IMAGE	CODE	DESCRIPTION	LIST
<div><div>Surface-Mounted Cable Tray</div></div>	BHCT BLK, SLV, WHT	Surface-Mount Cable Management Tray W 25"-45" D 4.11" H 2.96"	\$169
<div><div>Under-Surface Wire Management</div></div>	MGCC BLK	Magnetic Cable Chain [Includes 46 Links] W 2" D 2" H 37.75"-46.75"	\$230
	BWMJC.24 BLK	24" Cable J-Channel W 24" D 2" H 1"	\$70
	BWMJC.36 BLK	36" Cable J-Channel W 36" D 2" H 1"	\$70
	BWMJC.42 BLK	42" Cable J-Channel W 42" D 2" H 1"	\$70
	BWMJC.47 BLK	47" Cable J-Channel W 47" D 2" H 1"	\$70
	JC1 BLK	1" Cable J-Clip [Includes Hardware] W 1" D 1.5" H 0.875"	\$7
	BSF6.48 BLK	48" Braided Mesh Tube Wire Manager W 48" D 1.25" H 1.25"	\$83

IMAGE	CODE	DESCRIPTION	LIST
<div><div>Infeed Management</div></div>	KIT-BPROPP BLK, SLV, WHT	144" Power Pole, 2-Piece [Includes L-Bracket & Trim Plate] W 3.18" D 1.6" H 144"	\$314
	VB12 BLK, SLV, WHT	Cable Vertebrae [For BOOST, Includes Bridge-Mount Brackets] W 2.75" D 2.66" H 16.31"	\$246

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White








IMAGE	CODE	DESCRIPTION	LIST
<b>Infeeds</b>  	PROIF72 SLV	BOOST Pro 72" Infeed W 72" D 0.81" H 2"	\$294
	PROIF144 SLV	BOOST Pro 144" Infeed W 144" D 0.81" H 2"	\$409
	PROIFNYC SLV	BOOST Pro 15.5" NYC Infeed Kit [NYC Electrical Code Compliant]	\$408
<b>Power Blocks</b>   	PRODB SLV	BOOST Pro Double Power Block [Requires 4 Duplex Receptacles, 8 Outlets] W 11.38" D 3.69" H 2.56"	\$190
	PROSB SLV	BOOST Pro Single Power Block [Requires 2 Duplex Receptacles, 4 Outlets] W 5.31" D 3.69" H 2.56"	\$131
	PROBC SLV	BOOST Pro In-Line Power Block Connector W 1.75" D 0.82" H 2.13"	\$35

IMAGE	CODE	DESCRIPTION	LIST
<b>Duplexes</b> 	PROR1 BLK	BOOST Pro Duplex Receptacle (Circuit 1) [2 Outlets] W 3.44" D 1.25" H 1.81"	\$39
	PROR2 BLK	BOOST Pro Duplex Receptacle (Circuit 2) [2 Outlets] W 3.44" D 1.25" H 1.81"	\$39
	PROR3 BLK	BOOST Pro Duplex Receptacle (Circuit 3) [2 Outlets] W 3.44" D 1.25" H 1.81"	\$39
	PROR223 BLK	BOOST Pro Duplex Receptacle, 2+2 (Circuit 3) [2 Outlets] W 3.44" D 1.25" H 1.81"	\$39
	PROR4 BLK	BOOST Pro Duplex Receptacle (Circuit 4) [2 Outlets] W 3.44" D 1.25" H 1.81"	\$39
<b>Jumpers</b> 	PROJ44 SLV	BOOST Pro 44" Jumper W 44" D 0.81" H 2"	\$205
	PROJ49 SLV	BOOST Pro 49" Jumper W 49" D 0.81" H 2"	\$211
	PROJ55 SLV	BOOST Pro 55" Jumper W 55" D 0.81" H 2"	\$235
	PROJ61 SLV	BOOST Pro 61" Jumper W 61" D 0.81" H 2"	\$249

PLASTIC FINISHES

Specify at end of product code (i.e. BLG60-WHT).



BLK Black



SLV Silver



# BOOST

*height-adjustable workstations*

B

BOOST Height-Adjustable Workstations allow you to take control of your health and productivity through improved ergonomics. Sitting for extended periods can cause numerous problems, but alternating between sitting and standing keeps your body from becoming sedentary. Featuring a 3-stage base, digital handset with 4 custom presets, and dual/triple motor, the BOOST Height-Adjustable Frame is smooth, fast, and responsive. Enjoy higher employee morale and enhanced employee retention rates as a result.



3-STAGE FRAME


PROPERTY	CHARACTERISTICS
Height	25.5"–51" (Without Surface)
Width	46.75"–70.25" (Without Surface)
Load Capacity	2-Leg Frame: 220 lbs   3-Leg Frame: 280 lbs (Evenly Distributed)
Input/Output	Input: 100–240VAC 450W (4.5A)   Output: 33DCV 16.5W (0.5A)
Duty Cycle	10% (1 Minute On, 9 Minutes Off)
Other	Digital Handset with 4 Programmable Presets   77" Power Cord

2-STAGE FRAME


PROPERTY	CHARACTERISTICS
Height	27"–44.5" (Without Surface)
Width	46.75"–70.25" (Without Surface)
Load Capacity	220 lbs (Evenly Distributed)
Input/Output	Input: 100–240VAC 450W (4.5A)   Output: 33DCV 16.5W (0.5A)
Duty Cycle	10% (1 Minute On, 9 Minutes Off)
Other	Digital Handset with 4 Programmable Presets   77" Power Cord

STEEL FINISHES


Specify at end of product code (i.e. BT120-WHT).



BLK Black



SLV Silver



WHT White



Frame Electrical Input

Input is what transformer converts to DC current, not usage of frame.




Bridge Beams


Each bridge beam includes 2 data faceplates.

STATEMENT OF LINE

WORKSTATIONS




48"–84" & 120-Degree Surfaces




Frames with Handset, Control Box & Crossbars

BRIDGES




End, Intermediate & 120 Degree Legs




46.5", 49", 61", 67" & 73" Beams with Sliding Lids


DIVIDERS



Bridge-Mounted Dividers




Divider Brackets




Leg Bases


ACCESSORIES



Cable Vertebrae




30" & 50" Cable Trays




Cable Chain

IMAGE	CODE	DESCRIPTION	LIST
<b>24" Deep</b>  	GB2436 ELM, MPL, OAK, SAH, WHT	24"x36" Cross-Grain Surface [Includes 1 Pre-Installed Grommet] W 36" D 24" H 1"	\$230
	GB2442 ELM, MPL, OAK, SAH, WHT	24"x42" Cross-Grain Surface [Includes 1 Pre-Installed Grommet] W 42" D 24" H 1"	\$243
	GB2448 ELM, MPL, OAK, SAH, WHT	24"x48" Surface [Includes 2 Pre- Installed Grommets] W 48" D 24" H 1"	\$278
	GB2460 ELM, MPL, OAK, SAH, WHT	24"x60" Surface [Includes 2 Pre- Installed Grommets] W 60" D 24" H 1"	\$344
	GB2466 ELM, MPL, OAK, SAH, WHT	24"x66" Surface [Includes 2 Pre- Installed Grommets] W 66" D 24" H 1"	\$378
<b>30" Deep</b> 	GB2472 ELM, MPL, OAK, SAH, WHT	24"x72" Surface [Includes 2 Pre- Installed Grommets] W 72" D 24" H 1"	\$407
	GB3048 ELM, MPL, OAK, SAH, WHT	30"x48" Surface [Includes 2 Pre- Installed Grommets] W 48" D 30" H 1"	\$344
	GB3060 ELM, MPL, OAK, SAH, WHT	30"x60" Surface [Includes 2 Pre- Installed Grommets] W 60" D 30" H 1"	\$440



**Black Grommets**  
Surfaces include pre-installed, circular grommets in black, where applicable.



**Silver & White Grommets**  
Black grommets may be replaced with silver or white grommets at an additional cost.

IMAGE	CODE	DESCRIPTION	LIST
<b>30" Deep</b> 	GB3066 ELM, MPL, OAK, SAH, WHT	30"x66" Surface [Includes 2 Pre- Installed Grommets] W 66" D 30" H 1"	\$484
	GB3072 ELM, MPL, OAK, SAH, WHT	30"x72" Surface [Includes 2 Pre- Installed Grommets] W 72" D 30" H 1"	\$505
<b>120 Degree</b> 	GB120V2 ELM, MPL, OAK, SAH, WHT	120-Degree Surface (Version 2) [Includes 1 Pre-Installed Grommet] W 83" D 44.75" H 1"	\$772
<b>Grommets</b> 	BLG60 BLK, SLV, WHT	Replacement Grommet [60mm, For FAST Surfaces Only] W 60mm D 60mm H 0.75"	\$14

LAMINATE FINISHES

Specify at end of product code (i.e. BT120-WHT).

  
ELM Shadow Elm

  
MPL Sonic Maple


  
OAK White Oak


  
SAH Sahara Ridge

  
WHT Electric White

PLASTIC FINISHES

Specify at end of product code (i.e. BLG60-WHT).

  
BLK Black

  
SLV Silver


  
WHT White












IMAGE	CODE	DESCRIPTION	LIST
<div>Height-Adjustable Frames</div>     	BHA3GSA BLK, SLV, WHT	BOOST Height-Adjustable C-Leg Frame (3-Stage) [24" Deep, For Stand-Alone Workstation] W 46.75"-70.25" D 24" H 25.5"-51"	\$1,572
	BHA2GSA BLK, SLV, WHT	BOOST Height-Adjustable C-Leg Frame (2-Stage) [24" Deep, For Stand-Alone Workstation] W 46.75"-70.25" D 24" H 27"-44.5"	\$1,333
	BHALGSA BLK, SLV, WHT	BOOST Height-Adjustable 3-Leg Frame (3-Stage) [24" Deep, For L-Shape & 120 Degree Workstations] W 46.75"-70.25" D 46.75"-70.25" H 25.5"-51"	\$2,573
	TLEG.ADAPTGSA SLV, WHT	BOOST Height-Adjustable T-Leg Adapter, Set of 2 (3-Stage) W 6.32" D 24" H 2.69"	\$206
	BHACAST BLK	BOOST Caster Kit, Set of 4 [Locking, For Straight Frames] W 2.88" D 2.5" H 3.38"	\$108


IMAGE	CODE	DESCRIPTION	LIST
<div>Bridge Legs [With Divider Brackets &amp; Bases]</div>     	KIT-BBELDBLBV2 BLK, SLV, WHT	BOOST Bridge End Leg [Includes Bridge End Leg Divider Bracket & Bridge Leg Base] W 24" D 6.94" H 29"	\$308
	KIT-BBILDBLBV2 BLK, SLV, WHT	BOOST Bridge Intermediate Leg [Includes Bridge Intermediate Leg Divider Bracket & Bridge Leg Base] W 24" D 7.87" H 29"	\$335
	KIT-BBELDBALBV2 BLK, SLV, WHT	BOOST Bridge End Leg [Includes Bridge End Leg Divider Bracket & Bridge Asymmetric Leg Base] W 16.3" D 6.94" H 29"	\$308
	KIT-BBILDBALBV2 BLK, SLV, WHT	BOOST Bridge Intermediate Leg [Includes Bridge Intermediate Leg Divider Bracket & Bridge Asymmetric Leg Base] W 16.3" D 7.87" H 29"	\$335
	KIT-120DB BLK, SLV, WHT	BOOST Bridge 120 Degree Leg [Includes Bridge 120 Degree Divider Bracket] W 11.82" D 10.94" H 29"	\$333

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White







IMAGE	CODE	DESCRIPTION	LIST
<b>Bridge Legs</b>   	BBENDV2 BLK, SLV, WHT	BOOST Bridge End Leg (Version 2) W 8.31" D 2.15" H 19.92"	\$154
	BBINTV2 BLK, SLV, WHT	BOOST Bridge Intermediate Leg (Version 2) W 8.31" D 2.32" H 19.92"	\$151
	KIT-BB120L BLK, SLV, WHT	BOOST Bridge 120 Degree Leg [Includes Triangular Box] W 10.24" D 8.86" H 19.92"	\$247


IMAGE	CODE	DESCRIPTION	LIST
<b>Bridge Beams</b> 	KIT-BBB48V2 BLK, SLV, WHT	BOOST 49" Bridge Beam (Version 2) [Includes Faceplates, For 48" Workstation] W 50.93" D 5" H 6.28"	\$246
	KIT-BBB60V2 BLK, SLV, WHT	BOOST 61" Bridge Beam (Version 2) [Includes Faceplates, For 60" Workstation] W 62.93" D 5" H 6.28"	\$301
	KIT-BBB66V2 SLV, WHT	BOOST 67" Bridge Beam [Includes Faceplates, For 66" Workstation] W 68.93" D 5" H 6.28"	\$330
	KIT-BBB72V2 BLK, SLV, WHT	BOOST 73" Bridge Beam (Version 2) [Includes Faceplates, For 72" Workstation] W 75" D 5" H 6.28"	\$361
	KIT-BBB120V2 BLK, SLV, WHT	BOOST 46.5" Bridge Beam (Version 2) [Includes Faceplates, For 120 Degree Workstation] W 48.46" D 5" H 6.28"	\$235
<b>Supports</b>  	BASB72	42" Support Bar W 41.69" D 1.88" H 0.88"	\$132
	BFB1	Flat Bracket W 4.69" D 1.94" H 0.06"	\$5

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White



Additional Dividers

See [pages 162–195](#) and [218–219](#) for additional divider options.



IMAGE	CODE	DESCRIPTION	LIST
<div>30" Fabric [Without Brackets]</div> <div></div>	GBD3047 BLU, GRY	47" Tackable Fabric Divider [30" High, Requires Divider Brackets] W 47" D 1" H 30"	\$527
	GBD3059 BLU, GRY	59" Tackable Fabric Divider [30" High, Requires Divider Brackets] W 59" D 1" H 30"	\$708
	GBD3065 BLU, GRY	65" Tackable Fabric Divider [30" High, Requires Divider Brackets] W 65" D 1" H 30"	\$864
	GBD3071 BLU, GRY	71" Tackable Fabric Divider [30" High, Requires Divider Brackets] W 71" D 1" H 30"	\$908
<div>30" Fabric [Without Brackets]</div> <div></div>	GFS3047 FX, COM	47" Tackable Fabric Divider [30" High, Requires Divider Brackets] W 47" D 0.88" H 30"	\$752
	GFS3059 FX, COM	59" Tackable Fabric Divider [30" High, Requires Divider Brackets] W 59" D 0.88" H 30"	\$1,010
	GFS3065 FX, COM	65" Tackable Fabric Divider [30" High, Requires Divider Brackets] W 65" D 0.88" H 30"	\$1,234
	GFS3071 FX, COM	71" Tackable Fabric Divider [30" High, Requires Divider Brackets] W 71" D 0.88" H 30"	\$1,297

IMAGE	CODE	DESCRIPTION	LIST
<div>Divider Supports</div> <div>   </div>	BBLBV2 BLK, SLV, WHT	BOOST Bridge Leg Base (Version 2) W 24" D 6" H 2"	\$95
	BBLABV2 BLK, SLV, WHT	BOOST Bridge Asymmetric Leg Base (Version 2) W 16.3" D 6" H 2"	\$95
	BBEPBV2 BLK, SLV, WHT	BOOST Bridge End Leg Divider Bracket (Version 2) W 4.37" D 3.43" H 10.51"	\$59
	BBIPBV2 BLK, SLV, WHT	BOOST Bridge Intermediate Leg Divider Bracket (Version 2) W 7.87" D 3.43" H 10.51"	\$89

FABRICS

Specify at end of product code (i.e. GBD3047-GRY).

BLU Indigo Blue

GRY Storm Gray


STEEL FINISHES

Specify at end of product code (i.e. BL24-SLV).

BLK Black

SLV Silver

WHT White


IMAGE	CODE	DESCRIPTION	LIST
<b>Steel Modesty Panels</b> 	KIT-BHAMP36 BLK, SLV, WHT, RAW	BOOST 36" Steel Modesty Panel [15" High, Includes Brackets, For 48" Surfaces] W 36" D 0.62" H 15"	\$247
	KIT-BHAMP50 BLK, SLV, WHT, RAW	BOOST 55" Steel Modesty Panel [15" High, Includes Brackets, For 60" & 66" Surfaces] W 55" D 0.62" H 15"	\$259
	KIT-BHAMP63 BLK, SLV, WHT, RAW	BOOST 67" Steel Modesty Panel [15" High, Includes Brackets, For 72" Surfaces] W 67" D 0.62" H 15"	\$289
<b>Laminate Modesty Panels</b> 	KIT-GLMP31 ELM, MPL, OAK, SAH, WHT BLK, SLV, WHT	31" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 36" Surfaces] W 31" D 0.75 H 15"	\$170
	KIT-GLMP37 ELM, MPL, OAK, SAH, WHT BLK, SLV, WHT	37" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 42" & 48" Surfaces] W 37" D 0.75" H 15"	\$175
	KIT-GLMP55 ELM, MPL, OAK, SAH, WHT BLK, SLV, WHT	55" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 60" Surfaces] W 55" D 0.75" H 15"	\$223
	KIT-GLMP66 ELM, MPL, OAK, SAH, WHT BLK, SLV, WHT	66" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 72" Surfaces] W 66" D 0.75" H 15"	\$257

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black





SLV Silver



WHT White



RAW Raw

IMAGE	CODE	DESCRIPTION	LIST
<b>FX Laminate Modesty Panels</b> 	KIT-BMP36 FX BLK, SLV, WHT	36" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 48" Surfaces] W 36" D 0.75" H 15"	\$1,481
	KIT-BMP55 FX BLK, SLV, WHT	55" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 60" Surfaces] W 55" D 0.75" H 15"	\$1,481
	KIT-BMP61 FX BLK, SLV, WHT	61" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 66" Surfaces] W 61" D 0.75" H 15"	\$1,481
<b>FX Acrylic Modesty Panels</b> 	KIT-BMP67 FX BLK, SLV, WHT	67" Laminate Modesty Panel [15" High, 0.75" Thick, Includes 2 Brackets, For 72" Surfaces] W 67" D 0.75" H 15"	\$1,481
	KIT-AMP55 P95 BLK, SLV, WHT	55" Acrylic Modesty Panel [15" High, Beveled Edges, Includes 2 Brackets, For 60" Surfaces] W 55" D 0.22" H 15"	\$1,358
	KIT-AMP67 P95 BLK, SLV, WHT	67" Acrylic Modesty Panel [15" High, Beveled Edges, Includes 2 Brackets, For 72" Surfaces] W 67" D 0.22" H 15"	\$1,414

LAMINATE FINISHES

Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm




MPL Sonic Maple



OAK White Oak



SAH Sahara Ridge



WHT Electric White



FX Laminate Finishes

See [page 8](#) for finish options.  
Specify at end of product code (i.e. T48120-08845).



Raw Steel Finish

Variations like welds, heat marks & scuffs are fully visible through the smooth clear coat.

i

FX Laminate Finishes

See [page 8](#) for finish options.

Specify at end of product code

(i.e. T48120-08845).





IMAGE	CODE	DESCRIPTION	LIST
<div>Laminate Surface-Height End Panels</div> 	KIT-GBEPLH50 ELM, OAK, WHT	50" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Includes 4 Brackets] W 50" D 0.75" H 28"	\$567
	KIT-GBEPLH62 ELM, OAK, WHT	62" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Includes 4 Brackets] W 62" D 0.75" H 28"	\$581
<div>FX Laminate Surface-Height End Panels</div> 	KIT-BEPSH.A FX BLK, SLV, WHT	26" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Includes 4 Brackets] W 26" D 0.75" H 28"	\$1,347
	KIT-BEPSH.B FX BLK, SLV, WHT	32" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Includes 4 Brackets] W 32" D 0.75" H 28"	\$1,347
	KIT-BEPSH.C FX BLK, SLV, WHT	50" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Includes 4 Brackets] W 50" D 0.75" H 28"	\$1,347
	KIT-BEPSH.D FX BLK, SLV, WHT	62" Laminate Surface-Height End Panel [28" High, 0.75" Thick, Includes 4 Brackets] W 62" D 0.75" H 28"	\$1,347

IMAGE	CODE	DESCRIPTION	LIST
<div>Laminate Divider-Height End Panels</div> 	KIT-GBEPSS50 ELM, OAK, WHT	50" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Includes 4 Brackets] W 50" D 0.75" H 48"	\$689
	KIT-GBEPSS62 ELM, OAK, WHT	62" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Includes 4 Brackets] W 62" D 0.75" H 48"	\$720
<div>FX Laminate Divider-Height End Panels</div> 	KIT-BEPDH.A FX BLK, SLV, WHT	26" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Includes 4 Brackets] W 26" D 0.75" H 48"	\$1,571
	KIT-BEPDH.B FX BLK, SLV, WHT	32" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Includes 4 Brackets] W 32" D 0.75" H 48"	\$1,571
	KIT-BEPDH.C FX BLK, SLV, WHT	50" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Includes 4 Brackets] W 50" D 0.75" H 48"	\$1,571
	KIT-BEPDH.D FX BLK, SLV, WHT	62" Laminate Divider-Height End Panel [48" High, 0.75" Thick, Includes 4 Brackets] W 62" D 0.75" H 48"	\$1,571

LAMINATE FINISHES


Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm



OAK White Oak



WHT Electric White

i

Raw Steel Finish

Variations like welds, heat marks & scuffs are fully visible through the smooth clear coat.






IMAGE	CODE	DESCRIPTION	LIST
<div>Bridge-Mounted Cable Trays</div> 	BBCT30 BLK, SLV, WHT	BOOST 30" Bridge Cable Tray [For 48" & 120 Degree Workstations, Requires Power + Data Bridge Components] W 30" D 4.84" H 5.47"	\$97
	BBCT50 BLK, SLV, WHT	BOOST 50" Bridge Cable Tray [For 60"-72" Workstations, Requires Power + Data Bridge Components] W 50" D 4.84" H 5.47"	\$146
<div>Surface-Mounted Cable Tray</div> 	BHCT BLK, SLV, WHT	Surface-Mount Cable Management Tray W 25"-45" D 4.11" H 2.96"	\$169
<div>Under-Surface Wire Management</div>  	BBCC BLK	BOOST Bridge Cable Chain [Requires Power + Data Bridge Components and Cable Tray] W 1.91" D 1.13" H 44.56"	\$180
	MGCC BLK	Magnetic Cable Chain [Includes 46 Links] W 2" D 2" H 37.75"-46.75"	\$230

IMAGE	CODE	DESCRIPTION	LIST
<div>Under-Surface Wire Management</div> 	BWMJC.24 BLK	24" Cable J-Channel W 24" D 2" H 1"	\$70
	BWMJC.36 BLK	36" Cable J-Channel W 36" D 2" H 1"	\$70
	BWMJC.42 BLK	42" Cable J-Channel W 42" D 2" H 1"	\$70
	BWMJC.47 BLK	47" Cable J-Channel W 47" D 2" H 1"	\$70
	JC1 BLK	1" Cable J-Clip [Includes Hardware] W 1" D 1.5" H 0.875"	\$7
	BSF6.48 BLK	48" Braided Mesh Tube Wire Manager W 48" D 1.25" H 1.25"	\$83
<div>Infeed Management</div>  	KIT-PPOLE BLK, SLV, WHT, RAW	144" Power Pole, 2-Piece [Includes Bracket & Trim Plate] W 3.18" D 1.6" H 144"	\$314
	VB12 BLK, SLV, WHT	Cable Vertebrae [For BOOST, Includes Bridge-Mount Brackets] W 2.75" D 2.66" H 16.31"	\$246

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White



RAW Raw






IMAGE	CODE	DESCRIPTION	LIST
<b>Infeeds</b> 	BPIF72	60" Infeed W 60" D 0.87" H 1.95"	\$294
	BPIF164	164" Infeed W 164" D 0.87" H 1.95"	\$479
	KIT-NYC	12" Infeed Kit [NYC Electrical Code Compliant]	\$768
<b>Harnesses</b>  	KIT-HARNESS.B24	BOOST 24" Harness [Requires 4 Duplex Receptacles, 8 Outlets, For 48" & 120 Degree Bridge Beams] W 25.63" D 3" H 2.17"	\$342
	KIT-HARNESS.B36	BOOST 36" Harness [Requires 6 Duplex Receptacles, 12 Outlets, For 60"-72" Bridge Beams] W 36.88" D 3" H 2.17"	\$342


IMAGE	CODE	DESCRIPTION	LIST
<b>Duplexes</b> 	BPDR_C1 BLK	Duplex Receptacle (Configuration 1) [2 Outlets] W 4.65" D 0.1" H 1.95"	\$22
	BPDR_C2 BLK	Duplex Receptacle (Configuration 2) [2 Outlets] W 4.65" D 0.1" H 1.93"	\$22
	BPDR_C3 BLK	Duplex Receptacle (Configuration 3) [2 Outlets] W 4.65" D 0.1" H 1.93"	\$22
	BPDR_T24_C4 BLK	Duplex Receptacle (Configuration 4) [2 Outlets, Title 24 Compliant] W 4.65" D 0.1" H 1.93"	\$22
<b>Jumpers</b> 	BPJ12	12" Jumper W 12" D 0.87" H 1.95"	\$187
	BPJ15	15" Jumper W 15" D 0.87" H 1.95"	\$194
	BPJ18	18" Jumper W 18" D 0.87" H 1.95"	\$194
	BPJ29	29" Jumper W 29" D 0.87" H 1.95"	\$197
	BPJ42	42" Jumper W 42" D 0.87" H 1.95"	\$197
	BPJ72	72" Jumper W 72" D 0.87" H 1.95"	\$226
	BPJ144	144" Jumper W 144" D 0.87" H 1.95"	\$495

PLASTIC FINISHES

Specify at end of product code (i.e. BLG60-WHT).



BLK Black

IMAGE	CODE	DESCRIPTION	LIST
<div>Connector Blocks</div> <div></div>	BPPCB BLK	2-Way Connector Block W 1.65" D 1.47" H 0.78"	\$20
	BPJCB BLK	4-Way Connector Block W 1.65" D 1.82" H 1.73"	\$20

PLASTIC FINISHES

Specify at end of product code (i.e. BLG60-WHT).



BLK Black



# THREE60

*conference + collaboration tables*

THREE60 Conference and Collaboration Tables were created with the modern workplace in mind. The Conference series is scalable to fit a wide variety of room sizes. Knife-edge surfaces house embedded power-data-video modules that feed into the wire-management cabinet, below the surface. The Collaboration series features a knife-edge Parsons table design. Premium quality, design, and functionality make THREE60 your ideal solution for conference, meeting, and collaboration spaces.



FAST PROGRAM

3-BUSINESS-DAY LEAD TIME

PART	MATERIAL	THICKNESS	CERTIFICATIONS
Core	Particle Board	1"	N/A
Surface Layer	Thermo-Fused Melamine (TFM)	N/A	FSC Mix
Underside Layer	Thermo-Fused Melamine (TFM)	N/A	FSC Mix
Edgeband	PVC	3mm	N/A



DETAIL: Knife-Edge Surface

LAMINATE FINISHES


Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm



OAK White Oak




WHT White




**Grommets**  
Surfaces include pre-installed, rectangular grommets in silver, where applicable.

STATEMENT OF LINE


SURFACES




36"x72" Surface  
Seats 6-8




42"x72" Surface  
Seats 6-8




42"x84" Surface  
Seats 6-8




48"x96" Surface  
Seats 8-10




48"x120" Surface  
Seats 10-12



48"x144" Surface  
Seats 10-12




36" Spacer Surface (Center)  
Seats 2




36" Spacer Surface (Split)  
Seats 2


SUPPORTS




Regular- & Standing-Height  
Angled Sleigh Legs



Regular- & Standing-Height  
Angled Sleigh Legs  
[Covered]




Cabinet Bases




Support Bars & Flat  
Brackets


TABLES



42"x48" Parsons Table  
Seats 2-4



42"x72" Parsons Table  
Seats 4-6



42"x84" Parsons Table  
Seats 4-6

• DENOTES KNIFE EDGE



IMAGE	CODE	DESCRIPTION	LIST
<b>Surfaces</b> 	CNS3672 ELM, OAK, WHT	THREE60 36"x72" Surface [Includes Knife Edge] W 72" D 36" H 1"	\$586
	CNS4272 ELM, OAK, WHT	THREE60 42"x72" Surface [Includes Knife Edge & 1 Grommet] W 72" D 42" H 1"	\$734
	CNS4284 ELM, OAK, WHT	THREE60 42"x84" Surface [Includes Knife Edge & 1 Grommet] W 84" D 42" H 1"	\$881
	CNS4896 ELM, OAK, WHT	THREE60 48"x96" Surface, 2-Piece [Includes Knife Edge & 1 Grommet] W 96" D 48" H 1"	\$1,102
	CNS48120 ELM, OAK, WHT	THREE60 48"x120" Trapezoid Surface, 2-Piece [Includes Knife Edge & 1 Grommet] W 120" D 48" H 1"	\$1,410
	KIT-CNS48132 ELM, OAK, WHT	THREE60 48"x132" Surface, 3-Piece [Includes Knife Edge & 2 Grommets] W 132" D 48" H 1"	\$1,573

IMAGE	CODE	DESCRIPTION	LIST
<b>Surfaces</b> 	CNS48144 ELM, OAK, WHT	THREE60 48"x144" Trapezoid Surface, 2-Piece [Includes Knife Edge & 2 Grommets] W 144" D 48" H 1"	\$1,672
	KIT-CNS48156 ELM, OAK, WHT	THREE60 48"x156" Trapezoid Surface, 3-Piece [Includes Knife Edge & 2 Grommets] W 156" D 48" H 1"	\$1,881
	KIT-CNS48168 ELM, OAK, WHT	THREE60 48"x168" Surface, 4-Piece [Includes Knife Edge & 3 Grommets] W 168" D 48" H 1"	\$2,044
	KIT-CNS48180 ELM, OAK, WHT	THREE60 48"x180" Trapezoid Surface, 3-Piece [Includes Knife Edge & 3 Grommets] W 180" D 48" H 1"	\$2,127
	KIT-CNS48192 ELM, OAK, WHT	THREE60 48"x192" Trapezoid Surface, 4-Piece [Includes Knife Edge & 3 Grommets] W 192" D 48" H 1"	\$2,352

LAMINATE FINISHES


Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm



OAK White Oak



WHT Electric White







IMAGE	CODE	DESCRIPTION	LIST
<b>Surfaces</b> 	KIT-CNS48216 ELM, OAK, WHT	THREE60 48"x216" Trapezoid Surface, 4-Piece [Includes Knife Edge & 4 Grommets] W 216" D 48" H 1"	\$2,582
	CNCGB ELM, OAK, WHT	THREE60 48"x36" Center-Grommet Spacer Surface [Includes Knife Edge & 1 Grommet] W 36" D 48" H 1"	\$455
	CNSGA ELM, OAK, WHT	THREE60 48"x36" Split-Grommet Spacer Surface [Includes Knife Edge & 2 Half-Cutouts & 1 Grommet] W 36" D 48" H 1"	\$471
<b>Legs</b>  	GCNAB BLK, SLV, WHT	THREE60 Angled Sleigh Leg W 30" D 7.28" H 27.36"	\$646
	GCNABCOV BLK, SLV, WHT	THREE60 Angled Sleigh Leg [Covered for Wire Management] W 30" D 7.28" H 27.36"	\$713

IMAGE	CODE	DESCRIPTION	LIST
<b>Standing-Height Legs</b>  	GCNABSH BLK, SLV, WHT	THREE60 Standing-Height Angled Sleigh Leg W 30" D 7.28" H 38.39"	\$749
	GCNABCOVSH BLK, SLV, WHT	THREE60 Standing-Height Angled Sleigh Leg [Covered for Wire Management] W 30" D 7.28" H 38.39"	\$921
<b>Bases</b> 	CNCBV2 BLK, ELM, OAK, WHT	THREE60 Cabinet Base (Version 2) W 17.72" D 11.81" H 27.36"	\$538
<b>Supports</b>  	BASB72	42" Support Bar W 41.69" D 1.88" H 0.88"	\$132
	BFB1	Flat Bracket W 4.69" D 1.94" H 0.06"	\$5

LAMINATE FINISHES


Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm




OAK White Oak




WHT Electric White

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White

IMAGE	CODE	DESCRIPTION	LIST
<b>Tables</b> 	KIT-CPT4248 ELM, OAK, WHT	THREE60 42"x48" Parsons Table [Includes 1 Grommet] W 48" D 42" H 41.5"	\$1,515
	KIT-CPT4272 ELM, OAK, WHT	THREE60 42"x72" Parsons Table [Includes 2 Grommets] W 72" D 42" H 41.5"	\$2,055
	KIT-CPT4284 ELM, OAK, WHT	THREE60 42"x84" Parsons Table [Includes 2 Grommets] W 84" D 42" H 41.5"	\$2,246
<b>Wire Management</b> 	VB24 SLV, WHT	Cable Vertebrae [For THREE60, Includes Surface-Mount Brackets] W 2.75" D 2.66" H 30.51"	\$380
	VB33 SLV, WHT	Cable Vertebrae [For THREE60 Standing-Height, Includes Surface- Mount Brackets] W 2.75" D 2.66" H 39.96"	\$505

IMAGE	CODE	DESCRIPTION	LIST
<b>Wire Management</b>   	JC1 BLK	1" Cable J-Clip [Includes Hardware] W 1" D 1.5" H 0.875"	\$7
	BWMJC.47 BLK	47" Cable J-Channel W 47" D 2" H 1"	\$70
	CNWG SLV	Grommet [Requires 4"x8" Cutout, For Conference Surfaces] W 8.31" D 4.42" H 0.13" (Inserted)	\$75
<b>Power</b> 	BPCONF2 SLV	In-Surface Module [2 Power Outlets, 1 Cat 6 Data Port, 1 HDMI Port, 72" Cord] W 8.31" D 4.42" H 1.15" (Inserted)	\$1,163
	BPCONF3 SLV	In-Surface Module [2 Power Outlets, 1 Cat 6 Data Port, 1 Dual USB Port, 72" Cord] W 8.31" D 4.42" H 1.15" (Inserted)	\$1,163

LAMINATE FINISHES


Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm




OAK White Oak



WHT Electric White

PLASTIC FINISHES

Specify at end of product code (i.e. BLG60-WHT).



BLK Black




SLV Silver



WHT White





# OPTIMA

*training tables*




OPTIMA Training Tables are built to optimize your work environment by allowing for quick setup and reconfiguration. These table frames feature a "flip and nest" function, which makes mobility and storage convenient and space saving. Fold and store extra tables to the side for a small team meeting, and then unfold and reconfigure them to accommodate everyone at the next full-staff meeting or special event! OPTIMA Training Tables also come with optional power solutions so you can stay plugged in.



FRAMES

PROPERTY	CHARACTERISTICS
Base & Bracket	3mm-Thick Aluminium Alloy with Chrome Finishing
Column	2mm-Thick Aluminum with Baking Varnish Finishing
Beam	50x25x1.5mm Cold-Rolled Steel
Features	Reinforced Frame Nesting Surface (and Optional Modesty Panel) Locking Casters Various Sizes
Accessories	Modesty Panel Glides

STEEL FINISHES



BLK Black



SLV Silver/Chrome


Specify at end of product code (i.e. BL24-SLV).



**Grommets**  
Surfaces include pre-installed, rectangular grommets in silver, where applicable.

STATEMENT OF LINE

SURFACES




48"-84" Surfaces

FRAMES




48", 60" & 72" Frames


POWER



Infeed




48", 60" & 72" Jumpers




Desktop Power Units


ACCESSORIES



Modesty Panels



Cable Clips



Glides


IMAGE	CODE	DESCRIPTION	LIST
	GB2448 ELM, MPL, OAK, SAH, WHT	24"x48" Surface [Includes 2 Pre-Installed Grommets] W 48" D 24" H 1"	\$278
	GB2460 ELM, MPL, OAK, SAH, WHT	24"x60" Surface [Includes 2 Pre-Installed Grommets] W 60" D 24" H 1"	\$344
	GB2466 ELM, MPL, OAK, SAH, WHT	24"x66" Surface [Includes 2 Pre-Installed Grommets] W 66" D 24" H 1"	\$378
	GB2472 ELM, MPL, OAK, SAH, WHT	24"x72" Surface [Includes 2 Pre-Installed Grommets] W 72" D 24" H 1"	\$407
	GB3048 ELM, MPL, OAK, SAH, WHT	30"x48" Surface [Includes 2 Pre-Installed Grommets] W 48" D 30" H 1"	\$344
	GB3060 ELM, MPL, OAK, SAH, WHT	30"x60" Surface [Includes 2 Pre-Installed Grommets] W 60" D 30" H 1"	\$440
	GB3066 ELM, MPL, OAK, SAH, WHT	30"x66" Surface [Includes 2 Pre-Installed Grommets] W 66" D 30" H 1"	\$484
	GB3072 ELM, MPL, OAK, SAH, WHT	30"x72" Surface [Includes 2 Pre-Installed Grommets] W 72" D 30" H 1"	\$505

LAMINATE FINISHES

Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm




MPL Sonic Maple




OAK White Oak



SAH Sahara Ridge



WHT Electric White

IMAGE	CODE	DESCRIPTION	LIST
<b>Grommets</b> 	BLG60 BLK, SLV, WHT	Replacement Grommet [60mm, For FAST Surfaces Only] W 60mm D 60mm H 0.75"	\$14
<b>Frames</b> 	OTF48V2 BLK, SLV	OPTIMA 48" Training Table Frame (Version 2) W 47" D 23" H 28.25"	\$880
	OTF60V2 BLK, SLV	OPTIMA 60" Training Table Frame (Version 2) W 59" D 23" H 28.25"	\$916
	OTF72V2 BLK, SLV	OPTIMA 72" Training Table Frame (Version 2) W 71" D 23" H 28.25"	\$946
<b>Panels</b> 	OMP48 BLK, SLV	OPTIMA 44" Steel Modesty Panel [For 48" Table] W 46.5" D 0.625" H 12"	\$204
	OMP60 BLK, SLV	OPTIMA 54" Steel Modesty Panel [For 60" Table] W 58.5" D 0.625" H 12"	\$239
	OMP72 BLK, SLV	OPTIMA 68" Steel Modesty Panel [For 72" Table] W 70.5" D 0.625" H 12"	\$275



Black Grommets

Surfaces include pre-installed, circular grommets in black, where applicable.




Silver & White Grommets

Black grommets may be replaced with silver or white grommets at an additional cost.

STEEL FINISHES

Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver/Chrome

IMAGE	CODE	DESCRIPTION	LIST
<div>Wire Management</div> 	OPCM BLK	OPTIMA Cable Clip System, Set of 18 [For Version 2 Frame] W 3" D 1.5" H 4"	\$51
<div>Infeed</div> 	PSPIF144	OPTIMA 114" Infeed [3-Prong Plug] L 114" D 0.75" H 1.75"	\$1,063
<div>Jumpers</div> 	PSJ48	OPTIMA 48" Jumper [For 48" Table] L 48" D 0.75" H 1.75"	\$136
	PSJ60	OPTIMA 60" Jumper [For 60" Table] L 60" D 0.75" H 1.75"	\$158
	PSJ72	OPTIMA 72" Jumper [For 66" & 72" Tables] L 72" D 0.75" H 1.75"	\$167
<div>Desktop</div> 	PSMA	OPTIMA Desktop Power Unit [2 Outlets, 24" Cord] W 3.5" D 2.5" H 2"	\$300



Infeeds

Up to 8 desktop power units can be connected to a single infeed.




Jumpers

A single jumper connects power between 2 tables.



Desktop Power Units

Up to 2 desktop power units can be used on a single surface (Requires an additional jumper).

IMAGE	CODE	DESCRIPTION	LIST
<div>Accessories</div> 	KIT-OTG BLK	OPTIMA Training Table Glide Kit, Set of 4 W 2" D 2" H 2.25"	\$128

PLASTIC FINISHES

Specify at end of product code (i.e. BLG60-WHT).



BLK Black





# COVE

*office pods*

C

Create an agile workspace without complicated construction. COVE Pods provide semi-private meeting spaces, touchdown points, and focus areas for employees. Options include railway-carriage design, 1-4 person pods, and other accessories.




PODS


PROPERTY	CHARACTERISTICS
Fabric	100% Polyester
Laminate	Thermo-Fused Melamine (TFM)
Base	Steel
NRC Rating	0.65
Features	Space-saving, streamlined design Comfortable, plush foam seating Integrated lighting Acoustic, sound-absorbing design White laminate table with chrome leg Optional monitor mount on select pods

STATEMENT OF LINE


PODS




1-Person Focus Pod



2-Person Meeting Pod




4-Person Meeting Pod





4-Person Open-Panel Meeting Pod

FABRICS




GRY Baltic Gray/Slate Gray

IMAGE	CODE	DESCRIPTION	LIST
<div><div>Focus Pods</div></div>	KIT-C1PFP GRY	COVE 1-Person Focus Pod [Includes Lighting & Freestanding Table] W 57" D 33.5" H 83.25"	\$16,444
<div><div>Meeting Pods</div></div>	KIT-C2PMP GRY	COVE 2-Person Meeting Pod [Includes Optional Monitor Mount, Lighting & Table] W 85" D 33.5" H 83.25"	\$16,589
	KIT-C4PMP GRY	COVE 4-Person Meeting Pod [Includes Optional Monitor Mount, Lighting & Table] W 85" D 56.75" H 83.25"	\$21,393
	KIT-C4POMP GRY	COVE 4-Person Open-Panel Meeting Pod [Includes Lighting & Freestanding Table] W 85" D 56.75" H 83.25"	\$21,538

FABRICS



GRY Baltic Gray/Slate Gray



# SEATING

S

Seating is just as important as the workstation you work at. Not only does it determine how comfortable and productive you will be, but it also makes a first impression and says a lot about your company. We offer ergonomic seating solutions for every area of your office—from the guest area to conference room. Our chairs will allow you to work in comfort, collaborate with confidence, focus in style, and make your guests feel welcome. Choose from stool height, flex back, and other key features.




IMAGE	CODE	DESCRIPTION	LIST
	V402 BB, GB, GG BLK, PAL, CHA, CAP <b>Overall</b> W 26.38"-27.56" D 24.21"-26.18" H 40.16"-44.88" <b>Seat</b> W 20.08" D 20.67" H 16.54"-21.26" <b>Arms</b> H +7.48"-10.24"	The Ventus [Task Chair] <b>Features</b> <ul style="list-style-type: none"><li>Breathable Mesh Back</li><li>3D Adjustable Armrests</li><li>Adjustable Lumbar Support</li><li>Gaslift Height Adjustment</li><li>Adjustable Seat Depth</li><li>Synchro-Tilt Mechanism with Multi-Position Locking</li><li>Auto Weight-Balanced Tension Adjustment</li></ul> <b>Capacity</b> 300 lbs	\$1,129
	N7000 BLK <b>Overall</b> W 26" D 24" H 39"-42" <b>Seat</b> W 19.5" D 20" H 17"-20.5" <b>Arms</b> H +7"-10.5"	The Razor [Task Chair] <b>Features</b> <ul style="list-style-type: none"><li>Height- &amp; Depth-Adjustable Lumbar Support</li><li>Height- &amp; Depth-Adjustable Arms</li><li>Pneumatic Height-Adjustable Seat</li><li>Synchro-Tilt Mechanism with Tension Control</li><li>4-Position Tilt-Lock Mechanism</li></ul> <b>Capacity</b> 300 lbs  REUPHOLSTER SEAT WITH FX (GRADE 1) OR COM FABRIC [REQUIRES 1 YD]	\$972      +\$224

IMAGE	CODE	DESCRIPTION	LIST
	N6000 BLK <b>Overall</b> W 28" D 22" H 36"-40" <b>Seat</b> W 21" D 19" H 17"-21" <b>Arms</b> H +6"-8.5"	The Fusion [Task Chair] <b>Features</b> <ul style="list-style-type: none"><li>Height- &amp; Width-Adjustable Arms</li><li>Pneumatic Height-Adjustable Seat</li><li>Synchro-Tilt Mechanism with Tension Control</li><li>Upright-Position Tilt-Lock Mechanism</li></ul> <b>Capacity</b> 300 lbs  REUPHOLSTER SEAT WITH FX (GRADE 1) OR COM FABRIC [REQUIRES 0.75 YDS]	\$619      +\$312
	N5000 BLK <b>Overall</b> W 25" D 23" H 37"-41" <b>Seat</b> W 20" D 20" H 17"-21" <b>Arms</b> H +7.5"-10.25"	The Epic [Task Chair] <b>Features</b> <ul style="list-style-type: none"><li>Height-Adjustable Lumbar Support</li><li>Height-Adjustable Arms</li><li>Pneumatic Height-Adjustable Seat</li><li>Back-Tilt Mechanism with Tension Control</li></ul> <b>Capacity</b> 300 lbs  REUPHOLSTER SEAT WITH FX (GRADE 1) OR COM FABRIC [REQUIRES 1 YD]	\$550      +\$312

PLASTIC AND MESH FINISHES

Specify at end of product code (i.e. V402-GBCAP).



BB Black Frame + Black Back



GB Gray Frame + Black Back



GG Gray Frame + Gray Back

FABRIC FINISHES

Specify at end of product code (i.e. V402-GBCAP).



BLK Black



PAL Palladium



CHA Chai



CAP Capri



i

Drafting Stool Kit

Adds 8" to minimum height and 14" to maximum height. Invalidates BIFMA certificate.


IMAGE	CODE	DESCRIPTION	LIST
<div>Conference</div> 	N979 BLK <b>Overall</b> W 22" D 26" H 43"-45.5" <b>Seat</b> W 20" D 18" H 17"-19.5" <b>Arms</b> H +8"	The Vogue (High-Back) [Conference Chair] <b>Features</b> <ul style="list-style-type: none"><li>Fixed Arms</li><li>Pneumatic Height-Adjustable Seat</li><li>Tilt Mechanism with Tension Control</li><li>4-Position Tilt-Lock Mechanism</li></ul> <b>Capacity</b> 300 lbs	\$823
	N977 BLK <b>Overall</b> W 22" D 26" H 36"-39" <b>Seat</b> W 20" D 18" H 17"-19.5" <b>Arms</b> H +8"	The Vogue (Mid-Back) [Conference Chair] <b>Features</b> <ul style="list-style-type: none"><li>Fixed Arms</li><li>Pneumatic Height-Adjustable Seat</li><li>Tilt Mechanism with Tension Control</li><li>4-Position Tilt-Lock Mechanism</li></ul> <b>Capacity</b> 300 lbs	\$807
<div>Stool</div> 	DK1	Drafting Stool Kit [For Task and Conference Chairs] W 18" D 18" H 8"-14"	\$153

IMAGE	CODE	DESCRIPTION	LIST
<div>Multipurpose</div> 	N2000 BLK <b>Overall</b> W 22" D 23" H 31" <b>Seat</b> W 16.5" D 17" H 18" <b>Arms</b> H +7"	The Ice [Nesting Chair, Includes Casters and Arms] <b>Features</b> <ul style="list-style-type: none"><li>Fixed Arms</li><li>Breathable Mesh Back</li><li>Folding Seat for Nesting</li><li>Casters</li></ul> <b>Capacity</b> 275 lbs  <b>REUPHOLSTER SEAT WITH FX (GRADE 1) OR COM FABRIC [REQUIRES 0.75 YDS]</b>	\$336       <b>+\$224</b>
	N899 BLK <b>Overall</b> W 23" D 25" H 34" <b>Seat</b> W 18" D 19" H 17" <b>Arms</b> H +8"	The Kule 2 [Side Chair, Includes Arms] <b>Features</b> <ul style="list-style-type: none"><li>Fixed Arms</li><li>Breathable Mesh Back</li><li>Foam Seat</li><li>Stackable up to 5 Chairs High</li></ul> <b>Capacity</b> 275 lbs  <b>REUPHOLSTER SEAT WITH FX (GRADE 1) OR COM FABRIC [REQUIRES 0.75 YDS]</b>	\$284       <b>+\$224</b>









IMAGE	CODE	DESCRIPTION	LIST
<div>Multipurpose</div> 	N33PK BLK, BLU, CTR, WHT Overall W 21.25" D 23.25" H 33.5" Seat W 17.5" D 18" H 17" Arms (SOLD SEPARATELY) H +9"	The Blaze [Stacking Chair, Includes Glides]  <b>Features</b> <ul style="list-style-type: none"><li>Contoured, Flexible Seat</li><li>Lightweight, Stackable Design</li><li>Carry Handle</li><li>Variety of Colors and Accessories</li><li>Stackable up to 25 Chairs High</li></ul> <b>Capacity</b> 275 lbs	\$352
	N33BH BLK, BLU, CTR, WHT Overall W 23.25" D 25.38" H 45.25" Seat W 17.5" D 18" H 29" Arms (SOLD SEPARATELY) H +9"	The Blaze (Bar Stool) [Stacking Chair, Includes Glides]  <b>Features</b> <ul style="list-style-type: none"><li>Contoured, Flexible Seat</li><li>Lightweight, Stackable Design</li><li>Carry Handle</li><li>Variety of Colors and Accessories</li><li>Stackable up to 6 Chairs High</li></ul> <b>Capacity</b> 275 lbs	\$549
<div>Accessories</div> 	NM33A BLK	The Blaze Trolley [Stacks 25 Chairs, Not Compatible with Bar Stool] W 23.25" D 21.75" H 16"	\$343

IMAGE	CODE	DESCRIPTION	LIST
<div>Accessories</div>     	N33SC BLK	The Blaze Cushion Seat W 18" D 18.25" H 3"  REUPHOLSTER SEAT WITH FX (GRADE 1) OR COM FABRIC [REQUIRES 1 YD]	\$130  +\$312
	N33MS BLK	The Blaze Mesh Seat W 18" D 17.25" H 3"	\$130
	N33CI2 BLK	The Blaze Caster Kit (Version 2), Set of 4 W 1.85" D 1.5" H 1.87"	\$25
	N33AR BLK	The Blaze Armrest Kit, Set of 2	\$44
	N33WT BLK	The Blaze Tablet Arm W 13.62" D 11.68" H 11.72" (Surface)	\$207

PLASTIC FINISHES


Specify at end of product code (i.e. BLG60-WHT).



BLK Pitch Black



BLU Sky Blue





CTR Citrus Green



WHT Cloud White






# SURFACES + TABLES

S

urfaces are a critical part of your office's interior design. They bring your space to life and help reflect the tone of your brand. We offer 2 amazing options to choose from. Our FAST series offers 3 sleek finishes, at a reduced price, on our lightning fast 3-business-day lead time. On the other hand, our FX series allows you to custom pick your finish from hundreds of great Wilsonart selections, at an additional cost. FX surfaces are available on as little as a 15-business-day lead time.



IMAGE	CODE	DESCRIPTION	LIST
<b>24" Deep</b> 	GB2436 ELM, MPL, OAK, SAH, WHT	24"x36" Cross-Grain Surface [Includes 1 Pre-Installed Grommet] W 36" D 24" H 1"	\$230
	GB2442 ELM, MPL, OAK, SAH, WHT	24"x42" Cross-Grain Surface [Includes 1 Pre-Installed Grommet] W 42" D 24" H 1"	\$243
	GB2448 ELM, MPL, OAK, SAH, WHT	24"x48" Surface [Includes 2 Pre-Installed Grommets] W 48" D 24" H 1"	\$278
	GB2460 ELM, MPL, OAK, SAH, WHT	24"x60" Surface [Includes 2 Pre-Installed Grommets] W 60" D 24" H 1"	\$344
	GB2466 ELM, MPL, OAK, SAH, WHT	24"x66" Surface [Includes 2 Pre-Installed Grommets] W 66" D 24" H 1"	\$378
	GB2472 ELM, MPL, OAK, SAH, WHT	24"x72" Surface [Includes 2 Pre-Installed Grommets] W 72" D 24" H 1"	\$407
<b>30" Deep</b> 	GB3048 ELM, MPL, OAK, SAH, WHT	30"x48" Surface [Includes 2 Pre-Installed Grommets] W 48" D 30" H 1"	\$344
	GB3060 ELM, MPL, OAK, SAH, WHT	30"x60" Surface [Includes 2 Pre-Installed Grommets] W 60" D 30" H 1"	\$440

LAMINATE FINISHES

Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm




MPL Sonic Maple



OAK White Oak




SAH Sahara Ridge




WHT Electric White

PLASTIC FINISHES

Specify at end of product code (i.e. BLG60-WHT).



BLK Black



SLV Silver



WHT White



Black Grommets

Surfaces include pre-installed, circular grommets in black, where applicable.



Silver & White Grommets

Black grommets may be replaced with silver or white grommets at an additional cost.

IMAGE	CODE	DESCRIPTION	LIST
	GB3066 ELM, MPL, OAK, SAH, WHT	30"x66" Surface [Includes 2 Pre-Installed Grommets] W 66" D 30" H 1"	\$484
	GB3072 ELM, MPL, OAK, SAH, WHT	30"x72" Surface [Includes 2 Pre-Installed Grommets] W 72" D 30" H 1"	\$505
<b>120 Degree</b> 	GB120V2 ELM, MPL, OAK, SAH, WHT	120-Degree Surface (Version 2) [Includes 1 Pre-Installed Grommet] W 83" D 44.75" H 1"	\$772
<b>Grommets</b> 	BLG60 BLK, SLV, WHT	Replacement Grommet [60mm, For FAST Surfaces Only] W 60mm D 60mm H 0.75"	\$14



IMAGE	CODE	DESCRIPTION	LIST
<b>Squares</b> 	GB3636 ELM, MPL, OAK, SAH, WHT	36"x36" Surface W 36" D 36" H 1"	\$399
	GB4849 ELM, MPL, OAK, SAH, WHT	49"x48" Surface W 48" D 49" H 1"	\$505
<b>Rounds</b> 	GB360 ELM, MPL, OAK, SAH, WHT	36" Round Surface W 36" D 36" H 1"	\$405
	GB420 ELM, MPL, OAK, SAH, WHT	42" Round Surface W 42" D 42" H 1"	\$408
	GB480 ELM, MPL, OAK, SAH, WHT	48" Round Surface W 48" D 48" H 1"	\$502

LAMINATE FINISHES

Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm




MPL Sonic Maple





OAK White Oak



SAH Sahara Ridge



WHT Electric White

IMAGE	CODE	DESCRIPTION	LIST
<b>24" Deep</b> 	T2424 FX	24"x24" Surface W 24" D 24" H 1.25"	\$614
	T2436 FX	24"x36" Surface W 36" D 24" H 1.25"	\$614
	T2442 FX	24"x42" Surface W 42" D 24" H 1.25"	\$645
	T2448 FX	24"x48" Surface W 48" D 24" H 1.25"	\$665
	T2454 FX	24"x54" Surface W 54" D 24" H 1.25"	\$743
	T2460 FX	24"x60" Surface W 60" D 24" H 1.25"	\$743
	T2466 FX	24"x66" Surface W 66" D 24" H 1.25"	\$825
	T2472 FX	24"x72" Surface W 72" D 24" H 1.25"	\$825
	T2484 FX	24"x84" Surface W 84" D 24" H 1.25"	\$1,066
	T2496 FX	24"x96" Surface [For Austin & Houston Delivery Only] W 96" D 24" H 1.25"	\$1,227
<b>30" Deep</b> 	T2496.2 FX	24"x96" Surface, 2-Piece W 96" D 24" H 1.25"	\$2,240
	T3036 FX	30"x36" Surface W 36" D 30" H 1.25"	\$665
	T3042 FX	30"x42" Surface W 42" D 30" H 1.25"	\$828
	T3048 FX	30"x48" Surface W 48" D 30" H 1.25"	\$828





**Grommets**  
Grommets are sold separately.  
Quantities and locations must  
be specified.



**Grommet Placement Codes**  
**FL:** Front-Left  
**FC:** Front-Center  
**FR:** Front-Right







**FX Laminate Finishes**  
See [page 8](#) for finish options.  
Specify at end of product code  
(i.e. T48120-08845).

IMAGE	CODE	DESCRIPTION	LIST
<b>30" Deep</b> 	T3054 FX	30"x54" Surface W 54" D 30" H 1.25"	\$835
	T3060 FX	30"x60" Surface W 60" D 30" H 1.25"	\$835
	T3066 FX	30"x66" Surface W 66" D 30" H 1.25"	\$877
	T3072 FX	30"x72" Surface W 72" D 30" H 1.25"	\$877
	T3084 FX	30"x84" Surface W 84" D 30" H 1.25"	\$1,066
	T3096 FX	30"x96" Surface [For Austin & Houston Delivery Only] W 96" D 30" H 1.25"	\$1,227
	T3096-2 FX	30"x96" Surface, 2-Piece W 96" D 30" H 1.25"	\$2,240
<b>24" Deep [For Returns &amp; Bridges]</b> 	T3624 FX	24"x36" Cross-Grain Surface W 36" D 24" H 1.25"	\$614
	T4224 FX	24"x42" Cross-Grain Surface W 42" D 24" H 1.25"	\$645
	T4824 FX	24"x48" Cross-Grain Surface W 48" D 24" H 1.25"	\$665
	T6024 FX	24"x60" Cross-Grain Surface W 60" D 24" H 1.25"	\$743

GROMMET RECOMMENDATIONS

Grommets Sold Separately (See [page 151](#) for details).

**42" & Under Surfaces** 1 Grommet (Front-Center). **48"-72" Surfaces** 2 Grommets (1 Front-Left & 1 Front-Right).  
**84" & Over Surfaces** 3 Grommets (1 Front-Left, 1 Front-Center & 1 Front-Right). **120-Degree Surfaces** 1 Grommet (Front-Center).  
**L-Shape Surfaces** 1 Grommet (Front-Center).

IMAGE	CODE	DESCRIPTION	LIST
<b>30" Deep</b> [For Returns & Bridges] 	T3630 FX	30"x36" Cross-Grain Surface W 36" D 30" H 1.25"	\$665
	T4830 FX	30"x48" Cross-Grain Surface W 48" D 30" H 1.25"	\$828
	T5430 FX	30"x54" Cross-Grain Surface W 54" D 30" H 1.25"	\$835
	T6030 FX	30"x60" Cross-Grain Surface W 60" D 30" H 1.25"	\$835
<b>36" Deep</b> 	T3660 FX	36"x60" Surface W 60" D 36" H 1.25"	\$877
	T3666 FX	36"x66" Surface W 66" D 36" H 1.25"	\$877
	T3672 FX	36"x72" Surface W 72" D 36" H 1.25"	\$1,066
	T3684 FX	36"x84" Surface W 84" D 36" H 1.25"	\$1,227
	T3696.2 FX	36"x96" Surface, 2-Piece W 96" D 36" H 1.25"	\$2,240
<b>120 Degree</b> 	T48120 FX	120-Degree Surface (48" Sides) W 83" D 44.75" H 1.25"	\$1,066
	T60120 FX	120-Degree Surface (60" Sides) W 104" D 50.75" H 1.25"	\$1,790
<b>Spacer</b> 	T1249 FX	12"x49" Spacer Surface W 12" D 49" H 1.25"	\$658



Grommets

Grommets are sold separately.  
Quantities and locations must  
be specified.



Grommet Placement Codes

**FL:** Front-Left  
**FC:** Front-Center  
**FR:** Front-Right



FX Laminate Finishes



See [page 8](#) for finish options.  
Specify at end of product code  
(i.e. T48120-08845).

IMAGE	CODE	DESCRIPTION	LIST
<b>Bow-Front</b> 	T3060BOW FX	30"x60" Bow-Front Surface W 60" D 30" H 1.25"	\$1,066
	T3066BOW FX	30"x66" Bow-Front Surface W 66" D 30" H 1.25"	\$1,066
	T3072BOW FX	30"x72" Bow-Front Surface W 72" D 30" H 1.25"	\$1,066
	T3660BOW FX	36"x60" Bow-Front Surface W 60" D 36" H 1.25"	\$1,066
	T3666BOW FX	36"x66" Bow-Front Surface W 66" D 36" H 1.25"	\$1,066
	T3672BOW FX	36"x72" Bow-Front Surface W 72" D 36" H 1.25"	\$1,066
<b>D-End</b> 	T7230D.L FX	72"x30" D-End Surface (D-End on Left) W 72" D 30" H 1.25"	\$1,066
	T7230D.R FX	72"x30" D-End Surface (D-End on Right) W 72" D 30" H 1.25"	\$1,066
	T7236D.L FX	72"x36" D-End Surface (D-End on Left) W 72" D 36" H 1.25"	\$1,066
	T7236D.R FX	72"x36" D-End Surface (D-End on Right) W 72" D 36" H 1.25"	\$1,066

GROMMET RECOMMENDATIONS

Grommets Sold Separately (See [page 151](#) for details).

**42" & Under Surfaces** 1 Grommet (Front-Center). **48"-72" Surfaces** 2 Grommets (1 Front-Left & 1 Front-Right).  
**84" & Over Surfaces** 3 Grommets (1 Front-Left, 1 Front-Center & 1 Front-Right). **120-Degree Surfaces** 1 Grommet (Front-Center).  
**L-Shape Surfaces** 1 Grommet (Front-Center).

IMAGE	CODE	DESCRIPTION	LIST
<b>D-End</b> 	T8430D.L FX	84"x30" D-End Surface (D-End on Left) W 84" D 30" H 1.25"	\$1,066
	T8430D.R FX	84"x30" D-End Surface (D-End on Right) W 84" D 30" H 1.25"	\$1,066
	T8436D.L FX	84"x36" D-End Surface (D-End on Left) W 84" D 36" H 1.25"	\$1,066
	T8436D.R FX	84"x36" D-End Surface (D-End on Right) W 84" D 36" H 1.25"	\$1,066
<b>P-Shape</b> 	T7236P.L FX	72"x36" P-Shape Surface (P-Shape on Left) W 72" D 36" H 1.25"	\$1,066
	T7236P.R FX	72"x36" P-Shape Surface (P-Shape on Right) W 72" D 36" H 1.25"	\$1,066
	T8436P.L FX	84"x36" P-Shape Surface (P-Shape on Left) W 84" D 36" H 1.25"	\$1,066
	T8436P.R FX	84"x36" P-Shape Surface (P-Shape on Right) W 84" D 36" H 1.25"	\$1,066

GROMMET RECOMMENDATIONS

Grommets Sold Separately (See [page 151](#) for details).

**42" & Under Surfaces** 1 Grommet (Front-Center). **48"-72" Surfaces** 2 Grommets (1 Front-Left & 1 Front-Right).  
**84" & Over Surfaces** 3 Grommets (1 Front-Left, 1 Front-Center & 1 Front-Right). **120-Degree Surfaces** 1 Grommet (Front-Center).  
**L-Shape Surfaces** 1 Grommet (Front-Center).



Grommets

Grommets are sold separately.  
Quantities and locations must be specified.



Grommet Placement Codes

**FL:** Front-Left  
**FC:** Front-Center  
**FR:** Front-Right



FX Laminate Finishes

See [page 8](#) for finish options.  
Specify at end of product code (i.e. T48120-08845).

IMAGE	CODE	DESCRIPTION	LIST
<b>24"-30" Deep [Wave]</b> 	T24.3060WAVE.L FX	24"-30"x60" Wave Surface (30" Deep on Left) W 60" D 24"-30" H 1.25"	\$1,066
	T24.3060WAVE.R FX	24"-30"x60" Wave Surface (30" Deep on Right) W 60" D 24"-30" H 1.25"	\$1,066
	T24.3072WAVE.L FX	24"-30"x72" Wave Surface (30" Deep on Left) W 72" D 24"-30" H 1.25"	\$1,066
	T24.3072WAVE.R FX	24"-30"x72" Wave Surface (30" Deep on Right) W 72" D 24"-30" H 1.25"	\$1,066
<b>30"-36" Deep [Wave]</b> 	T30.3660WAVE.L FX	30"-36"x60" Wave Surface (36" Deep on Left) W 60" D 30"-36" H 1.25"	\$1,066
	T30.3660WAVE.R FX	30"-36"x60" Wave Surface (36" Deep on Right) W 60" D 30"-36" H 1.25"	\$1,066
	T30.3672WAVE.L FX	30"-36"x72" Wave Surface (36" Deep on Left) W 72" D 30"-36" H 1.25"	\$1,066
	T30.3672WAVE.R FX	30"-36"x72" Wave Surface (36" Deep on Right) W 72" D 30"-36" H 1.25"	\$1,066
<b>L-Shape [24" Deep]</b> 	T7224L4824.L FX	72"x48" L-Shape Surface (24" Deep, Return on Left) W 72" D 48" H 1.25"	\$1,066
	T7224L4824.R FX	72"x48" L-Shape Surface (24" Deep, Return on Right) W 72" D 48" H 1.25"	\$1,066



IMAGE	CODE	DESCRIPTION	LIST
<b>L-Shape [24" Deep]</b> 	T7224L6024.L FX	72"x60" L-Shape Surface (24" Deep, Return on Left) W 72" D 60" H 1.25"	\$1,466
	T7224L6024.R FX	72"x60" L-Shape Surface (24" Deep, Return on Right) W 72" D 60" H 1.25"	\$1,466
<b>L-Shape [30" Deep]</b> 	T7230L4830.L FX	72"x48" L-Shape Surface (30" Deep, Return on Left) W 72" D 48" H 1.25"	\$1,066
	T7230L4830.R FX	72"x48" L-Shape Surface (30" Deep, Return on Right) W 72" D 48" H 1.25"	\$1,066
	T7230L6030.L FX	72"x60" L-Shape Surface (30" Deep, Return on Left) W 72" D 60" H 1.25"	\$1,466
	T7230L6030.R FX	72"x60" L-Shape Surface (30" Deep, Return on Right) W 72" D 60" H 1.25"	\$1,466
<b>L-Shape [30"/24" Deep]</b> 	T7230L4824.L FX	72"x48" L-Shape Surface (30"/24" Deep, Return on Left) W 72" D 48" H 1.25"	\$1,066
	T7230L4824.R FX	72"x48" L-Shape Surface (30"/24" Deep, Return on Right) W 72" D 48" H 1.25"	\$1,066
	T7230L6024.L FX	72"x60" L-Shape Surface (30"/24" Deep, Return on Left) W 72" D 60" H 1.25"	\$1,466
	T7230L6024.R FX	72"x60" L-Shape Surface (30"/24" Deep, Return on Right) W 72" D 60" H 1.25"	\$1,466



Grommets

Grommets are sold separately.  
Quantities and locations must be specified.



Grommet Placement Codes

**FL:** Front-Left  
**FC:** Front-Center  
**FR:** Front-Right



FX Laminate Finishes

See [page 8](#) for finish options.  
Specify at end of product code (i.e. T48120-08845).

IMAGE	CODE	DESCRIPTION	LIST
<b>Grommets</b> 	BLW80 BLK, SLV, WHT	Grommet [80mm, Specify "FL" for Front-Left, "FC" for Front-Center & "FR" for Front-Right] W 80mm D 80mm H 0.75"	\$22

GROMMET RECOMMENDATIONS

Grommets Sold Separately.

**42" & Under Surfaces** 1 Grommet (Front-Center). **48"-72" Surfaces** 2 Grommets (1 Front-Left & 1 Front-Right).  
**84" & Over Surfaces** 3 Grommets (1 Front-Left, 1 Front-Center & 1 Front-Right). **120-Degree Surfaces** 1 Grommet (Front-Center).  
**L-Shape Surfaces** 1 Grommet (Front-Center).

**FX Laminate Finishes**  
See [page 8](#) for finish options.  
Specify at end of product code  
(i.e. T48120-08845).


IMAGE	CODE	DESCRIPTION	LIST
<b>Conference [49" Deep]</b> 	T4948 FX	49"x48" Surface W 48" D 49" H 1.25"	\$1,092
	T4848.MB 1572, 1573, 1595	48"x48" Marker-Board Surface W 48" D 48" H 1.25"	\$1,176
	T4960 FX	49"x60" Conference Table Surface W 60" D 49" H 1.25"	\$1,092
	T4972 FX	49"x72" Conference Table Surface W 72" D 49" H 1.25"	\$1,092
	T4984 FX	49"x84" Conference Table Surface W 84" D 49" H 1.25"	\$1,227
	T4996-CONF FX	49"x96" Conference Table Surface, 2-Piece W 96" D 49" H 1.25"	\$2,240
	T4996.CONF.MB 1572, 1573, 1595	49"x96" Conference Table Marker-Board Surface, 2-Piece W 96" D 49" H 1.25"	\$2,416
	T49108.CONF FX	49"x108" Conference Table Surface, 2-Piece W 108" D 49" H 1.25"	\$2,240
	T49120.CONF FX	49"x120" Conference Table Surface, 2-Piece W 120" D 49" H 1.25"	\$2,240
	T49132.CONF FX	49"x132" Conference Table Surface, 2-Piece W 132" D 49" H 1.25"	\$2,325

MARKER-BOARD FINISHES

Specify at end of product code (i.e. BT120-WHT).



1592 Antique White



1593 Frosty White



1595 Black



IMAGE	CODE	DESCRIPTION	LIST
<b>Conference [49" Deep]</b> 	T49144.CONF FX	49"x144" Conference Table Surface, 2-Piece W 144" D 49" H 1.25"	\$2,325
	T49156.CONF FX	49"x156" Conference Table Surface, 2-Piece W 156" D 49" H 1.25"	\$2,409
	T49168.CONF FX	49"x168" Conference Table Surface, 2-Piece W 168" D 49" H 1.25"	\$2,409
	T49180.CONF.3 FX	49"x180" Conference Table Surface, 3-Piece W 180" D 49" H 1.25"	\$4,435
	T49192.CONF.3 FX	49"x192" Conference Table Surface, 3-Piece W 192" D 49" H 1.25"	\$4,435
	T49216.CONF.3 FX	49"x216" Conference Table Surface, 3-Piece W 216" D 49" H 1.25"	\$4,435
	T49240.CONF.3 FX	49"x240" Conference Table Surface, 3-Piece W 240" D 49" H 1.25"	\$4,435
	T49264.CONF.4 FX	49"x264" Conference Table Surface, 4-Piece W 264" D 49" H 1.25"	\$7,406
<b>Conference [61" Deep]</b> 	T49288.CONF.4 FX	49"x288" Conference Table Surface, 4-Piece W 288" D 49" H 1.25"	\$7,513
	T6160 FX	61"x60" Conference Table Surface W 60" D 61" H 1.25"	\$1,466
	T6172 FX	61"x72" Conference Table Surface W 72" D 61" H 1.25"	\$1,599

**FX Laminate Finishes**  
See [page 8](#) for finish options.  
Specify at end of product code  
(i.e. T48120-08845).

IMAGE	CODE	DESCRIPTION	LIST
<b>Conference [61" Deep]</b> 	T6184 FX	61"x84" Conference Table Surface W 84" D 61" H 1.25"	\$1,599
	T6196.CONF FX	61"x96" Conference Table Surface, 2-Piece W 96" D 61" H 1.25"	\$2,240
	T61108.CONF FX	61"x108" Conference Table Surface, 2-Piece W 108" D 61" H 1.25"	\$2,240
	T61120.CONF FX	61"x120" Conference Table Surface, 2-Piece W 120" D 61" H 1.25"	\$2,240
	T61132.CONF FX	61"x132" Conference Table Surface, 2-Piece W 132" D 61" H 1.25"	\$2,325
	T61144.CONF FX	61"x144" Conference Table Surface, 2-Piece W 144" D 61" H 1.25"	\$2,325
	TT61156.CONF FX	61"x156" Conference Table Surface, 2-Piece W 156" D 61" H 1.25"	\$2,409
	TT61168.CONF FX	61"x168" Conference Table Surface, 2-Piece W 168" D 61" H 1.25"	\$2,409
	T61180.CONF.3 FX	61"x180" Conference Table Surface, 3-Piece W 180" D 61" H 1.25"	\$4,978
	T61192.CONF.3 FX	61"x192" Conference Table Surface, 3-Piece W 192" D 61" H 1.25"	\$4,978
	T61216.CONF.3 FX	61"x216" Conference Table Surface, 3-Piece W 216" D 61" H 1.25"	\$5,064

IMAGE	CODE	DESCRIPTION	LIST
<b>Conference [61" Deep]</b> 	T61240.CONF.3 FX	61"x240" Conference Table Surface, 3-Piece W 240" D 61" H 1.25"	\$5,148
	T61264.CONF.4 FX	61"x264" Conference Table Surface, 4-Piece W 264" D 61" H 1.25"	\$9,107
	T61288.CONF.4 FX	61"x288" Conference Table Surface, 4-Piece W 288" D 61" H 1.25"	\$9,279
<b>Squares</b> 	T3636 FX	36"x36" Surface W 36" D 36" H 1.25"	\$808
<b>Rounds</b> 	T30R FX	30" Round Surface W 30" D 30" H 1.25"	\$645
	T36R FX	36" Round Surface W 36" D 36" H 1.25"	\$772
	T42R FX	42" Round Surface W 42" D 42" H 1.25"	\$857
	T48R FX	48" Round Surface W 48" D 48" H 1.25"	\$857
	T60R FX	60" Round Surface W 60" D 60" H 1.25"	\$882
<b>Half-Rounds</b> 	THR.A FX	25"x50" Half-Round Surface W 24.813" D 49.625" H 1.25"	\$835
	THR.B FX	31"x62" Half-Round Surface W 30.813" D 61.625" H 1.25"	\$835

IMAGE	CODE	DESCRIPTION	LIST
<b>Laptop Table</b> 	LPT.TOP ELM, MPL, OAK, WHT	Laptop Table Surface [1" Thick] W 24.75" D 16" H 1"	\$157
	LPT BLK, SLV, WHT	Laptop Table Base [26.5" High] W 22.25" D 13" H 26.5"	\$303
<b>Legs</b>  	BMPL BLK, SLV, WHT	Mobile Post Leg Kit, Set of 4 [27.36" High, Includes Locking Castor] W 1.98" D 1.98" H 27.36"	\$271
	BSPL BLK, SLV, WHT	Stationary Post Leg [27.36" High] W 1.98" D 1.98" H 27.36"	\$51
	APL BLK, SLV, WHT	Angled Post Leg [27.36" High] W 7.87" D 12.6" H 27.36"	\$125
<b>Standing-Height Legs</b> 	APLSH BLK, SLV, WHT	Angled Standing-Height Post Leg [38.39" High] W 7.87" D 16.81" H 38.39"	\$178

IMAGE	CODE	DESCRIPTION	LIST
<b>Bases</b> 	XT28 BLK, SLV, WHT	28" X-Base [27.36" High, For 30"-35" Surfaces] W 28" D 28" H 27.36"	\$327
	XT32 BLK, SLV, WHT	32" X-Base [27.36" High, For 36"-41" Surfaces] W 32" D 32" H 27.36"	\$418
	XT36 BLK, SLV, WHT	36" X-Base [27.36" High, For 42"-45" Surfaces] W 36" D 36" H 27.36"	\$457
	XT38 BLK, SLV, WHT	38" X-Base [27.36" High, For 46"-50" Surfaces] W 38" D 38" H 27.36"	\$459
	XB60 BLK, SLV, WHT	38" X-Base Quad [27.75" High, For 54"-60" Surfaces] W 38" D 38" H 27.75"	\$2,570
	XTBH32 BLK, SLV, WHT	32" Standing-Height X-Base [38.39" High, For 36"-41" Surfaces] W 32" D 32" H 38.39"	\$482

LAMINATE FINISHES

Specify at end of product code (i.e. BT120-WHT).




ELM Shadow Elm



MPL Sonic Maple



OAK White Oak




WHT Electric White

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White




IMAGE	CODE	DESCRIPTION	LIST
<div>Side Tables</div> 	KOTS BLK, WAL BLK†	15"x15" Veneer Side Table [22.5" High, Includes 4 Matte Black Legs] W 15" D 15" H 22.5"	\$411
	KOTD1 BLK, WAL BLK†	24"x24" Veneer Cubby Side Table [18" High, Includes 4 Matte Black Legs] W 24" D 24" H 18"	\$1,152
<div>Coffee Tables</div> 	KOT BLK, WAL BLK†	24"x50" Veneer Coffee Table [15.85" High, Includes 4 Matte Black Legs] W 24" D 50" H 15.85"	\$1,210
	KOTD2 BLK, WAL BLK†	24"x50" Veneer Cubby Coffee Table [18" High, Includes 4 Matte Black Legs] W 24" D 50" H 18"	\$2,412

VENEER FINISHES

Specify at end of product code (i.e. KLEG-WAL).



BLK Black




WAL Walnut

STEEL FINISHES

Specify at end of product code (i.e. BL24-SLV).



BLK† Matte Black



# DIVIDERS





D

Dividers increase privacy, define boundaries, add pops of color, and provide additional functionality to your workstation. We have a variety of solutions. Dry-Erase Glass allows you to write notes directly onto your divider and is available in 2 heights. Tackable Fabric allows you to pin up documents for quick reference and can be reupholstered in custom fabrics. Acoustic PET is highly cost effective and helps with sound absorption. Each divider type is available in a 3-day lead time.

DIVIDERS

GLASS

**13"-High Glass Compatibility**  
13"-high glass dividers cannot be surface mounted on BOOST Go workstations.

IMAGE	CODE	DESCRIPTION	LIST
	B12GS23	23" Dry-Erase Frosted Glass Divider [13" High, Req. Brackets Shown Below]	\$243
		W 23" D 0.31" H 12" (Mounted)	
		ADD 2 BSB9 CLAMP-ON BRACKETS	+\$82
		ADD 2 BSBACR SCREW-IN BRACKETS	+\$130
	B12GS29	29" Dry-Erase Frosted Glass Divider [13" High, Req. Brackets Shown Below]	\$276
		W 29" D 0.31" H 12" (Mounted)	
		ADD 2 BSB9 CLAMP-ON BRACKETS	+\$82
		ADD 2 BSBACR SCREW-IN BRACKETS	+\$130
	B12GS47	47" Dry-Erase Frosted Glass Divider [13" High, Req. Brackets Shown Below]	\$405
		W 47" D 0.31" H 12" (Mounted)	
		ADD 3 BSB9 CLAMP-ON BRACKETS	+\$123
		ADD 3 BSBACR SCREW-IN BRACKETS	+\$195
	B12GS58	58" Dry-Erase Frosted Glass Divider [13" High, Req. Brackets Shown Below]	\$479
		W 58" D 0.31" H 12" (Mounted)	
		ADD 3 BSB9 CLAMP-ON BRACKETS	+\$123
		ADD 3 BSBACR SCREW-IN BRACKETS	+\$195


BSB9 CLAMP-ON BRACKET  
BLK, SLV, WHT

BSBACR SCREW-IN BRACKET  
CHR

**Divider Brackets Required**  
Choose between BSB9 clamp-on brackets or BSBACR screw-in brackets (where available).

**BSB9 Brackets**  
Clamp onto worksurface; compatible with 1"-1.25" worksurfaces.

**BSBACR Brackets**  
Screw into worksurface; compatible with any worksurface.

IMAGE	CODE	DESCRIPTION	LIST
	B12GS70	71" Dry-Erase Frosted Glass Divider [13" High, Req. Brackets Shown Below]	\$573
		W 71" D 0.31" H 12" (Mounted)	
		ADD 3 BSB9 CLAMP-ON BRACKETS	+\$123
		ADD 3 BSBACR SCREW-IN BRACKETS	+\$195

BSB9 CLAMP-ON BRACKET  
BLK, SLV, WHT

BSBACR SCREW-IN BRACKET  
CHR


GLASS FINISHES



Dry-Erase Frost

STEEL FINISHES

Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver





WHT White

DIVIDERS

GLASS



**20"-High Glass Compatibility**  
20"-high glass dividers cannot be surface mounted on BOOST Go workstations.

IMAGE	CODE	DESCRIPTION	LIST
<b>20"-High Glass</b> 	BMBGS23	23" Dry-Erase Frosted Glass Divider [20" High, Req. Brackets Shown Below] <b>W 23" D 0.31" H 19" (Mounted)</b> <b>ADD 2 BSB9 CLAMP-ON BRACKETS</b>	\$295 <b>+\$82</b>
	BMBGS29	29" Dry-Erase Frosted Glass Divider [20" High, Req. Brackets Shown Below] <b>W 29" D 0.31" H 19" (Mounted)</b> <b>ADD 2 BSB9 CLAMP-ON BRACKETS</b>	\$340 <b>+\$82</b>
 BSB9 CLAMP-ON BRACKET <b>BLK, SLV, WHT</b>	BMBGS47	47" Dry-Erase Frosted Glass Divider [20" High, Req. Brackets Shown Below] <b>W 47" D 0.31" H 19" (Mounted)</b> <b>ADD 3 BSB9 CLAMP-ON BRACKETS</b>	\$509 <b>+\$123</b>
	BMBGS58	58" Dry-Erase Frosted Glass Divider [20" High, Req. Brackets Shown Below] <b>W 58" D 0.31" H 19" (Mounted)</b> <b>ADD 3 BSB9 CLAMP-ON BRACKETS</b>	\$606 <b>+\$123</b>
	BMBGS71	71" Dry-Erase Frosted Glass Divider [20" High, Req. Brackets Shown Below] <b>W 71" D 0.31" H 19" (Mounted)</b> <b>ADD 3 BSB9 CLAMP-ON BRACKETS</b>	\$730 <b>+\$123</b>


**30"-High Glass Compatibility**  
30"-high glass dividers cannot be surface mounted on BOOST or BOOST Go/Pro workstations.

**Divider Brackets Required**  
Add BSB9/BSBV10 brackets to attach divider to surface.

**BSB9 Brackets**  
Clamp onto worksurface; compatible with 1"-1.25" worksurfaces.

IMAGE	CODE	DESCRIPTION	LIST
<b>30"-High Glass</b> 	BMBGS3023	23" Dry-Erase Frosted Glass Divider [30" High, Req. Brackets Shown Below] <b>W 23" D 0.31" H 29" (Mounted)</b> <b>ADD 2 BSBV10 CLAMP-ON BRACKETS</b>	\$355 <b>+\$82</b>
	BMBGS3029	29" Dry-Erase Frosted Glass Divider [30" High, Req. Brackets Shown Below] <b>W 29" D 0.31" H 29" (Mounted)</b> <b>ADD 2 BSBV10 CLAMP-ON BRACKETS</b>	\$420 <b>+\$82</b>
 BSBV10 CLAMP-ON BRACKET + RSB10 RUBBER SHIMS <b>BLK, SLV, WHT</b>	BMBGS3047	47" Dry-Erase Frosted Glass Divider [30" High, Req. Brackets Shown Below] <b>W 47" D 0.31" H 29" (Mounted)</b> <b>ADD 4 BSBV10 CLAMP-ON BRACKETS</b>	\$644 <b>+\$164</b>
	BMBGS3058	58" Dry-Erase Frosted Glass Divider [30" High, Req. Brackets Shown Below] <b>W 58" D 0.31" H 29" (Mounted)</b> <b>ADD 4 BSBV10 CLAMP-ON BRACKETS</b>	\$770 <b>+\$164</b>
	BMBGS3071	71" Dry-Erase Frosted Glass Divider [30" High, Req. Brackets Shown Below] <b>W 71" D 0.31" H 29" (Mounted)</b> <b>ADD 4 BSBV10 CLAMP-ON BRACKETS</b>	\$930 <b>+\$164</b>

GLASS FINISHES



Dry-Erase Frost

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver






WHT White




DIVIDERS

ACRYLIC

IMAGE	CODE	DESCRIPTION	LIST
<div>20"-High Acrylic</div> 	AC2023 CLR	23" Clear Acrylic Divider [20" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 23" D 0.25"-0.63"</b> <b>H 19"-20.69" (Mounted)</b>	\$209
		<b>ADD 2 BSB9 CLAMP-ON BRACKETS</b> <b>ADD 2 BSBACR SCREW-IN BRACKETS</b>	<b>+\$82</b> <b>+\$130</b>
	AC2029 CLR	29" Clear Acrylic Divider [20" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 29" D 0.25"-0.63"</b> <b>H 19"-20.69" (Mounted)</b>	\$271
BSB9 CLAMP-ON BRACKET BLK, SLV, WHT		<b>ADD 2 BSB9 CLAMP-ON BRACKETS</b> <b>ADD 2 BSBACR SCREW-IN BRACKETS</b>	<b>+\$82</b> <b>+\$130</b>
	AC2047 CLR	47" Clear Acrylic Divider [20" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 47" D 0.25"-0.63"</b> <b>H 19"-20.69" (Mounted)</b>	\$393
BSBACR SCREW-IN BRACKET CHR		<b>ADD 3 BSB9 CLAMP-ON BRACKETS</b> <b>ADD 4 BSBACR SCREW-IN BRACKETS</b>	<b>+\$123</b> <b>+\$260</b>
	AC2059 CLR	59" Clear Acrylic Divider [20" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 59" D 0.25"-0.63"</b> <b>H 19"-20.69" (Mounted)</b>	\$762
		<b>ADD 3 BSB9 CLAMP-ON BRACKETS</b> <b>ADD 4 BSBACR SCREW-IN BRACKETS</b>	<b>+\$123</b> <b>+\$260</b>

LEAD TIME: 20 business days (Custom made and nonreturnable)

ACRYLIC FINISHES






CLR Clear

**Divider Brackets Required**  
Choose between BSB9 clamp-on brackets or BSBACR screw-in brackets (where available).

**BSB9 Brackets**  
Clamp onto worksurface; compatible with 1"-1.25" worksurfaces.


**BSBACR Brackets**  
Screw into worksurface; compatible with any worksurface.

IMAGE	CODE	DESCRIPTION	LIST
<div>20"-High Acrylic</div> 	AC2065 CLR	65" Clear Acrylic Divider [20" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 65" D 0.25"-0.63"</b> <b>H 19"-20.69" (Mounted)</b>	\$762
		<b>ADD 3 BSB9 CLAMP-ON BRACKETS</b> <b>ADD 4 BSBACR SCREW-IN BRACKETS</b>	<b>+\$123</b> <b>+\$260</b>
	AC2071 CLR	71" Clear Acrylic Divider [20" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 71" D 0.25"-0.63"</b> <b>H 19"-20.69" (Mounted)</b>	\$762
BSB9 CLAMP-ON BRACKET BLK, SLV, WHT		<b>ADD 3 BSB9 CLAMP-ON BRACKETS</b> <b>ADD 4 BSBACR SCREW-IN BRACKETS</b>	<b>+\$123</b> <b>+\$260</b>
			
BSBACR SCREW-IN BRACKET CHR			

LEAD TIME: 20 business days (Custom made and nonreturnable)

STEEL FINISHES

Specify at end of product code (i.e. BL24-SLV).




BLK Black



SLV Silver






WHT White



CHR Chrome

DIVIDERS

ACRYLIC

IMAGE	CODE	DESCRIPTION	LIST
<div>24"-High Acrylic</div> 	AC2423 CLR	23" Clear Acrylic Divider [24" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 23" D 0.25"-0.63"</b> <b>H 23"-24.69" (Mounted)</b>	\$209
		<b>ADD 2 BSB9 CLAMP-ON BRACKETS</b>	<b>+\$82</b>
		<b>ADD 2 BSBACR SCREW-IN BRACKETS</b>	<b>+\$130</b>
 <div>BSB9 CLAMP-ON BRACKET BLK, SLV, WHT</div>	AC2429 CLR	29" Clear Acrylic Divider [24" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 29" D 0.25"-0.63"</b> <b>H 23"-24.69" (Mounted)</b>	\$271
		<b>ADD 2 BSB9 CLAMP-ON BRACKETS</b>	<b>+\$82</b>
		<b>ADD 2 BSBACR SCREW-IN BRACKETS</b>	<b>+\$130</b>
 <div>BSBACR SCREW-IN BRACKET CHR</div>	AC2447 CLR	47" Clear Acrylic Divider [24" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 47" D 0.25"-0.63"</b> <b>H 23"-24.69" (Mounted)</b>	\$393
		<b>ADD 3 BSB9 CLAMP-ON BRACKETS</b>	<b>+\$123</b>
		<b>ADD 4 BSBACR SCREW-IN BRACKETS</b>	<b>+\$260</b>
	AC2459 CLR	59" Clear Acrylic Divider [24" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 59" D 0.25"-0.63"</b> <b>H 23"-24.69" (Mounted)</b>	\$762
		<b>ADD 3 BSB9 CLAMP-ON BRACKETS</b>	<b>+\$123</b>
		<b>ADD 4 BSBACR SCREW-IN BRACKETS</b>	<b>+\$260</b>

LEAD TIME: 20 business days (Custom made and nonreturnable)

ACRYLIC FINISHES






CLR Clear

**Divider Brackets Required**  
Choose between BSB9 clamp-on brackets or BSBACR screw-in brackets (where available).

**BSB9 Brackets**  
Clamp onto worksurface; compatible with 1"-1.25" worksurfaces.


**BSBACR Brackets**  
Screw into worksurface; compatible with any worksurface.

IMAGE	CODE	DESCRIPTION	LIST
<div>24"-High Acrylic</div> 	AC2465 CLR	65" Clear Acrylic Divider [24" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 65" D 0.25"-0.63"</b> <b>H 23"-24.69" (Mounted)</b>	\$762
		<b>ADD 3 BSB9 CLAMP-ON BRACKETS</b>	<b>+\$123</b>
		<b>ADD 4 BSBACR SCREW-IN BRACKETS</b>	<b>+\$260</b>
 <div>BSB9 CLAMP-ON BRACKET BLK, SLV, WHT</div>	AC2471 CLR	71" Clear Acrylic Divider [24" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 71" D 0.25"-0.63"</b> <b>H 23"-24.69" (Mounted)</b>	\$762
		<b>ADD 3 BSB9 CLAMP-ON BRACKETS</b>	<b>+\$123</b>
		<b>ADD 4 BSBACR SCREW-IN BRACKETS</b>	<b>+\$260</b>
 <div>BSBACR SCREW-IN BRACKET CHR</div>			

LEAD TIME: 20 business days (Custom made and nonreturnable)

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).




BLK Black



SLV Silver



WHT White



CHR Chrome

DIVIDERS

ACRYLIC


IMAGE	CODE	DESCRIPTION	LIST
<b>30"-High Acrylic</b> 	AC3023 CLR	23" Clear Acrylic Divider [30" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 23" D 0.25"-0.63" H 29" (Mounted)</b> <b>ADD KIT-AMPB4 L-BRACKETS</b>	\$271  <b>+\$52</b>
	AC3029 CLR	29" Clear Acrylic Divider [30" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 29" D 0.25"-0.63" H 29" (Mounted)</b> <b>ADD KIT-AMPB4 L-BRACKETS</b>	\$516  <b>+\$52</b>
 KIT-AMPB4 L-BRACKETS BLK, SLV, WHT	AC3047 CLR	47" Clear Acrylic Divider [30" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 47" D 0.25"-0.63" H 29" (Mounted)</b> <b>ADD KIT-AMPB4 L-BRACKETS</b>	\$516  <b>+\$52</b>
	AC3059 CLR	59" Clear Acrylic Divider [30" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 59" D 0.25"-0.63" H 29" (Mounted)</b> <b>ADD KIT-AMPB4 L-BRACKETS</b>	\$1,496  <b>+\$52</b>

LEAD TIME: 20 business days (Custom made and nonreturnable)

ACRYLIC FINISHES



CLR Clear


IMAGE	CODE	DESCRIPTION	LIST
<b>30"-High Acrylic</b> 	AC3065 CLR	65" Clear Acrylic Divider [30" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 65" D 0.25"-0.63" H 29" (Mounted)</b> <b>ADD KIT-AMPB4 L-BRACKETS</b>	\$1,496  <b>+\$52</b>
	AC3071 CLR	71" Clear Acrylic Divider [30" High, Square Corners, Beveled Edges, Req. Brackets Shown Below] <b>W 71" D 0.25"-0.63" H 29" (Mounted)</b> <b>ADD KIT-AMPB4 L-BRACKETS</b>	\$1,496  <b>+\$52</b>

KIT-AMPB4 L-BRACKETS  
BLK, SLV, WHT

LEAD TIME: 20 business days (Custom made and nonreturnable)

STEEL FINISHES

Specify at end of product code (i.e. BL24-SLV).




BLK Black



SLV Silver



WHT White



CHR Chrome



Mounting Brackets Required

Add KIT-AMPB4 L-brackets to attach divider to surface.





KIT-AMPB4 L-Brackets

Screw into bottom of worksurface; include hardware.

DIVIDERS

FABRIC

IMAGE	CODE	DESCRIPTION	LIST
<div>20" Fabric</div> 	GBD2023 BLU, GRY	23" Tackable Fabric Divider [20" High, Req. Brackets Shown Below] W 23" D 1" H 19" (Mounted)  ADD 2 BSBV10 CLAMP-ON BRACKETS	\$216  +\$82
	GBD2029 BLU, GRY	29" Tackable Fabric Divider [20" High, Req. Brackets Shown Below] W 29" D 1" H 19" (Mounted)  ADD 2 BSBV10 CLAMP-ON BRACKETS	\$245  +\$82
 <div>BSBV10 CLAMP-ON BRACKET BLK, SLV, WHT</div>	GBD2047 BLU, GRY	47" Tackable Fabric Divider [20" High, Req. Brackets Shown Below] W 47" D 1" H 19" (Mounted)  ADD 3 BSBV10 CLAMP-ON BRACKETS	\$323  +\$123
	GBD2059 BLU, GRY	59" Tackable Fabric Divider [20" High, Req. Brackets Shown Below] W 59" D 1" H 19" (Mounted)  ADD 3 BSBV10 CLAMP-ON BRACKETS	\$463  +\$123
	GBD2065 BLU, GRY	65" Tackable Fabric Divider [20" High, Req. Brackets Shown Below] W 65" D 1" H 19" (Mounted)  ADD 3 BSBV10 CLAMP-ON BRACKETS	\$482  +\$123
	GBD2071 BLU, GRY	71" Tackable Fabric Divider [20" High, Req. Brackets Shown Below] W 71" D 1" H 19" (Mounted)  ADD 3 BSBV10 CLAMP-ON BRACKETS	\$506  +\$123

FABRICS

Specify at end of product code (i.e. GBD3047-GRY).



BLU Indigo Blue





GRY Storm Gray

Divider Brackets Required

Add BSBV10 brackets to attach divider to surface.

BSBV10 Brackets

Clamp onto worksurface; compatible with 1"-1.25" worksurfaces.

IMAGE	CODE	DESCRIPTION	LIST
<div>20" Fabric</div> 	GFS2023 FX, COM	23" Tackable Fabric Divider [20" H, Req. 0.9 yds of Fabric & Brackets Shown Below] W 23" D 0.88" H 19" (Mounted)  ADD 2 BSBV10 CLAMP-ON BRACKETS	\$357  +\$82
	GFS2029 FX, COM	29" Tackable Fabric Divider [20" H, Req. 1 yd of Fabric & Brackets Shown Below] W 29" D 0.88" H 19" (Mounted)  ADD 2 BSBV10 CLAMP-ON BRACKETS	\$385  +\$82
 <div>BSBV10 CLAMP-ON BRACKET BLK, SLV, WHT</div>	GFS2047 FX, COM	47" Tackable Fabric Divider [20" H, Req. 1.5 yd of Fabric & Brackets Shown Below] W 47" D 0.88" H 19" (Mounted)  ADD 3 BSBV10 CLAMP-ON BRACKETS	\$484  +\$123
	GFS2059 FX, COM	59" Tackable Fabric Divider [20" H, Req. 1.9 yds of Fabric & Brackets Shown Below] W 59" D 0.88" H 19" (Mounted)  ADD 3 BSBV10 CLAMP-ON BRACKETS	\$660  +\$123
	GFS2065 FX, COM	65" Tackable Fabric Divider [20" H, Req. 2 yds of Fabric & Brackets Shown Below] W 65" D 0.88" H 19" (Mounted)  ADD 3 BSBV10 CLAMP-ON BRACKETS	\$723  +\$123
	GFS2071 FX, COM	71" Tackable Fabric Divider [20" H, Req. 2.3 yds of Fabric & Brackets Shown Below] W 71" D 0.88" H 19" (Mounted)  ADD 3 BSBV10 CLAMP-ON BRACKETS	\$785  +\$123

LEAD TIME: 20 business days



DIVIDERS

FABRIC




**30"-High Fabric Compatibility**  
30"-high fabric dividers cannot be surface mounted on BOOST Go workstations.

IMAGE	CODE	DESCRIPTION	LIST
<div>30" Fabric</div> <div></div>	GBD3047 BLU, GRY	47" Tackable Fabric Divider [30" High, Req. Brackets Shown Below] <b>W 47" D 1" H 29" (Mounted) or 30" (Adjustable)</b>	\$527
		<b>ADD 4 BSBV10 CLAMP-ON BRACKETS</b> <b>ADD 2 HIGH/LOW CLAMP-ON BRACKETS</b>	<b>+\$164</b> <b>+\$158</b>
<div></div> <div>BSBV10 CLAMP-ON BRACKET BLK, SLV, WHT</div>	GBD3059 BLU, GRY	59" Tackable Fabric Divider [30" High, Req. Brackets Shown Below] <b>W 59" D 1" H 29" (Mounted) or 30" (Adjustable)</b>	\$708
		<b>ADD 4 BSBV10 CLAMP-ON BRACKETS</b> <b>ADD 2 HIGH/LOW CLAMP-ON BRACKETS</b>	<b>+\$164</b> <b>+\$158</b>
<div></div> <div>BSBHL HIGH/LOW BRACKET BLK, SLV, WHT</div>	GBD3065 BLU, GRY	65" Tackable Fabric Divider [30" High, Req. Brackets Shown Below] <b>W 65" D 1" H 29" (Mounted) or 30" (Adjustable)</b>	\$864
		<b>ADD 4 BSBV10 CLAMP-ON BRACKETS</b> <b>ADD 2 HIGH/LOW CLAMP-ON BRACKETS</b>	<b>+\$164</b> <b>+\$158</b>
	GBD3071 BLU, GRY	71" Tackable Fabric Divider [30" High, Req. Brackets Shown Below] <b>W 71" D 1" H 29" (Mounted) or 30" (Adjustable)</b>	\$908
		<b>ADD 4 BSBV10 CLAMP-ON BRACKETS</b> <b>ADD 2 HIGH/LOW CLAMP-ON BRACKETS</b>	<b>+\$164</b> <b>+\$158</b>

**Divider Brackets Required**  
Choose between BSBV10 clamp-on brackets or BSBHL high/low clamp-on brackets.

**BSBV10 Brackets**  
Clamp onto worksurface; compatible with 1"-1.25" worksurfaces.

**BSBHL Brackets**  
Clamp onto worksurface; compatible with 1"-1.25" worksurfaces; adjustable height.

IMAGE	CODE	DESCRIPTION	LIST
<div>30" Fabric</div> <div></div>	GFS3047 FX, COM	47" Tackable Fabric Divider [30" High, Req. 3 yds of Fabric & Brackets Shown Below] <b>W 47" D 0.88" H 29" (Mounted) or 30" (Adjustable)</b>	\$752
		<b>ADD 4 BSBV10 CLAMP-ON BRACKETS</b> <b>ADD 2 HIGH/LOW CLAMP-ON BRACKETS</b>	<b>+\$164</b> <b>+\$158</b>
<div></div> <div>BSBV10 CLAMP-ON BRACKET BLK, SLV, WHT</div>	GFS3059 FX, COM	59" Tackable Fabric Divider [30" High, Req. 3.8 yds of Fabric & Brackets Shown Below] <b>W 59" D 0.88" H 29" (Mounted) or 30" (Adjustable)</b>	\$1,010
		<b>ADD 4 BSBV10 CLAMP-ON BRACKETS</b> <b>ADD 2 HIGH/LOW CLAMP-ON BRACKETS</b>	<b>+\$164</b> <b>+\$158</b>
<div></div> <div>BSBHL HIGH/LOW BRACKET BLK, SLV, WHT</div>	GFS3065 FX, COM	65" Tackable Fabric Divider [30" High, Req. 4 yds of Fabric & Brackets Shown Below] <b>W 65" D 0.88" H 29" (Mounted) or 30" (Adjustable)</b>	\$1,234
		<b>ADD 4 BSBV10 CLAMP-ON BRACKETS</b> <b>ADD 2 HIGH/LOW CLAMP-ON BRACKETS</b>	<b>+\$164</b> <b>+\$158</b>
	GFS3071 FX, COM	71" Tackable Fabric Divider [30" High, Req. 4.5 yds of Fabric & Brackets Shown Below] <b>W 71" D 0.88" H 29" (Mounted) or 30" (Adjustable)</b>	\$1,297
		<b>ADD 4 BSBV10 CLAMP-ON BRACKETS</b> <b>ADD 2 HIGH/LOW CLAMP-ON BRACKETS</b>	<b>+\$164</b> <b>+\$158</b>

LEAD TIME: 20 business days

FABRICS

Specify at end of product code (i.e. GBD3047-GRY).



BLU Indigo Blue



GRY Storm Gray

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black




SLV Silver



WHT White


DIVIDERS AND PANELS

PROPERTY	CHARACTERISTICS
Material	100% Polyester (Min. 60% Recycled)
Thickness	1" (25 mm)
Weight	72 oz per square yard (2,400 gsm)
Density	6 lbs per cubic foot
NRC	0.75 (ASTM C423A)
Flammability	Class A (ASTM E84)
Recyclability	100%


 **PET Finishes**  
Colors may differ slightly due to production process & variations in recycled materials used.

STATEMENT OF LINE


WORKSTATION DIVIDERS




30''-High Dividers



BLADE, BOOST & Universal Wing Dividers




Cropped Wing Dividers




Slide-On Dividers


BRACKETS & FEET




Clamp-On Brackets



Screw-In Brackets



Hinge Brackets



Feet

PET FINISHES



GRY Smoke Gray

DIVIDERS

PET

IMAGE	CODE	DESCRIPTION	LIST
<b>20"-High PET</b> 	AFD2023 BLK, BLU, GRY, WHT	23" Acoustic PET Divider [20" High, Beveled Edge, Req. Brackets Shown Below] <b>W 23" D 0.88" H 19" (Mounted)</b> <b>ADD 2 BSBV10 CLAMP-ON BRACKETS</b>	\$88  <b>+\$82</b>
	AFD2029 BLK, BLU, GRY, WHT	29" Acoustic PET Divider [20" High, Beveled Edge, Req. Brackets Shown Below] <b>W 29" D 0.88" H 19" (Mounted)</b> <b>ADD 2 BSBV10 CLAMP-ON BRACKETS</b>	\$110  <b>+\$82</b>
 BSBV10 CLAMP-ON BRACKET BLK, SLV, WHT	AFD2047 BLK, BLU, GRY, WHT	47" Acoustic PET Divider [20" High, Beveled Edge, Req. Brackets Shown Below] <b>W 47" D 0.88" H 19" (Mounted)</b> <b>ADD 3 BSBV10 CLAMP-ON BRACKETS</b>	\$176  <b>+\$123</b>
	AFD2059 BLK, BLU, GRY, WHT	59" Acoustic PET Divider [20" High, Beveled Edge, Req. Brackets Shown Below] <b>W 59" D 0.88" H 19" (Mounted)</b> <b>ADD 3 BSBV10 CLAMP-ON BRACKETS</b>	\$220  <b>+\$123</b>
	AFD2065 BLK, BLU, GRY, WHT	65" Acoustic PET Divider [20" High, Beveled Edge, Req. Brackets Shown Below] <b>W 65" D 0.88" H 19" (Mounted)</b> <b>ADD 3 BSBV10 CLAMP-ON BRACKETS</b>	\$243  <b>+\$123</b>

PET FINISHES

Specify at end of product code (i.e. AFD2023-GRY).



BLK Charcoal Black



BLU Cascade Blue



GRY Pebble Gray



WHT Shadow White



PET Finishes

Colors may differ slightly due to production process & variations in recycled materials used.



Divider Brackets Required

Add BSBV10 brackets to attach divider to surface.



BSBV10 Brackets

Clamp onto worksurface; compatible with 1"-1.25" worksurfaces.

IMAGE	CODE	DESCRIPTION	LIST
<b>20"-High PET</b> 	AFD2071 BLK, BLU, GRY, WHT	71" Acoustic PET Divider [20" High, Beveled Edge, Req. Brackets Shown Below] <b>W 71" D 0.88" H 19" (Mounted)</b> <b>ADD 3 BSBV10 CLAMP-ON BRACKETS</b>	\$264  <b>+\$123</b>
 BSBV10 CLAMP-ON BRACKET BLK, SLV, WHT			

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black





SLV Silver



WHT White

DIVIDERS

PET

IMAGE	CODE	DESCRIPTION	LIST
<div>30"-High PET</div> <div></div> <div></div> <div>BSBHL HIGH/LOW BRACKET BLK, SLV, WHT</div> <div></div>	PET3023 GRY	23" Acoustic PET Divider [30" High, Req. Brackets Shown Below] <b>W 23" D 1" H 29" (Mounted)</b> <b>ADD 2 HIGH/LOW CLAMP-ON BRACKETS</b>	\$241 <b>+\$158</b>
	PET3029 GRY	29" Acoustic PET Divider [30" High, Req. Brackets Shown Below] <b>W 29" D 1" H 29" (Mounted)</b> <b>ADD 2 HIGH/LOW CLAMP-ON BRACKETS</b>	\$254 <b>+\$158</b>
	PET3047 GRY	47" Acoustic PET Divider [30" High, Req. Brackets Shown Below] <b>W 47" D 1" H 29" (Mounted)</b> <b>ADD 2 HIGH/LOW CLAMP-ON BRACKETS</b>	\$300 <b>+\$158</b>
	PET3059 GRY	59" Acoustic PET Divider [30" High, Req. Brackets Shown Below] <b>W 59" D 1" H 29" (Mounted)</b> <b>ADD 2 HIGH/LOW CLAMP-ON BRACKETS</b>	\$553 <b>+\$158</b>
	PET3065 GRY	65" Acoustic PET Divider [30" High, Req. Brackets Shown Below] <b>W 65" D 1" H 29" (Mounted)</b> <b>ADD 2 HIGH/LOW CLAMP-ON BRACKETS</b>	\$558 <b>+\$158</b>
	PET3071 GRY	71" Acoustic PET Divider [30" High, Req. Brackets Shown Below] <b>W 71" D 1" H 29" (Mounted)</b> <b>ADD 2 HIGH/LOW CLAMP-ON BRACKETS</b>	\$564 <b>+\$158</b>

**PET Finishes**  
Colors may differ slightly due to  
production process & variations  
in recycled materials used.

**Divider Brackets Required**  
Add BSBHL high/low clamp-on  
brackets to attach divider to  
surface.

**BSBHL Brackets**  
Clamp onto worksurface;  
compatible with 1"-1.25"  
worksurfaces; adjustable height.

PET FINISHES

Specify at end of product code (i.e. GBD2023-GRY).



GRY Smoke Gray

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White




DIVIDERS

PET

**PET Finishes**

Colors may differ slightly due to production process & variations in recycled materials used.

IMAGE	CODE	DESCRIPTION	LIST
<b>Slide-On Dividers</b> 	PETSOD24 GRY	30" Deep Acoustic PET Slide-On Divider [25" Above Surface, For 1" Thick & 24" Deep Surfaces] <b>W 30" D 1" H 25" (Mounted)</b>	\$413
	PETSOD30 GRY	36" Deep Acoustic PET Slide-On Divider [25" Above Surface, For 1" Thick & 30" Deep Surfaces] <b>W 36" D 1" H 25" (Mounted)</b>	\$419

**Divider Brackets Required**




Choose between GBRB1 clamp-on brackets or BRONS screw-in brackets (where available).

**GBRB1 Brackets**

Clamp onto worksurface; compatible with 1"-1.375" worksurfaces.

**BRONS Brackets**

Screw into worksurface; compatible with any worksurface.

IMAGE	CODE	DESCRIPTION	LIST
<b>Universal Cropped Wing Dividers</b>   GBRB1 CLAMP-ON BRACKET BLK, SLV  BRONS SCREW-IN BRACKET BLK, SLV	PSWD24 GRY BLK, SLV	39" Universal Acoustic PET Cropped Wing Divider [For <b>24" Deep</b> Surfaces, Req. Brackets Shown Below] <b>W 39" D 1" H 29.25" (Mounted)</b> <b>ADD 2 GBRB1 CLAMP-ON BRACKETS</b> <b>ADD 2 BRONS SCREW-IN BRACKETS</b>	\$425  <b>+\$70</b> <b>+\$70</b>
	PSWD30 GRY BLK, SLV	45" Universal Acoustic PET Cropped Wing Divider [For <b>30" Deep</b> Surfaces, Req. Brackets Shown Below] <b>W 45" D 1" H 29.25" (Mounted)</b> <b>ADD 2 GBRB1 CLAMP-ON BRACKETS</b> <b>ADD 2 BRONS SCREW-IN BRACKETS</b>	\$472  <b>+\$70</b> <b>+\$70</b>

PET FINISHES

Specify at end of product code (i.e. GBD2023-GRY).



GRY Smoke Gray

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White



PET Finishes

Colors may differ slightly due to production process & variations in recycled materials used.




PET Divider Feet

Add for increased divider stability on BLADE.

IMAGE	CODE	DESCRIPTION	LIST
<div>BLADE Wing Dividers</div> 	KIT-PWPBLD GRY BLK, SLV	BLADE Acoustic PET Wing Divider, Set of 2 [Includes 2 Hinge Brackets, For <b>BLADE</b> Intermediate Leg] W 104.5" D 1" H 57.35"	\$1,586
<div>BOOST Pro Wing Dividers</div> 	KIT-PWPBPD GRY BLK, SLV	BOOST Pro Acoustic PET Wing Divider, Set of 2 [Includes 2 Hinge Brackets and 4 Feet, For <b>BOOST Pro</b> and Other Facing Height-Adjustable Workstations] W 104.5" D 1" H 49.75"	\$1,982
	KIT-PWPBPS GRY BLK, SLV	BOOST Pro Acoustic PET Wing Divider [Includes 2 Feet, For <b>BOOST Pro</b> and Other Side-by-Side Height-Adjustable Workstations] W 52" D 1" H 49.75"	\$950
<div>BOOST Wing Dividers</div> 	KIT-PWPBOD GRY BLK, SLV	BOOST Acoustic PET Wing Divider, Set of 2 [Includes 2 Hinge Brackets and 4 Feet, For <b>BOOST</b> and Other Facing Height-Adjustable Workstations] W 104.5" D 1" H 54.75"	\$1,960
	KIT-PWPBOS GRY BLK, SLV	BOOST Acoustic PET Wing Divider [Includes 2 Feet, For <b>BOOST</b> and Other Side-by-Side Height-Adjustable Workstations] W 52" D 1" H 54.75"	\$939
<div>PET Divider Foot</div> 	PWBF BLK, SLV	PET Divider Foot W 10.5" D 3" H 6"	\$96

BOOST Acoustic PET Wing Divider Dimensions (in Inches)

These dividers can be used with most height-adjustable workstations.




PET FINISHES



GRY Smoke Gray

STEEL FINISHES



BLK Black



SLV Silver

PET Finishes

Colors may differ slightly due to production process & variations in recycled materials used.

Divider Brackets Required

Choose between GBRB1 clamp-on brackets or BRONS screw-in brackets (where available).


GBRB1 Brackets

Clamp onto worksurface; compatible with 1"-1.375" worksurfaces.

BRONS Brackets


Screw into worksurface; compatible with any worksurface.

IMAGE	CODE	DESCRIPTION	LIST
	KIT-PWPU24D GRY BLK, SLV	Universal Acoustic PET Wing Divider, Set of 2 [Includes 2 Hinge Brackets, For <b>24"-Deep</b> Facing Fixed-Height Workstations, Req. Brackets Shown Below]	\$1,716
		W 104.5" D 1" H 57.5"	
		ADD 4 GBRB1 CLAMP-ON BRACKETS	+\$140
		ADD 4 BRONS SCREW-IN BRACKETS	+\$140
	PWPU24 GRY	Universal Acoustic PET Wing Divider [For <b>24"-Deep</b> Side-by-Side Fixed-Height Workstations, Req. Brackets Shown Below]	\$747
		W 52" D 1" H 57.5"	
		ADD 2 GBRB1 CLAMP-ON BRACKETS	+\$70
		ADD 2 BRONS SCREW-IN BRACKETS	+\$70




### Universal Acoustic PET Wing Divider Dimensions (in Inches)



These dividers can be used with most fixed-height workstations.



#### PET FINISHES



#### STEEL FINISHES



PET Finishes

Colors may differ slightly due to production process & variations in recycled materials used.

Divider Brackets Required

Choose between GBRB1 clamp-on brackets or BRONS screw-in brackets (where available).

GBRB1 Brackets

Clamp onto worksurface; compatible with 1"-1.375" worksurfaces.

BRONS Brackets

Screw into worksurface; compatible with any worksurface.

IMAGE	CODE	DESCRIPTION	LIST
	KIT-PWPU30D GRY BLK, SLV	Universal Acoustic PET Wing Divider, Set of 2 [Includes 2 Hinge Brackets, For <b>30"-Deep</b> Facing Fixed-Height Workstations, Req. Brackets Shown Below]	\$1,726
		W 108.5" D 1" H 57.5"	
		ADD 4 GBRB1 CLAMP-ON BRACKETS	+\$140
		ADD 4 BRONS SCREW-IN BRACKETS	+\$140
	PWPU30 GRY	Universal Acoustic PET Wing Divider [For <b>30"-Deep</b> Side-by-Side Fixed-Height Workstations, Req. Brackets Shown Below]	\$752
		W 54" D 1" H 57.5"	
		ADD 2 GBRB1 CLAMP-ON BRACKETS	+\$70
		ADD 2 BRONS SCREW-IN BRACKETS	+\$70

GBRB1 CLAMP-ON BRACKET


BLK, SLV

BRONS SCREW-IN BRACKET

BLK, SLV

### Universal Acoustic PET Wing Divider Dimensions (in Inches)

These dividers can be used with most fixed-height workstations.



#### PET FINISHES

GRY Smoke Gray

#### STEEL FINISHES

BLK Black

SLV Silver





# STORAGE

S

Storage is important for keeping your office essentials close while maintaining a clutter-free workstation. We offer a wide range of storage solutions including pedestals, laterals, and hutches. Our Steel series is designed to match your workstation frames, while our Laminate series complements your workstation surfaces. Rest easy knowing that your files and personal items are organized and protected with our locking storage solutions. Simple, yet functional, our storage is the perfect addition to your office space.









IMAGE	CODE	DESCRIPTION	LIST
<div>Pedestals</div>    	BSBBF BLK, 746, 932 W 15.25" D 19.75" H 22"	Steel Mobile Box/Box/File Pedestal [22" High] <b>Features</b> <ul style="list-style-type: none"><li>• Locking Drawers &amp; Casters</li><li>• Ball-Bearing Slides</li><li>• Pencil Tray</li><li>• File-Drawer Divider</li></ul>	\$598
	BFSLM 852, 746, 932 W 10" D 19.14" H 20.83"	Steel Mobile Box/File Slim Pedestal <b>Features</b> <ul style="list-style-type: none"><li>• Locking Drawers &amp; Casters</li><li>• Ball-Bearing Slides</li><li>• Slim Profile</li></ul>	\$557
	KIT-BFSLM.SM 852, 746, 932 W 10" D 19.14" H 22.13"	Steel Box/File Slim Pedestal [Includes Surface-Mount Brackets] <b>Features</b> <ul style="list-style-type: none"><li>• Locking Drawers</li><li>• Ball-Bearing Slides</li><li>• Slim Profile</li><li>• Under-Surface Mount</li></ul>	\$663
	BSCWFF BLK, 746, 932 W 14.75" D 19.75" H 25.5"	Steel File/File Pedestal [25" High, Includes Counterweight] <b>Features</b> <ul style="list-style-type: none"><li>• Locking Drawers</li><li>• Ball-Bearing Slides</li><li>• Counterweighted</li><li>• Adjustable Leveling Glides</li></ul>	\$760
<div>Drawers</div> 	BSMPS BLK, SLV, WHT W 15.36" D 17.92" H 7.83"	Steel Personal Storage Drawer [Locking, Surface-Mount] <b>Features</b> <ul style="list-style-type: none"><li>• Locking Drawer</li><li>• Ball-Bearing Slides</li><li>• Storage Shelf</li><li>• Under-Surface Mount</li></ul>	\$303

IMAGE	CODE	DESCRIPTION	LIST
<div>Laterals</div>   	BLLF36 BLK, 746, 932 W 35.5" D 19.75" H 20"	36" Steel Low Box/File Lateral [20" High] <b>Features</b> <ul style="list-style-type: none"><li>• Locking, Full-Extension Drawers</li><li>• Ball-Bearing Slides</li><li>• Side-to-Side File-Hanging Rails</li><li>• Counterweighted</li></ul>	\$1,055
	BLLF42 746, 932 W 42" D 19.75" H 20"	42" Steel Low Box/File Lateral [20" High] <b>Features</b> <ul style="list-style-type: none"><li>• Locking, Full-Extension Drawers</li><li>• Ball-Bearing Slides</li><li>• Side-to-Side File-Hanging Rails</li><li>• Counterweighted</li></ul>	\$1,221
	BSBC36 BLK, 746, 932 W 35.5" D 19.75" H 20"	36" Steel Low Open Shelf Lateral [20" High] <b>Features</b> <ul style="list-style-type: none"><li>• Height-Adjustable Shelf</li></ul>	\$716
	BSLF36 BLK, 746, 932 W 35.5" D 19.75" H 27.36"	36" Steel File/File Lateral [27.36" High] <b>Features</b> <ul style="list-style-type: none"><li>• Locking, Full-Extension Drawers</li><li>• Ball-Bearing Slides</li><li>• Side-to-Side File-Hanging Rails</li><li>• Counterweighted</li><li>• Surface Supporting</li></ul>	\$1,317

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



852/BLK Black



746/SLV Silver



932/WHT White



**FX Laminate Finishes**  
See [page 8](#) for finish options.  
Specify at end of product code  
(i.e. T48120-08845).

IMAGE	CODE	DESCRIPTION	LIST
	BS1915T BLU, GRN, GRY, MID	19"x15" Pedestal Cushion [Rounded Corners] W 15" D 19" H 1.5"	\$154
	GS1915 BLU†, GRY†	19"x15" Pedestal Cushion [Square Corners] W 15" D 19" H 1.5"	\$154
	BS1915T FX, COM	19"x15" Pedestal Cushion [Requires 0.5 Yards of Fabric] W 15" D 19" H 1.5"	\$400
	BS1910T BLU, GRN, GRY, MID	19"x10" Slim Pedestal Cushion [Rounded Corners] W 10" D 19" H 1.5"	\$132
	GS1910 BLU†, GRY†	19"x10" Slim Pedestal Cushion [Square Corners] W 10" D 19" H 1.5"	\$132
	BS1910T FX, COM	19"x10" Slim Pedestal Cushion [Requires 0.5 Yards of Fabric] W 10" D 19" H 1.5"	\$305
	BFSLM.SM BLK, SLV, WHT	Surface-Mount Brackets [For Slim Pedestal] W 12.38" D 20.25" H 3.13"	\$106

FABRICS

Specify at end of product code (i.e. AFD2023-GRY).



BLU Glacier Blue



GRN Lime Green



GRY Anchor Gray



MID Midnight Black



BLU† Indigo Blue



GRY† Storm Gray

IMAGE	CODE	DESCRIPTION	LIST
	BS2036T BLU, GRN, GRY, MID	36"x20" Lateral Cushion [Rounded Corners] W 36" D 19.5" H 1.5"	\$321
	GS2036 BLU†, GRY†	36"x20" Lateral Cushion [Square Corners] W 36" D 19.5" H 1.5"	\$321
	BS2036T FX, COM	36"x20" Lateral Cushion [Requires 1 Yard of Fabric] W 36" D 19.5" H 1.5"	\$423
	TLAMSTL.A FX	35.5"x19.75" Laminate Top [1.25" Thick, For Steel Lateral] W 35.5" D 19.75" H 1.25"	\$841
	TLAMSTL.B FX	42"x19.75" Laminate Top [1.25" Thick, For Steel Lateral] W 42" D 19.75" H 1.25"	\$872
	TLAMSTL.C FX	71"x19.75" Laminate Top [1.25" Thick, For Steel Lateral] W 71" D 19.75" H 1.25"	\$1,053
	TLAMSTL.D FX	84"x19.75" Laminate Top [1.25" Thick, For Steel Lateral] W 84" D 19.75" H 1.25"	\$1,293
 	BLLFCS	Lateral Caster Kit, Set of 4 [For Steel Low Laterals] W 2.75" D 2.5" H 3"	\$130
	FK1 BLK	Low Lateral Front-to-Back File-Hanging Rail W 1" D 15" H 0.5"	\$48

FX Laminate Finishes

See [page 8](#) for finish options.

Specify at end of product code

(i.e. T48120-08845).








IMAGE	CODE	DESCRIPTION	LIST
<div>Laterals</div> <div></div>	BLLBFV2 ELM, OAK, WHT W 36" D 20" H 24"	36" Laminate Low Box/File Lateral [24" High] <b>Features</b> <ul style="list-style-type: none"><li>• Locking Drawers</li><li>• Levelers for Uneven Floors</li><li>• Combinable</li><li>• Surface Supporting</li><li>• Ships Knocked Down</li></ul>	\$932
	BLLOSV2 ELM, OAK, WHT W 36" D 20" H 24"	36" Laminate Low Open Shelf Lateral [24" High] <b>Features</b> <ul style="list-style-type: none"><li>• Fixed Shelf</li><li>• Levelers for Uneven Floors</li><li>• Combinable</li><li>• Surface Supporting</li><li>• Ships Knocked Down</li></ul>	\$520
<div>Lateral Tops</div> <div></div>	BLLRT ELM, OAK, WHT	36"x20" Laminate Lateral Top [1" Thick] W 36" D 20" H 1"	\$240
	GBLLT2 ELM, MPL, OAK, SAH, WHT	72"x20" Laminate Lateral Merging Top [1" Thick] W 72" D 20" H 1"	\$279
	KIT-TLAMLF.A FX	36"x20" Laminate Lateral Top [1.25" Thick, Includes 6 Laminate Storage L-Brackets] W 36" D 20" H 1"	\$841
	KIT-TLAMLF.B FX	72"x20" Laminate Lateral Top [1.25" Thick, Includes 12 Laminate Storage L-Brackets] W 72" D 20" H 1"	\$1,053

IMAGE	CODE	DESCRIPTION	LIST
<div>Lateral Accessories</div> <div></div>	BLSS BLK, SLV, WHT	Surface Stand Kit, Set of 2 [3.5" High] W 4" D 3" H 3.5"	\$68
	LSF BLK, WHT	Laminate Storage Foot, Set of 4 W 4" D 3" H 3.5"	\$64
<div>Bookcases</div> <div></div>	KIT-BLBC72 ELM, OAK, WHT W 31.5" D 15.75" H 72"	31.5" Laminate Bookcase [72" High] <b>Features</b> <ul style="list-style-type: none"><li>• 3 Height-Adjustable Shelves</li><li>• 1 Fixed-Height Shelf</li><li>• Ships Knocked Down</li></ul>	\$905
	BLBCD ELM, OAK, WHT	15.75" Laminate Bookcase Door Kit, Set of 2 [42" High] W 15.75" D 0.75" H 42"	\$266
<div>Bookcase Doors</div> <div></div>			

LAMINATE FINISHES

Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm



MPL Sonic Maple



OAK White Oak




SAH Sahara Ridge




WHT Electric White

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White







IMAGE	CODE	DESCRIPTION	LIST
<div>Credenzas</div> 	BLCC48 ELM, OAK, WHT W 49.13" D 20" H 28.35"	48" Laminate Conference Credenza [28.5" High] <b>Features</b> <ul style="list-style-type: none"><li>Locking Doors</li><li>Fixed-Height Interior Shelf</li><li>Levelers for Uneven Floors</li><li>Ships Knocked Down</li></ul>	\$1,064
	BLCC60 ELM, OAK, WHT W 61.5" D 20" H 28.35"	60" Laminate Conference Credenza [28.5" High] <b>Features</b> <ul style="list-style-type: none"><li>Locking Doors</li><li>Fixed-Height Interior Shelf</li><li>Levelers for Uneven Floors</li><li>Ships Knocked Down</li></ul>	\$1,198
<div>Credenza Tops</div> 	BLRT48 ELM	49"x20" Laminate Conference Credenza Top [1" Thick] W 49" D 20" H 1"	\$201
	BLRT60 ELM	61.5"x20" Laminate Conference Credenza Top [1" Thick] W 61.5" D 20" H 1"	\$266
	KIT-TLAMCC.A FX	49"x20" Laminate Top [1.25" Thick, For 48" Laminate Conference Credenza, Includes 12 Laminate Storage L-Brackets] W 49" D 20" H 1"	\$891
	KIT-TLAMCC.B FX	61.5"x20" Laminate Top [1.25" Thick, For 60" Laminate Conference Credenza, Includes 12 Laminate Storage L-Brackets] W 61.5" D 20" H 1"	\$1,053

IMAGE	CODE	DESCRIPTION	LIST
<div>Single-Sided Hutches</div> 	BSDH60V3 ELM, OAK, WHT W 59" D 15" H 16"	59" Laminate Sliding-Door Hutch (Version 3) [16" High, Includes Optional Wall-Mounting Hardware] <b>Features</b> <ul style="list-style-type: none"><li>Sliding Doors</li><li>Wall- or Desk-Mountable</li></ul>	\$611
	BSDH71V3 ELM, OAK, WHT W 71" D 15" H 16"	71" Laminate Sliding-Door Hutch (Version 3) [16" High, Includes Optional Wall-Mounting Hardware] <b>Features</b> <ul style="list-style-type: none"><li>Sliding Doors</li><li>Wall- or Desk-Mountable</li></ul>	\$814
<div>Hutch Stands</div> 	KIT-BSHS24 BLK, SLV, WHT W 15" D 3.88" H 24"	Hutch Stands, Set of 2 [24" High, Includes Hardware] <b>Features</b> <ul style="list-style-type: none"><li>Raises Hutch 24" above Surface</li></ul>	\$348
	KIT-BSHS12 BLK, SLV, WHT W 15" D 3.88" H 12.5"	Hutch Stands, Set of 2 [12.5" High, Includes Hardware] <b>Features</b> <ul style="list-style-type: none"><li>Raises Hutch 12.5" above Surface</li></ul>	\$348

LAMINATE FINISHES


Specify at end of product code (i.e. BT120-WHT).



ELM Shadow Elm



OAK White Oak




WHT Electric White

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White



# ACCESSORIES


**D**esktop accessories enrich your worksurface by increasing your surface area, freeing up desktop space, and providing easy access to power outlets and data ports. Choose between laminate and glass Transaction Counters to make sharing information and transactions easier, while enhancing the aesthetic of your workstation. Monitor Arms raise your screens off your surface, freeing space and easing eye strain, while Desktop Power Units allow you to quickly plug and unplug devices you frequently take on the go.

IMAGE	CODE	DESCRIPTION	LIST
<div>Desktop Units</div> 	DPU320 WHT	Desktop Power Unit Plus [3 Power Outlets, Dual USB] W 6.65" D 2.21" H 3.75" (Mounted)	\$299
	BPMA BLK, WHT	Desktop Power Unit [2 Power Outlets, 72" Cord] W 3.7" D 2.86" H 1.85" (Mounted)	\$231
	BPDMA BLK	Desktop Data Unit [2 Open Data Ports, 72" Cord] W 3.7" D 2.43" H 1.85" (Mounted)	\$231
	BMFDAV2 BLK	Desktop Combo Unit [Includes Grommet Mount, 2 Power Outlets, 2 Open Data Ports, 72" Cord] W 6.2" D 3.88" H 2.31" (Mounted)	\$289
<div>Grommet Units</div>  	SGPWR BLK, WHT	Grommet Power Unit [60mm, 1 Power Outlet, 72" Cord] W 2.62" D 2.62" H 0.2" (Mounted)	\$136
	SGUSB BLK, WHT	Grommet USB Unit [60mm, 1 Dual USB Port, 72" Cord] W 2.62" D 2.62" H 0.2" (Mounted)	\$363

IMAGE	CODE	DESCRIPTION	LIST
<div>Under-Surface Units</div> 	BPUSM BLK	Under-Surface Combo Unit [1 Power Outlet, Dual USB, 72" Cord] W 4.05" D 2.77" H 1.69" (Mounted)	\$399
<div>In-Surface Units</div>  	BPCONF2 SLV	In-Surface Units [2 Power Outlets, 1 Open Data Port, 1 HDMI Port, 72" Cord] W 8.31" D 4.42" H 1.15" (Inserted)	\$1,163
	BPCONF3 SLV	In-Surface Units [2 Power Outlets, 1 Open Data Port, Dual USB, 72" Cord] W 8.31" D 4.42" H 1.15" (Inserted)	\$1,163

PLASTIC FINISHES


Specify at end of product code (i.e. BLG60-WHT).



BLK Black





SLV Silver



WHT White



IMAGE	CODE	DESCRIPTION	LIST
<div>Monitor Arm</div> 	BMA2 BLK, SLV, WHT W 22"-35" D 4"-22" H 6.5"-20"	Dual Monitor Arm [Includes Edge Mount] <b>Features</b> <ul style="list-style-type: none"><li>• Supports Two 30" Monitors</li><li>• Aluminum Alloy Design</li><li>• Cable Management</li><li>• VESA Compliant</li></ul> <b>Capacity</b> 62 lbs (Two 31-lb Monitors)	\$692
	BMAGM BLK, SLV, WHT W 4.72" D 5.51" H 0.5"	Grommet-Mount Adapter [For Dual Monitor Arm] <b>Features</b> <ul style="list-style-type: none"><li>• Enables Grommet Mounting</li></ul>	\$53
<div>Storage Hook</div> 	PSH BLK, SLV, WHT	Personal Storage Hook W 6" D 2.32" H 2.63"	\$28


STEEL FINISHES



BLK Black



SLV Silver



WHT White

GLASS FINISHES



Dry-Erase Frost





# ADDITIONAL INFORMATION

T

This section includes easy-to-clean vinyl solutions, our maintenance guide for cleaning and care, and our limited lifetime warranty information. Can't find what your looking for? Contact us for more information.

IMAGE	CODE	DESCRIPTION	LIST
<div>20"-High Vinyl</div> <div></div> <div></div> <div>BSBV10 CLAMP-ON BRACKET BLK, SLV, WHT</div> <div> 20" High</div>	GFS2023 VG1, VG2, VG3	23" Vinyl Divider [20" H, Req. Brackets Shown Below] W 23" D 0.88" H 19" (Mounted)  ADD 2 BSBV10 CLAMP-ON BRACKETS	G1 \$314 G2 \$350 G3 \$383  +\$82
	GFS2029 VG1, VG2, VG3	29" Vinyl Divider [20" H, Req. Brackets Shown Below] W 29" D 0.88" H 19" (Mounted)  ADD 2 BSBV10 CLAMP-ON BRACKETS	G1 \$334 G2 \$373 G3 \$411  +\$82
	GFS2047 VG1, VG2, VG3	47" Vinyl Divider [20" H, Req. Brackets Shown Below] W 47" D 0.88" H 19" (Mounted)  ADD 3 BSBV10 CLAMP-ON BRACKETS	G1 \$391 G2 \$449 G3 \$506  +\$123
	GFS2059 VG1, VG2, VG3	59" Vinyl Divider [20" H, Req. Brackets Shown Below] W 59" D 0.88" H 19" (Mounted)  ADD 3 BSBV10 CLAMP-ON BRACKETS	G1 \$442 G2 \$514 G3 \$588  +\$123
	GFS2065 VG1, VG2, VG3	65" Vinyl Divider [20" H, Req. Brackets Shown Below] W 65" D 0.88" H 19" (Mounted)  ADD 3 BSBV10 CLAMP-ON BRACKETS	G1 \$503 G2 \$580 G3 \$658  +\$123
	GFS2071 VG1, VG2, VG3	71" Vinyl Divider [20" H, Req. Brackets Shown Below] W 71" D 0.88" H 19" (Mounted)  ADD 3 BSBV10 CLAMP-ON BRACKETS	G1 \$525 G2 \$614 G3 \$702  +\$123

LEAD TIME: 20 business days (May vary due to material availability)




**Vinyls**  
Visit [spradlingvinyl.com](https://spradlingvinyl.com) for finish options. See [page 207](#) for grades.



**Divider Brackets Required**  
Add BSBV10 brackets to attach divider to surface.




**BSBV10 Brackets**  
Clamp onto worksurface; compatible with 1"-1.25" worksurfaces.

IMAGE	CODE	DESCRIPTION	LIST
<div>30"-High Vinyl</div> <div></div> <div></div> <div>BSBV10 CLAMP-ON BRACKET BLK, SLV, WHT</div> <div> 30" High</div>	GFS3047 VG1, VG2, VG3	47" Vinyl Divider [30" H, Req. Brackets Shown Below] W 47" D 0.88" H 29" (Mounted)  ADD 4 BSBV10 CLAMP-ON BRACKETS	G1 \$844 G2 \$961 G3 \$1,076  +\$164
	GFS3059 VG1, VG2, VG3	59" Vinyl Divider [30" H, Req. Brackets Shown Below] W 59" D 0.88" H 29" (Mounted)  ADD 4 BSBV10 CLAMP-ON BRACKETS	G1 \$986 G2 \$1,132 G3 \$1,279  +\$164
	GFS3065 VG1, VG2, VG3	65" Vinyl Divider [30" H, Req. Brackets Shown Below] W 65" D 0.88" H 29" (Mounted)  ADD 4 BSBV10 CLAMP-ON BRACKETS	G1 \$1,106 G2 \$1,260 G3 \$1,416  +\$164
	GFS3071 VG1, VG2, VG3	71" Vinyl Divider [30" H, Req. Brackets Shown Below] W 71" D 0.88" H 29" (Mounted)  ADD 4 BSBV10 CLAMP-ON BRACKETS	G1 \$1,148 G2 \$1,323 G3 \$1,495  +\$164

LEAD TIME: 20 business days (May vary due to material availability)

STEEL FINISHES


Specify at end of product code (i.e. BL24-SLV).



BLK Black



SLV Silver



WHT White

IMAGE	CODE	DESCRIPTION	LIST
<div>Task</div> 	N7000 VG1, VG2, VG3	The Razor [Task Chair] <b>Features</b> <ul style="list-style-type: none"><li>Height- &amp; Depth-Adjustable Lumbar Support</li><li>Height- &amp; Depth-Adjustable Arms</li><li>Pneumatic Height-Adjustable Seat</li><li>Synchro-Tilt Mechanism with Tension Control</li><li>4-Position Tilt-Lock Mechanism</li></ul> <b>Capacity</b> 300 lbs	\$972
	<b>Overall</b> W 26" D 24" H 39"-42" <b>Seat</b> W 19.5" D 20" H 17"-20.5" <b>Arms</b> H +7"-10.5"	<b>REUPHOLSTER SEAT WITH VINYL</b> [REQUIRES 1 YD EACH—MINIMUM ORDER OF 20]	G1 +\$224 G2 +\$268 G3 +\$308
	N6000 VG1, VG2, VG3	The Fusion [Task Chair] <b>Features</b> <ul style="list-style-type: none"><li>Height- &amp; Width-Adjustable Arms</li><li>Pneumatic Height-Adjustable Seat</li><li>Synchro-Tilt Mechanism with Tension Control</li><li>Upright-Position Tilt-Lock Mechanism</li></ul> <b>Capacity</b> 300 lbs	\$619
	<b>Overall</b> W 28" D 22" H 36"-40" <b>Seat</b> W 21" D 19" H 17"-21" <b>Arms</b> H +6"-8.5"	<b>REUPHOLSTER SEAT WITH VINYL</b> [REQUIRES 0.75 YDS EACH—MINIMUM ORDER OF 20]	G1 +\$312 G2 +\$376 G3 +\$432


LEAD TIME: 20 business days (May vary due to material availability)

i

**Drafting Stool Kit**  
Adds 8" to minimum height and 14" to maximum height. Invalidates BIFMA certificate.

i

**Vinyls**  
Visit [spradlingvinyl.com](https://spradlingvinyl.com) for finish options. See [page 207](#) for grades.

IMAGE	CODE	DESCRIPTION	LIST
<div>Task</div> 	N5000 VG1, VG2, VG3	The Epic [Task Chair] <b>Features</b> <ul style="list-style-type: none"><li>Height-Adjustable Lumbar Support</li><li>Height-Adjustable Arms</li><li>Pneumatic Height-Adjustable Seat</li><li>Back-Tilt Mechanism with Tension Control</li></ul> <b>Capacity</b> 300 lbs	\$550
	<b>Overall</b> W 25" D 23" H 37"-41" <b>Seat</b> W 20" D 20" H 17"-21" <b>Arms</b> H +7.5"-10.25"	<b>REUPHOLSTER SEAT WITH VINYL</b> [REQUIRES 1 YD EACH—MINIMUM ORDER OF 20]	G1 +\$312 G2 +\$376 G3 +\$432
<div>Stool</div> 	DK1	Drafting Stool Kit [For Task and Conference Chairs] W 18" D 18" H 8"-14"	\$153


LEAD TIME: 20 business days (May vary due to material availability)



**Vinyls**  
Visit [spradlingvinyl.com](https://spradlingvinyl.com) for  
finish options. See [page 207](#) for  
grades.

IMAGE	CODE	DESCRIPTION	LIST
	N2000 VG1, VG2, VG3	The Ice [Nesting Chair, Includes Casters and Arms]	\$336
	<b>Overall</b> W 22" D 23" H 31"	<b>Features</b> <ul style="list-style-type: none"><li>Fixed Arms</li><li>Breathable Mesh Back</li><li>Folding Seat for Nesting</li><li>Casters</li></ul>	
	<b>Seat</b> W 16.5" D 17" H 18"	<b>Capacity</b> 275 lbs	
		REUPHOLSTER SEAT WITH VINYL [REQUIRES 0.75 YDS EACH—MINIMUM ORDER OF 20]	G1 +\$224 G2 +\$268 G3 +\$308
	N899 VG1, VG2, VG3	The Kule 2 [Side Chair, Includes Arms]	\$284
	<b>Overall</b> W 23" D 25" H 34"	<b>Features</b> <ul style="list-style-type: none"><li>Fixed Arms</li><li>Breathable Mesh Back</li><li>Foam Seat</li><li>Stackable</li></ul>	
	<b>Seat</b> W 18" D 19" H 17"	<b>Capacity</b> 275 lbs	
		REUPHOLSTER SEAT WITH VINYL [REQUIRES 0.75 YDS EACH—MINIMUM ORDER OF 20]	G1 +\$224 G2 +\$268 G3 +\$308

LEAD TIME: 20 business days (May vary due to material availability)

IMAGE	CODE	DESCRIPTION	LIST
	N33PK BLK, BLU, CTR, WHT	The Blaze [Stacking Chair, Includes Glides]	\$352
	<b>Overall</b> W 21.25" D 23.25" H 33.5"	<b>Features</b> <ul style="list-style-type: none"><li>Contoured, Flexible Seat</li><li>Lightweight, Stackable Design</li><li>Carry Handle</li><li>Variety of Colors and Accessories</li><li>Stackable up to 25 Chairs High</li></ul>	
	<b>Seat</b> W 17.5" D 18" H 17"	<b>Capacity</b> 275 lbs	
		Arms (SOLD SEPARATELY) H +9"	
	N33BH BLK, BLU, CTR, WHT	The Blaze (Bar Stool) [Stacking Chair, Includes Glides]	\$549
	<b>Overall</b> W 23.25" D 25.38" H 45.25"	<b>Features</b> <ul style="list-style-type: none"><li>Contoured, Flexible Seat</li><li>Lightweight, Stackable Design</li><li>Carry Handle</li><li>Variety of Colors and Accessories</li><li>Stackable up to 6 Chairs High</li></ul>	
	<b>Seat</b> W 17.5" D 18" H 29"	<b>Capacity</b> 275 lbs	
		Arms (SOLD SEPARATELY) H +9"	
	N33SC BLK	The Blaze Cushion Seat	\$130
		W 18" D 18.25" H 3"	
		REUPHOLSTER SEAT WITH VINYL [REQUIRES 1 YD EACH—MINIMUM ORDER OF 20]	G1 +\$312 G2 +\$376 G3 +\$432

LEAD TIME: 20 business days (May vary due to material availability)

PLASTIC FINISHES


Specify at end of product code (i.e. BLG60-WHT).




BLK Pitch Black



BLU Sky Blue





CTR Citrus Green



WHT Cloud White



IMAGE	CODE	DESCRIPTION	LIST
<b>Pedestal Cushions</b> 	BS1915T VG1, VG2, VG3	19"x15" Vinyl Pedestal Cushion W 15" D 19" H 1.5"	G1 \$238 G2 \$258 G3 \$277
	BS1910T VG1, VG2, VG3	19"x10" Vinyl Slim Pedestal Cushion W 10" D 19" H 1.5"	G1 \$230 G2 \$250 G3 \$270
<b>Lateral Cushions</b> 	BS2036T VG1, VG2, VG3	36"x20" Vinyl Lateral Cushion W 36" D 19.5" H 1.5"	G1 \$409 G2 \$448 G3 \$486

Spradling International Vinyl Grades

GRADE 1 (G1)			
Allegro	Floridian	Nuance	Double-Polished Clear Vinyl
Anchor	Flotilla	Orion	• 0.012 Jumbo
Apex	G-Grain	Oxen Soft	• 0.016 Jumbo
Aries	Gemini	Pegasus	• 0.020 Jumbo
Beluga	Grand Prix	Polaris	• 0.020 Jumbo (SM)
Buckskin w/ Aberdeen	Heidi Soft	Ruffino Soft	• 0.030 Jumbo
Caliber	Heidi Soft Marine	Seabreeze	• 0.030 Jumbo (SM)
Caprice Soft	Islander	Sierra Soft	Double-Polished Clear Interleaf
Carbon Fiber	Longitude Soft	Soho Soft	• 0.012 Jumbo
Cenery Soft	Madrid Soft	Sutton Soft	• 0.016 Jumbo
Corinthian Soft	Marlin	Torino Soft	• 0.020 Jumbo
E-Z Vinyls	Milled Pebble	Trexx	• 0.030 Jumbo
• Blacks	Montana Soft	Verona Soft	
• Colors	Monticello Soft	Wallaby Soft	
• Marine White	Navigator Soft	Zander	
GRADE 2 (G2)			
Ballistic PU	Guardian	Reflex	Double-Polished Clear Vinyl
Chambray	Hitch	Reflex MQ	• 0.040 Jumbo
Dolce PU	Inclination	Renaissance	Double-Polished Clear Interleaf
EcoSense	Interlace	Sequins	• 0.040 Interleaved
• Edgeline	Invision	Silvertex	
• Genero	Kaleidoscope	Simtex Met	
• Guardian	Kilkenny Tweed	Stratosphere	
• Maglia	Patriot Plus	Whisper	
• Savoy	Prelude		
GRADE 3 (G3)			
Intaglio Designs	PerForm 60		
• Scribe			

LEAD TIME: 20 business days (May vary due to material availability)

PROPER CLEANING STEPS

When cleaning any surface or material there is a proper way to protect yourself and your furniture. Follow the steps below to properly clean and disinfect your office and maintain a safe environment.

Step 1: Personal Hygiene/ Protection	Cleaner must wear disposable gloves/protective gear and be familiar with best practices of cleaning
Step 2: General Surface Cleaning	Regular removal of dirt and germs through sweeping, vacuuming, and wiping down surfaces
Step 3: Disinfection	Use approved compounds or solutions to effectively remove or kill viruses.

COMMON CLEANER FACTS

Soap

Lathered and rinsed with fresh water

Alcohol

At least 70% of compound

Bleach

Highly effective in killing viruses, but harsh on surfaces

Hydrogen Peroxide

Milder than bleach, but effective

Quaternary Ammonium Compounds (QACs)

Popular ingredient in many household disinfectants

Heated Steam

Applied mechanically to surfaces usually by a professional cleaning crew

IMPORTANT NOTES

- All of the above cleaners (except soap and steam) have potential negative side effects. It's important for users to carefully follow instructions for use.
- Effective applications of these compounds/solutions usually involves waiting an extended period of time before wiping away. Correct usage is critical to properly clean and disinfect.

CLEANING AND MAINTENANCE

Regular cleaning and upkeep is recommended at least once a month to maintain your office space. Please follow the instructions below to ensure that proper care is taken when maintaining all steel materials.

Recommended Cleaning Solutions	<ul style="list-style-type: none"><li>• Soap and water</li><li>• Bleach</li><li>• Ethanol</li><li>• QACs</li><li>• Steam</li></ul>
Recommended Cleaning Instructions	<p>Clean with recommended cleaners only. <b>DO NOT</b> use solvents. For regular cleaning, use a damp cloth or sponge mixed with soap or a mild detergent. Immediately dry with a clean cloth.</p> <ol style="list-style-type: none"><li>1. If the stain is dry and there is visible soil, use a plastic bristle brush to soften the dirt. Avoid excess pressure.</li><li>2. Apply appropriate cleaning solution (see recommended cleaning solutions above) to a line free cloth. Use a hand spray applicator.</li><li>3. Using the treated cloth, blot the stain starting from the outer edge and moving inward.</li><li>4. If required, renew the cleaning cloth. Repeat process until there is no further transfer of the dirt to the cloth.</li><li>5. Once the stain is removed, soak up the remaining cleaning solution with a dry cloth.</li><li>6. Use a clean cloth or sponge soaked in water to remove any residue.</li><li>7. Allow treated surface to air dry.</li></ol> <p><b>NOTE:</b> If stain is old or persists after cleaning, contact a professional cleaning service.</p>
Recommended Polishing for Mild Marks	Remove marks from metal surfaces with a matte or semi-matte finish by applying industrial or Johnson’s pre-softened homemade wax paste with a piece of cotton. Follow the manufacturer’s instructions.
Recommended Polishing for Major Marks	Remove the marks and scratches from the shiny-finished metal surfaces by applying any paste, wax or polishing fluid (polish) with homemade industrial cotton. Finally, apply soft car wax following the manufacturer’s instructions.

DISINFECTING

Microbial/Viral Contamination Cleaning Recommendations

Use the following steps to sanitize all steel surfaces. Proper protective equipment must be worn when performing a full anti-viral cleaning (i.e. bleach odor respirator, eyewear, and gloves).

1. Mix equal amount of water and bleach (5.25% sodium hypochlorite solution).
2. Use a hand spray applicator to mist the surface of product. Apply generously.
3. Allow treated surface to air dry.

CLEANING AND MAINTENANCE

Regular cleaning and upkeep is recommended at least once a month to maintain your office space. Please follow the instructions below to ensure that proper care is taken when maintaining all laminate materials.

Recommended Household Cleaners	<ul style="list-style-type: none"><li>Windex®</li><li>Glass Plus®</li><li>Fantastik®</li><li>Mr. Clean®</li><li>Formula 409®</li><li>Isopropyl Alcohol (Isopropanol)</li></ul>
Stain Removal	<ol style="list-style-type: none"><li>To clean the laminate surface, use a clean, damp, non-abrasive cloth or sponge and a mild liquid detergent or household cleaner.</li><li>Rinse with clean water using the non-abrasive cloth or sponge.</li><li>Dry the surface by wiping with a clean, non-abrasive cloth.</li></ol>
Mild Stains	<p>Some stains may be removed with a household cleaner and a clean, non-abrasive cloth.</p> <p>If the stain persists, apply a paste of baking soda and water on the area. Using a clean, non-abrasive cloth or sponge, lightly scrub the area with 10 to 20 strokes. The baking soda paste will be slightly abrasive, so avoid excessive scrubbing or exerting too much force. Rinse the area with clean water and dry with a clean, non-abrasive cloth.</p>
Stubborn Stains	<p>For stubborn stains that resist the methods above, apply the following:</p> <ul style="list-style-type: none"><li>Undiluted household bleach or nail polish remover to the area and let stand no longer than two minutes. Rinse the area with clean water and dry with a clean, non-abrasive cloth.</li><li>Mild soap or detergent and a soft-bristle brush. Repeat as necessary. If the stain persists, use baking soda. Be careful not to press too much or too hard. It can damage the decorative surface, especially if the finish is glossy. Apply baking soda to the area, be careful not to press too much or too hard. It can damage the decorative surface, especially if the finish is glossy.</li></ul>
Paint and Varnish	<p>Most oil-based paints, varnishes, and lacquers may be removed with a suitable solvent. Read and follow all warnings and instructions on the labels of all solvent products. Apply the solvent sparingly and wipe the surface with a clean, non-abrasive cloth.</p> <p>Water-based paints may be removed by applying an ammoniated household cleaner (check the product ingredient list for ammonia). Rinse the area with clean water and dry with a clean, non-abrasive cloth.</p>

DISINFECTING

Microbial/Viral Contamination Cleaning Recommendations

Use the following steps to sanitize all laminate surfaces. Proper protective equipment must be worn when performing a full anti-viral cleaning (i.e. bleach odor respirator, eyewear, and gloves).

- Mix equal amount of water and bleach (5.25% sodium hypochlorite solution).
- Use a hand spray applicator to mist the surface of product. Apply generously.
- Allow treated surface to air dry.

WHAT TO AVOID

These items may cause permanent damage to the laminate surface:

- Chemicals
- Abrasives
- Hot objects

These products contain chemicals that will damage the laminate surface. If any spills occur, wipe up the substance immediately and rinse several times with clean water.

- Acidic cleaners
- Drain cleaners
- Oven cleaners
- Toilet-bowl cleaners
- Rust removers

**DO NOT** apply products with these ingredients to the laminate surface:

- Hydrochloric acid
- Muriatic acid
- Hydrogen chloride
- Sulfuric acid
- Oleic acid
- Vitroil oleum oil
- Hydrofluoric acid
- Rust remover
- Phosphoric acid
- Sodium hydroxide
- Caustic soda

**DO NOT** use abrasive cleaners, scouring powders, steel wool, abrasive pads, or abrasive cloths to clean the surface – they can scratch it, making it dull and susceptible to staining.

**DO NOT** place hot cookware, heat-generating appliances, or other heated objects directly on the laminate surface. Prolonged exposure to extreme heat can cause cracking or blistering of the laminate surface.

**WARNING:** Prolonged contact with bleach will cause discoloration of the laminate surface.

CLEANING AND MAINTENANCE

Regular cleaning and upkeep is recommended at least once a month to maintain your office space. Please follow the instructions below to ensure that proper care is taken when maintaining all wood and veneer materials.

Recommended Cleaning Solutions	<ul style="list-style-type: none"><li>Household soap and water</li><li>Vinegar</li><li>Wood furniture polish</li><li>QACs</li><li>Steam</li></ul>
Recommended Cleaning Instructions	<p>Clean with recommended cleaners only. <b>DO NOT</b> use solvents. For regular cleaning, use a damp cloth or sponge mixed with soap or a mild detergent. Immediately dry with a clean cloth.</p> <ol style="list-style-type: none"><li>Fill a spray bottle with 2 parts water, 1 part white vinegar and about five drops dish soap if the wood is soiled. The vinegar disinfects and the dish soap works as an added cleaning element.</li><li>Apply appropriate cleaning solution (see recommended cleaning solutions above) to a line free cloth. Using the treated cloth, blot the stain starting from the outer edge and moving inward.</li><li>If required, renew the cleaning cloth. Repeat process until there is no further transfer of the dirt to the cloth.</li><li>Once the stain is removed, soak up the remaining cleaning solution with a dry cloth.</li><li>Use a clean cloth or sponge soaked in water to remove any residue.</li><li>Allow treated surface to air dry.</li></ol> <p><b>NOTE:</b> If stain is old or persists after cleaning, contact a professional cleaning service.</p>

DISINFECTING

Microbial/Viral Contamination Cleaning Recommendations

Use the following steps to sanitize all wood and veneer surfaces. Proper protective equipment must be worn when performing a full anti-viral cleaning (i.e. bleach odor respirator, eyewear, and gloves).

- Fill a spray bottle with 2 parts water and 1 part white vinegar.
- Mist the surface of product. Apply generously, but do not soak.
- Once the stain is removed, soak up the remaining cleaning solution with a dry cloth.
- Allow treated surface to air dry.

CLEANING AND MAINTENANCE

Regular cleaning and upkeep is recommended at least once a month to maintain your office space. Please follow the instructions below to ensure that proper care is taken when maintaining all glass materials.

Recommended Cleaning Solutions	<ul style="list-style-type: none"><li>Household soap and water</li><li>Bleach</li><li>Ethanol</li><li>QACs</li><li>Steam</li></ul>
Recommended Cleaning Instructions	<p>Clean with recommended cleaners only. <b>DO NOT</b> use solvents. For regular cleaning, use a damp cloth or sponge mixed with soap or a mild detergent. Immediately dry with a clean cloth.</p> <ol style="list-style-type: none"><li>If the stain is dry and there is visible soil, use a plastic bristle brush to soften the dirt. Avoid excess pressure.</li><li>Apply appropriate cleaning solution (see recommended cleaning solutions above) to a line free cloth. Use a hand spray applicator.</li><li>Using the treated cloth, blot the stain starting from the outer edge and moving inward.</li><li>If required, renew the cleaning cloth. Repeat process until there is no further transfer of the dirt to the cloth.</li><li>Once the stain is removed, soak up the remaining cleaning solution with a dry cloth.</li><li>Use a clean cloth or sponge soaked in water to remove any residue.</li><li>Allow treated surface to air dry.</li></ol> <p><b>NOTE:</b> If stain is old or persists after cleaning, contact a professional cleaning service.</p>

DISINFECTING

Microbial/Viral Contamination Cleaning Recommendations

Use the following steps to sanitize all wood and veneer surfaces. Proper protective equipment must be worn when performing a full anti-viral cleaning (i.e. bleach odor respirator, eyewear, and gloves).

- Mix equal amount of water and bleach (5.25% sodium hypochlorite solution).
- Use a hand spray applicator to mist the surface of product. Apply generously.
- Allow treated surface to air dry.



### CLEANING AND MAINTENANCE

Regular cleaning and upkeep is recommended at least once a month to maintain your office space. Please follow the instructions below to ensure that proper care is taken when maintaining all fabric materials.

Recommended Cleaning Solutions	<ul style="list-style-type: none"><li>Upholstery soap and water</li><li>Steam</li></ul>
Recommended Cleaning Tips	<p>Clean with water-based foam or water-based cleaners only. <b>DO NOT</b> use solvents. <b>DO NOT</b> saturate or over wet. Rinse treated area thoroughly with a clean, damp sponge to remove any cleaning solution residue. Vacuuming or light brushing is recommended to prevent dust and soil buildup.</p> <ul style="list-style-type: none"><li>Cushion covers should not be removed and laundered</li><li>Vacuum the fabric frequently with a soft upholstery fitting</li><li>Promptly treat spots and stains, and never over saturate the fabric</li><li>Always test any cleaning method or cleaning agent on an inconspicuous area first</li><li>If the spot is wet, absorb as much liquid as possible with a clean, white paper towel or cloth</li><li>If the spot has dried, use a soft-bristled brush and vacuum with a soft upholstery fitting to remove all loose particles</li><li>To avoid pilling when cleaning, <b>DO NOT</b> rub hard or scrub excessively</li><li>As a final step, always wash the spot with pure water and allow fabric to dry thoroughly</li></ul> <p><b>NOTE:</b> If stain is old or persists after cleaning, contact a professional cleaning service.</p>

### DISINFECTING

#### Microbial/Viral Contamination Cleaning Recommendations

Use the following steps to sanitize all laminate surfaces. Proper protective equipment must be worn when performing a full anti-viral cleaning (i.e. bleach odor respirator, eyewear, and gloves).

- Mix equal amount of water and bleach (5.25% sodium hypochlorite solution).
- Use a hand spray applicator to mist the surface of product. Apply generously.
- Allow treated surface to air dry.

### WHAT TO AVOID

**DO NOT** use vacuum cleaner rotary accessories or brushes as they can permanently damage the texture of the textile or change its characteristics.

**DO NOT** apply water or excess liquid solutions on the textile, as it may cause permanent damage.

### STAIN GUIDE

#### Ballpoint Pen and Cosmetics

Clean with methylated spirits.

#### Blood

Wash off with cold water. If this does not help, add a pH-neutral detergent.

#### Candle Wax

Iron over a paper towel with low heat. Clean with turpentine. Dab with lukewarm water and a pH-neutral detergent. Alternative: See chewing gum.

#### Chewing Gum

Cool with ice blocks in a plastic bag or frozen item. Scrape away. Any remaining gum can be carefully removed with benzene.

#### Chocolate, Grease, and Sweets

Wash with lukewarm water and a pH-neutral detergent.

#### Coffee, Tea, and Milk

Remove as much as possible by blotting with a paper towel. Wash with water and a pH-neutral detergent.

#### Grass and Vegetables

Wash with lukewarm water. If this does not help, add a pH-neutral detergent.

#### Ink

Remove as much as possible by blotting with a paper towel. Clean with 20% methylated spirits, then wash with water and a pH-neutral detergent.

#### Jam, Syrup, Fruit, and Juice

Remove as much as possible with a spoon, then wash with lukewarm water and a pH-neutral detergent.

#### Nail Polish

Apply acetone to the spot with an eyedropper and immediately blot.

#### Oil

Sprinkle talcum on the spot and allow it to work. Brush it away and carefully dab with a cloth dampened with benzene or methylated spirits.

#### Paint

Oil-based: Clean with turpentine, and dab with water and a pH-neutral detergent. Water-based: Wash with cold water and a pH-neutral detergent.

#### Shoe Polish

Carefully dab with a cloth dampened with benzene or methylated spirits.

#### Urine

Apply a mix of one-part colorless vinegar with two parts water. Remove the diluted vinegar with alternate dry and wet cloths

#### Wine and Spirits

Remove as much as possible by blotting with a paper towel. Wash with water and a pH-neutral detergent. Clean with thinned methylated spirits.

CLEANING AND MAINTENANCE

Regular cleaning and upkeep is recommended at least once a month to maintain your office space. Please follow the instructions below to ensure that proper care is taken when maintaining all PET materials.

Recommended Cleaning Solutions

- 50/50 solution of warm water and bleach (5.25% sodium hypochlorite solution)
- 3% Hydrogen peroxide
- Distilled water (for stain removal only)
- Steam

Recommended Cleaning Instructions

- Clean with water-based foam or water-based cleaners only. **DO NOT** use solvents. **DO NOT** saturate or over wet. Rinse treated area thoroughly with a clean, damp sponge to remove any cleaning solution residue. Vacuuming or light brushing is recommended to prevent dust and soil buildup.
1. Blot fresh spills as soon as possible to avoid the liquid absorbing into the product.
  2. If the stain is dry and there is visible soil, use a plastic bristle brush to soften the dirt. Avoid excess pressure.
  3. Vacuum the surface thoroughly using a dusting brush attachment.
  4. Apply appropriate cleaning solution (see recommended cleaning solutions above) to a line free cloth. Use a hand spray applicator, do not over soak.
  5. Using the treated cloth, blot the stain starting from the outer edge and moving inward
  6. If required, renew the cleaning cloth. Repeat process until there is no further transfer of the dirt to the cloth.
  7. Once the stain is removed, soak up the remaining cleaning solution with a dry cloth.
  8. Use a clean cloth or sponge soaked in water to remove any residue.
  9. Allow treated surface to air dry.

**NOTE:** If stain is old or persists after cleaning, contact a professional cleaning service.

DISINFECTING

Microbial/Viral Contamination Cleaning Recommendations

Use the following steps to sanitize all wood and veneer surfaces. Proper protective equipment must be worn when performing a full anti-viral cleaning (i.e. bleach odor respirator, eyewear, and gloves).

1. Mix equal amount of water and bleach (5.25% sodium hypochlorite solution).
2. Use a hand spray applicator to mist the surface of product. Apply generously, but do not soak.
3. Allow treated surface to air dry.

CLEANING AND MAINTENANCE

Regular cleaning and upkeep is recommended at least once a month to maintain your office space. Please follow the instructions below to ensure that proper care is taken when maintaining all vinyl materials.

Recommended Cleaning Solutions

- Household soap and water
- Bleach
- Ethanol
- QACs
- Steam

Recommended Cleaning Instructions

- Clean with recommended cleaners only. **DO NOT** use solvents. For regular cleaning, use a damp cloth or sponge mixed with soap or a mild detergent. Immediately dry with a clean cloth.
1. If the stain is dry and there is visible soil, use a plastic bristle brush to soften the dirt. Avoid excess pressure.
  2. Apply appropriate cleaning solution (see recommended cleaning solutions above) to a line free cloth. Use a hand spray applicator.
  3. Using the treated cloth, blot the stain starting from the outer edge and moving inward.
  4. If required, renew the cleaning cloth. Repeat process until there is no further transfer of the dirt to the cloth.
  5. Once the stain is removed, soak up the remaining cleaning solution with a dry cloth.
  6. Use a clean cloth or sponge soaked in water to remove any residue.
  7. Allow treated surface to air dry.

**NOTE:** If stain is old or persists after cleaning, contact a professional cleaning service.

DISINFECTING

Microbial/Viral Contamination Cleaning Recommendations

Use the following steps to sanitize all wood and veneer surfaces. Proper protective equipment must be worn when performing a full anti-viral cleaning (i.e. bleach odor respirator, eyewear, and gloves).

1. Mix equal amount of water and bleach (5.25% sodium hypochlorite solution).
2. Use a hand spray applicator to mist the surface of product. Apply generously.
3. Allow treated surface to air dry.

CLEANING AND MAINTENANCE

Regular cleaning and upkeep is recommended at least once a month to maintain your office space. Please follow the instructions below to ensure that proper care is taken when maintaining all acrylic and plastic materials.

Recommended Cleaning Solutions	<ul style="list-style-type: none"><li>Household soap and water</li><li>Bleach</li><li>Ethanol</li><li>QACs</li><li>Steam</li></ul>
Recommended Cleaning Instructions	<p>Clean with recommended cleaners only. <b>DO NOT</b> use solvents. For regular cleaning, use a damp cloth or sponge mixed with soap or a mild detergent. Immediately dry with a clean cloth.</p> <ol style="list-style-type: none"><li>If the stain is dry and there is visible soil, use a textured cloth to soften the dirt. Avoid excess pressure.</li><li>Apply appropriate cleaning solution (see recommended cleaning solutions above) to a line free cloth. Use a hand spray applicator.</li><li>Using the treated cloth, blot the stain starting from the outer edge and moving inward</li><li>If required, renew the cleaning cloth. Repeat process until there is no further transfer of the dirt to the cloth.</li><li>Once the stain is removed, soak up the remaining cleaning solution with a dry cloth.</li><li>Use a clean cloth or sponge soaked in water to remove any residue.</li><li>Allow treated surface to air dry.</li></ol> <p><b>NOTE:</b> If stain is old or persists after cleaning, contact a professional cleaning service.</p>

DISINFECTING

Microbial/Viral Contamination Cleaning Recommendations

Use the following steps to sanitize all wood and veneer surfaces. Proper protective equipment must be worn when performing a full anti-viral cleaning (i.e. bleach odor respirator, eyewear, and gloves).

- Mix equal amount of water and bleach (5.25% sodium hypochlorite solution).
- Use a hand spray applicator to mist the surface of product. Apply generously, but do not soak.
- Allow treated surface to air dry.

LIMITED LIFETIME WARRANTY

PERIOD	DESCRIPTION
Lifetime	Legs, beams, steel storage solutions, chair frames and seats, and non-moving components
10 Years	FX laminate finishes (Wilsonart and Formica) and electrical components
5 Years	FAST laminate finishes (Shadow Elm, Sonic Maple, White Oak, Sahara Ridge, and Electric White), height-adjustable frames, flip and nest frames, dividers, laminate storage solutions, and moving components (including, but not limited to, castors, drawer slides, sliding and hinged doors, locks, lumbar mechanisms, castors, pneumatic cylinders, mechanisms, folding seats, adjustable arm mechanisms, ratchet-back mechanisms)
3 Years	Chair foams, upholstery, and fabrics
1 Year	Sanitization stations

This warranty is issued to the original purchaser. The warranty covers from the date of purchase for as long as the product is owned by the original purchaser.

Clear Design (referred to hereafter as “CD”) warrants that its products shall be free of all defects in original material and workmanship from the date of manufacture. The warranty covers the product for normal usage (This warranty does not apply to damage incurred from shipping, storage, alteration, misuse, abuse\*, exceeding the 275-lb weight capacity (seating), use exceeding a normal 40-hour work week, and failure to provide regular and necessary maintenance on seating and flip-top training table products—including tightening all screws and bolts every 6 months).

If a product is defective within the warranty period CD will (at its option) either repair or replace the defective product. CD will request written warranty notification and usually images/photos of the issue. In certain cases (at the discretion of CD) the defective product may be required to be returned to a CD location.

The warranty does not apply to damage caused from normal ‘wear and tear’, damage caused by misuse, abuse, transportation of the product to different locations, damage caused by tear-down and/or reconfiguration of the product, damage caused by exposure to moisture, chemicals or elements. Products will not be covered by the warranty or considered defective if the product is determined to have been installed incorrectly. It is the sole discretion of CD to make a determination if the product was installed incorrectly or a defect is due to incorrect assembly/installation or usage.

This warranty does not cover marking, scratching, denting or other visual defects caused by the user(s).

Clear Design shall not be liable under any circumstances for consequential, economic or incidental damages of any nature, including, without limitation, damages for personal injury or damages to property, and however occasioned whether alleged as resulting from a breach of warranty or contract by Clear Design or negligence of Clear Design or otherwise.

The Clear Design warranty does not cover costs of freight of repaired or replacement parts. This warranty does not cover costs of labor or other costs associated with the repair or replacement of warranty parts.

**NOTE:** Issuance of a purchase order is an acknowledgment and acceptance of our current Terms and Conditions.





THANK  
*you!*

For more brochures, see our resources:

[mycleardesign.com/resources](https://mycleardesign.com/resources)

Stay connected!





1-866-304-7197 | [inspire@mycleardesign.com](mailto:inspire@mycleardesign.com) | [mycleardesign.com](http://mycleardesign.com)

© 2022 Clear Design | Version 22.3.2